Honeywell

LP053-204 CYCLOHEXANE LAB PLUS

000000011343

Version 1.5 Revision Date 04/01/2014 Print Date 02/25/2016

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Cyclohexane

MSDS Number : 000000011343

Product Use Description : Solvent

Manufacturer or supplier's

details

Honeywell International Inc.

115 Tabor Road

Morris Plains, NJ 07950-2546

For more information call : 1-800-368-0050

+1-231-726-3171

(Monday-Friday, 9:00am-5:00pm)

In case of emergency call : Medical: 1-800-498-5701 or +1-303-389-1414

Transportation (CHEMTREC): 1-800-424-9300 or

+1-703-527-3887

.

(24 hours/day, 7 days/week)

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Form : liquid, clear

Color : colourless

Odor : mild sweet

Classification of the substance or mixture

Classification of the substance : Flammable liquids, Category 2

or mixture

Flammable liquids, Category 2 Skin irritation, Category 2

Specific target organ toxicity - single exposure, Category 3,

Central nervous system
Aspiration hazard, Category 1

Page 1 / 14

Honeywell

LP053-204 CYCLOHEXANE LAB PLUS

000000011343

Version 1.5 Revision Date 04/01/2014 Print Date 02/25/2016

GHS Label elements, including precautionary statements

Symbol(s) :







Signal word : Danger

Hazard statements : Highly flammable liquid and vapour.

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause drowsiness and dizziness.

Precautionary statements : Prevention:

Keep away from heat/sparks/open flames/hot surfaces. - No

smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ ventilating/ lighting/ equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Wash skin thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/ eye protection/ face protection.

Response:

IF SWALLOWED: Immediately call a POISON CENTER or

doctor/ physician.

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

Call a POISON CENTER or doctor/ physician if you feel unwell.

Do NOT induce vomiting.

If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam for extinction.

Storage:

Store in a well-ventilated place. Keep container tightly closed.

Keep cool.



LP053-204 CYCLOHEXANE LAB PLUS

000000011343

Version 1.5 Revision Date 04/01/2014 Print Date 02/25/2016

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal

plant.

Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, or OSHA.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : C6H12

Chemical nature : Substance

Chemical Name	CAS-No.	Concentration
Cyclohexane	110-82-7	100.00 %

SECTION 4. FIRST AID MEASURES

Inhalation : Remove to fresh air. If not breathing, give artificial respiration. If

breathing is difficult, give oxygen. Use oxygen as required, provided a qualified operator is present. Call a physician.

Skin contact : Wash off immediately with plenty of water for at least 15

minutes. Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use. Call a physician.

Eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Call a physician.

Ingestion : Do not induce vomiting without medical advice. If a person

vomits when lying on his back, place him in the recovery position. Never give anything by mouth to an unconscious

person. Call a physician.

Page 3 / 14

Honeywell

LP053-204 CYCLOHEXANE LAB PLUS

000000011343

Version 1.5 Revision Date 04/01/2014 Print Date 02/25/2016

Notes to physician

Treatment : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Carbon dioxide (CO2)

Dry chemical

Foam

Cool closed containers exposed to fire with water spray.

Unsuitable extinguishing

media

: Do not use a solid water stream as it may scatter and spread

fire.

Specific hazards during

firefighting

: Extremely flammable.

Vapours may form explosive mixtures with air.

Vapours are heavier than air and may spread along floors. Vapors may travel to areas away from work site before

igniting/flashing back to vapor source.

In case of fire hazardous decomposition products may be

produced such as: Carbon monoxide Carbon dioxide (CO2)

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus and protective suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Wear personal protective equipment. Unprotected persons

must be kept away.

Immediately evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Ensure adequate ventilation. Remove all sources of ignition.

Do not swallow.

Avoid breathing vapours, mist or gas. Avoid contact with skin, eyes and clothing.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Prevent product from entering drains.

Page 4 / 14

LP053-204 CYCLOHEXANE LAB PLUS

000000011343

Version 1.5 Revision Date 04/01/2014 Print Date 02/25/2016

Discharge into the environment must be avoided.

Do not flush into surface water or sanitary sewer system. Do not allow run-off from fire fighting to enter drains or water

courses.

Methods for cleaning up : Ventilate the area.

No sparking tools should be used. Use explosion-proof equipment.

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Handling

Handling : Wear personal protective equipment.

Use only in well-ventilated areas. Keep container tightly closed.

Do not smoke. Do not swallow.

Avoid breathing vapours, mist or gas. Avoid contact with skin, eyes and clothing.

Advice on protection against:

fire and explosion

Keep away from fire, sparks and heated surfaces.

Take precautionary measures against static discharges.

Ensure all equipment is electrically grounded before beginning

transfer operations.

Use explosion-proof equipment.

Keep product and empty container away from heat and sources

of ignition.

No sparking tools should be used.

No smoking.

Storage

Requirements for storage areas and containers

Store in area designed for storage of flammable liquids. Protect

from physical damage.

Keep containers tightly closed in a dry, cool and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.



LP053-204 CYCLOHEXANE LAB PLUS

000000011343

Version 1.5 Revision Date 04/01/2014 Print Date 02/25/2016

Keep away from heat and sources of ignition.

Keep away from direct sunlight.

Store away from incompatible substances.

Container hazardous when empty.

Do not pressurize, cut, weld, braze, solder, drill, grind or expose

containers to heat or sources of ignition.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective measures : Ensure that eyewash stations and safety showers are close to

the workstation location.

Engineering measures : Use with local exhaust ventilation.

Prevent vapour buildup by providing adequate ventilation during

and after use.

Eye protection : Do not wear contact lenses.

Wear as appropriate:

Safety glasses with side-shields If splashes are likely to occur, wear:

Goggles or face shield, giving complete protection to eyes

Hand protection : Solvent-resistant gloves

Gloves must be inspected prior to use.

Replace when worn.

Skin and body protection : Wear as appropriate:

Solvent-resistant apron

Flame retardant antistatic protective clothing

If splashes are likely to occur, wear:

Protective suit

Respiratory protection : In case of insufficient ventilation wear suitable respiratory

equipment.

For rescue and maintenance work in storage tanks use

self-contained breathing apparatus.

Use NIOSH approved respiratory protection.

Hygiene measures : When using, do not eat, drink or smoke.

Wash hands and face before breaks and immediately after

handling the product.

Keep working clothes separately.

Remove and wash contaminated clothing before re-use.

Page 6 / 14

Honeywell

LP053-204 CYCLOHEXANE LAB PLUS

000000011343

Version 1.5 Revision Date 04/01/2014 Print Date 02/25/2016

Do not swallow.

Avoid breathing vapours, mist or gas. Avoid contact with skin, eyes and clothing.

Exposure Guidelines

Components	CAS-No.	Value	Control parameters	Upda te	Basis
Cyclohexane	110-82-7	TWA: time weighted average	(100 ppm)	2008	ACGIH:US. ACGIH Threshold Limit Values
Cyclohexane	110-82-7	REL: Recomm ended exposure limit (REL):	1,050 mg/m3 (300 ppm)	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards
Cyclohexane	110-82-7	PEL: Permissi ble exposure limit	1,050 mg/m3 (300 ppm)	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)
Cyclohexane	110-82-7	TWA: time weighted average	1,050 mg/m3 (300 ppm)	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid, clear

Color : colourless

Odor : mild sweet

pH : Note: not applicable

Melting point/freezing point : 6.54 °C

Page 7 / 14

Honeywell

LP053-204 CYCLOHEXANE LAB PLUS

00000011343

Version 1.5 Revision Date 04/01/2014 Print Date 02/25/2016

Boiling point/boiling range : 80.72 °C

Flash point : -4 °F (-20 °C)

Method: closed cup

Lower explosion limit : 1 %(V)

Upper explosion limit : 8.4 %(V)

Vapor pressure : 104 hPa

at 20 °C(68 °F) 129 hPa

at 25 °C(77 °F)

Vapor density : 2.9 Note: (Air = 1.0)

Density : 0.78 g/cm3 at 20 °C

Water solubility : Note: insoluble

Ignition temperature : 245 °C

Molecular weight : 84.16 g/mol

SECTION 10. STABILITY AND REACTIVITY

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous : Hazardous polymerisation does not occur.

Page 8 / 14

Honeywell

LP053-204 CYCLOHEXANE LAB PLUS

000000011343

Version 1.5 Revision Date 04/01/2014 Print Date 02/25/2016

reactions

Conditions to avoid : Heat, flames and sparks.

Keep away from direct sunlight.

Incompatible materials to

avoid

: Strong oxidizing agents

Acids

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be

produced such as: Carbon monoxide

Carbon dioxide (CO2)

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50: > 5,000 mg/kg

Species: rat

Acute inhalation toxicity : LC50: 32.88 mg/l

Exposure time: 4 h

Species: rat

Acute dermal toxicity : LD50: > 2,000 mg/kg

Species: rabbit

Skin irritation : Species: rabbit

Result: Irritating to skin.

Eye irritation : Species: rabbit

Result: slight irritation

Repeated dose toxicity : Species: rabbit

Application Route: Inhalation

Note: (786 ppm; 6 hours/day for 50 days; NOEL: 434 ppm) Based on experimental results, may cause adverse health

effects on the following: Liver Kidney

Genotoxicity in vitro : Test Method: Ames test

Page 9 / 14

Honeywell

LP053-204 CYCLOHEXANE LAB PLUS

000000011343

Version 1.5 Revision Date 04/01/2014 Print Date 02/25/2016

Result: negative

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity effects

Toxicity to fish : flow-through test

LC50: 4.53 mg/l Exposure time: 96 h

Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other

aquatic invertebrates

: static test

EC50: 0.9 - 3.78 mg/l

Species: Daphnia magna (Water flea)

Toxicity to algae : EbC50: 3.4 mg/l

Exposure time: 72 h

Species: Pseudokirchneriella subcapitata (green algae)

Further information on ecology

Additional ecological

information

: Very toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Observe all Federal, State, and Local Environmental

regulations.

SECTION 14. TRANSPORT INFORMATION

DOT UN/ID No. : UN 1145

Proper shipping name : CYCLOHEXANE

Page 10 / 14

Honeywell

LP053-204 CYCLOHEXANE LAB PLUS

000000011343

Version 1.5 Revision Date 04/01/2014 Print Date 02/25/2016

Class 3
Packing group II
Hazard Labels 3

IATA UN/ID No. : UN 1145

Description of the goods : CYCLOHEXANE

Class : 3
Packaging group : II
Hazard Labels : 3
Packing instruction (cargo : 364

aircraft)

Packing instruction : 353

(passenger aircraft)

Packing instruction : Y341

(passenger aircraft)

IMDG UN/ID No. : UN 1145

Description of the goods : CYCLOHEXANE

Class : 3
Packaging group : II
Hazard Labels : 3

EmS Number : F-E, S-D Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

Inventories

US. Toxic Substances : On TSCA Inventory

Control Act

Australia. Industrial : On the inventory, or in compliance with the inventory

Chemical (Notification and

Assessment) Act

: All components of this product are on the Canadian DSL.

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)

Japan. Kashin-Hou Law List : On the inventory, or in compliance with the inventory

Page 11 / 14

Honeywell

LP053-204 CYCLOHEXANE LAB PLUS

000000011343

Version 1.5 Revision Date 04/01/2014 Print Date 02/25/2016

Korea, Toxic Chemical Control Law (TCCL) List : On the inventory, or in compliance with the inventory

Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act

: On the inventory, or in compliance with the inventory

Chemical Substances

China. Inventory of Existing : On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New

: On the inventory, or in compliance with the inventory

National regulatory information

US. EPA CERCLA

Hazardous Substances (40

CFR 302)

Zealand

: The following component(s) of this product is/are subject to release reporting under 40 CFR 302 when release exceeds the

Reportable Quantity (RQ):

Reportable quantity: 1000 lbs

: Cyclohexane 110-82-7

SARA 302 Components

: SARA 302: No chemicals in this material are subject to the

reporting requirements of SARA Title III, Section 302.

SARA 313 Components

: The following components are subject to reporting levels

established by SARA Title III, Section 313:

: Cyclohexane 110-82-7

SARA 311/312 Hazards

: Fire Hazard

Acute Health Hazard Chronic Health Hazard

CERCLA Reportable

Quantity

: 1000 lbs

Honeywell

LP053-204 CYCLOHEXANE LAB PLUS

000000011343

Version 1.5 Revision Date 04/01/2014 Print Date 02/25/2016

California Prop. 65 : This product does not contain any chemicals known to State of

California to cause cancer, birth defects, or any other

reproductive harm.

Massachusetts RTK : Cyclohexane 110-82-7

New Jersey RTK : Cyclohexane 110-82-7

Pennsylvania RTK : Cyclohexane 110-82-7

WHMIS Classification : B2: Flammable liquid

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required

by the CPR.

SECTION 16. OTHER INFORMATION

	HMISIII	NFP
Health hazard	: 2*	1
Flammability	: 3	3
Physical Hazard	: 0	
Instability	:	0

^{* -} Chronic health hazard

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process,

Honeywell

LP053-204 CYCLOHEXANE LAB PLUS

000000011343

Version 1.5 Revision Date 04/01/2014 Print Date 02/25/2016

unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 06/18/2012

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group