Printing date 01/06/2015

Reviewed on 11/07/2014


1 Identification

- · Product identifier
- Trade name: <u>Water Hardness Buffer</u> <u>APHA for Water Hardness</u>
- · Article number: 9771
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225

DEER PARK, TX 77536 USA 800-256-2586

- Information department: Product safety department Technical Coordinator Sherman Nelson sherman@aquasolutions.org
- *Emergency telephone number: Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

2 Hazard(s) identification



Skin Corr. 1B H314 Causes severe skin burns and eye damage.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



- · Signal word Danger
- *Hazard-determining components of labeling:* 2-Aminoethanol (Monoethanolamine), Reagent Grade
- · Hazard statements
- Causes severe skin burns and eye damage.
- · Precautionary statements
- If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.
- Do not breathe dusts or mists.
- Wear protective gloves/protective clothing/eye protection/face protection.
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Specific treatment (see on this label).

(Contd. on page 2)



USA


Printing date 01/06/2015

Reviewed on 11/07/2014

Trade name: Water Hardness Buffer APHA for Water Hardness

(Contd. of page 1)

Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. • Classification system: • NFPA ratings (scale 0 - 4) Health = 3 Fire = 1 Reactivity = 0





· Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

• Dangerous comp	onents:	
CAS: 141-43-5	2-Aminoethanol (Monoethanolamine), Reagent Grade	29.985%
CAS: 7647-01-0	Hydrochloric Acid 36-38%	6.259%
• Table of Nonhaza	urdous Ingredients	
CAS: 29932-54-5	Ethylenediaminetetra- Acetic Acid, Disodium Magnesium Salt Hydrate	0.544%
CAS: 7732-18-5	Water, Deionized, ASTM Type II	63.211%

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

- \cdot After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

· Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

USA

Printing date 01/06/2015

Trade name: Water Hardness Buffer APHA for Water Hardness

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- · Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- \cdot Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.
- Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

USA -

Reviewed on 11/07/2014

(Contd. of page 2)

Printing date 01/06/2015

Trade name: Water Hardness Buffer APHA for Water Hardness

Reviewed on 11/07/2014

	(Contd. of page 3)
	trol parameters
-	ponents with limit values that require monitoring at the workplace:
141-4	43-5 2-Aminoethanol (Monoethanolamine), Reagent Grade
PEL	Long-term value: 6 mg/m ³ , 3 ppm
REL	Short-term value: 15 mg/m³, 6 ppm Long-term value: 8 mg/m³, 3 ppm
TLV	Short-term value: 15 mg/m³, 6 ppm Long-term value: 7.5 mg/m³, 3 ppm
7647	-01-0 Hydrochloric Acid 36-38%
PEL	Ceiling limit value: 7 mg/m ³ , 5 ppm
REL	Ceiling limit value: 7 mg/m ³ , 5 ppm
TLV	Ceiling limit value: 2.98 mg/m ³ , 2 ppm
Addi	tional information: The lists that were valid during the creation were used as basis.
Perso Gene Keep Imme Wash Avoid Brea In ca respi	osure controls onal protective equipment: eral protective and hygienic measures: o away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work. d contact with the eyes and skin. ething equipment: use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use iratory protective device that is independent of circulating air. ection of hands:
Due	Protective gloves glove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the nical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

(Contd. on page 5)

USA

Printing date 01/06/2015

Reviewed on 11/07/2014

Trade name: Water Hardness Buffer APHA for Water Hardness

(Contd. of page 4)

Leferne efter og her i det i det i		
Information on basic physical and of General Information	cnemical properties	
· General Information · Appearance:		
Form:	Liquid	
Color:	Light yellow	
· Odor:	Amine-like	
· Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	93 °C (199 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	385 °C (725 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	17.0 Vol %	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)	
· Density at 20 °C (68 °F):	1.0105 g/cm ³ (8.433 lbs/gal)	
· Relative density	Not determined.	
· Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	30.0 %	
Water:	63.2 %	
VOC content:	30.0 %	
	303.0 g/l / 2.53 lb/gl	
Solids content:	0.5 %	
• Other information	No further relevant information available.	

(Contd. on page 6)

Printing date 01/06/2015

Reviewed on 11/07/2014

Trade name: Water Hardness Buffer APHA for Water Hardness

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

141-43-5 2-Aminoethanol (Monoethanolamine), Reagent Grade

Oral LD50 2050 mg/kg (rat)

Dermal LD50 1000 mg/kg (rabbit)

- Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- \cdot on the eye: Strong caustic effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

- Corrosive
- Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

7647-01-0 Hydrochloric Acid 36-38%

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

(Contd. on page 7)

3

Printing date 01/06/2015

Trade name: Water Hardness Buffer APHA for Water Hardness Reviewed on 11/07/2014

(Contd. of page 6)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

• *Results of PBT and vPvB assessment* • *PBT:* Not applicable.

• **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

TTAT AT 1	
UN-Number DOT, IMDG, IATA	UN1760
UN proper shipping name DOT IMDG, IATA	Corrosive liquids, n.o.s. (Hydrochloric acid) CORROSIVE LIQUID, N.O.S. (HYDROCHLORIC ACID)
Transport hazard class(es)	
DOT	
Class	8 Corrosive substances
Label	8
IMDG, IATA	8 Corrosive substances
Label	8
Packing group DOT, IMDG, IATA	II
Environmental hazards: Marine pollutant:	No
Special precautions for user Danger code (Kemler): EMS Number:	Warning: Corrosive substances 80 F-A,S-B

Printing date 01/06/2015

Reviewed on 11/07/2014

Trade name: Water Hardness Buffer APHA for Water Hardness

	(Contd. of page
· Segregation groups	Acids, alkalis
· Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
· IMDG	
· Limited quantities (LQ)	5L
\cdot Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN1760, Corrosive liquids, n.o.s. (Hydrochloric acid), 8, II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):	
7647-01-0 Hydrochloric Acid 36-38%	
· Section 313 (Specific toxic chemical listings):	
7647-01-0 Hydrochloric Acid 36-38%	
· TSCA (Toxic Substances Control Act):	
141-43-5 2-Aminoethanol (Monoethanolamine), Reagent Grade	
7647-01-0 Hydrochloric Acid 36-38%	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value established by ACGIH)	
7647-01-0 Hydrochloric Acid 36-38%	A4
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
• GHS label elements The product is classified and labeled according to the Globally Harmonized System (Con	n (GHS). td. on page

Printing date 01/06/2015

Reviewed on 11/07/2014

Trade name: Water Hardness Buffer APHA for Water Hardness

Hazard pictograms	(Contd. of pag
GHS05	
Signal word Danger	
Hazard-determining components of labeling:	
2-Aminoethanol (Monoethanolamine), Reagent Grade	
Hazard statements	
Causes severe skin burns and eye damage.	
Precautionary statements	
If medical advice is needed, have product container or label at hand.	
Keep out of reach of children.	
Read label before use.	
Do not breathe dusts or mists.	
Wear protective gloves/protective clothing/eye protection/face protection.	
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rins	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lens	es, if present and easy to
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/internation	
Chemical safety assessment: A Chemical Safety Assessment has not been carried ou	ıt.
Other information	

specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact: Mr. Nelson · Date of preparation / last revision Creation date for SDS 11-07-2014. STN 01/06/2015 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B