

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/23/2014

Reviewed on 09/23/2014

## 1 Identification

- **Product identifier**
- **Trade name:** Potassium Dichromate Reagent A.C.S, Crystal
- **Article number:** P3785
- **CAS Number:**  
7778-50-9
- **EC number:**  
231-906-6
- **Index number:**  
024-002-00-6
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Aqua Solutions, Inc.  
6913 Highway 225  
DEER PARK, TX 77536  
USA  
800-256-2586
- **Information department:**  
Technical Coordinator  
Sherman Nelson sherman@aquasolutions.org  
Product safety department
- **Emergency telephone number:**  
Chemtec: 800-424-9300  
Canutec: 613-996-6666



## 2 Hazard(s) identification

- **Classification of the substance or mixture**



*GHS03 Flame over circle*

*Ox. Sol. 2      H272 May intensify fire; oxidizer.*



*GHS06 Skull and crossbones*

*Acute Tox. 3    H301 Toxic if swallowed.*

*Acute Tox. 2    H330 Fatal if inhaled.*



*GHS08 Health hazard*

*Resp. Sens. 1   H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.*

*Muta. 1B        H340 May cause genetic defects.*

*Carc. 1B        H350 May cause cancer.*

*Repr. 1B        H360 May damage fertility or the unborn child.*

*STOT RE 1      H372 Causes damage to organs through prolonged or repeated exposure.*



*GHS05 Corrosion*

*Skin Corr. 1B   H314 Causes severe skin burns and eye damage.*

(Contd. on page 2)

USA

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/23/2014

Reviewed on 09/23/2014

Trade name: Potassium Dichromate Reagent A.C.S, Crystal

(Contd. of page 1)



GHS07

Acute Tox. 4 H312 Harmful in contact with skin.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· **Label elements**

· **GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS03

GHS05

GHS06

GHS08

· **Signal word** Danger

· **Hazard statements**

May intensify fire; oxidizer.

Toxic if swallowed.

Harmful in contact with skin.

Fatal if inhaled.

Causes severe skin burns and eye damage.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

May cause genetic defects.

May cause cancer.

May damage fertility or the unborn child.

Causes damage to organs through prolonged or repeated exposure.

· **Precautionary statements**

Take any precaution to avoid mixing with combustibles.

IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment is urgent (see on this label).

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 4

Fire = 3

Reactivity = 0

The substance possesses oxidizing properties.

· **HMIS-ratings (scale 0 - 4)**



Health = \*4

Fire = 3

Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

(Contd. on page 3)

USA

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/23/2014

Reviewed on 09/23/2014

**Trade name: Potassium Dichromate Reagent A.C.S, Crystal**

(Contd. of page 2)

· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Substances**
- **CAS No. Description**  
7778-50-9 Potassium Dichromate
- **Identification number(s)**
- **EC number:** 231-906-6
- **Index number:** 024-002-00-6

· **SVHC**

7778-50-9	Potassium Dichromate
-----------	----------------------

### 4 First-aid measures

- **Description of first aid measures**
- **General information:**  
Immediately remove any clothing soiled by the product.  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.  
Remove breathing apparatus only after contaminated clothing have been completely removed.  
In case of irregular breathing or respiratory arrest provide artificial respiration.
- **After inhalation:**  
Supply fresh air or oxygen; call for doctor.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**  
Do not induce vomiting; immediately call for medical help.  
Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Use neutralizing agent.  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.

(Contd. on page 4)

USA

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/23/2014

Reviewed on 09/23/2014

**Trade name: Potassium Dichromate Reagent A.C.S, Crystal**

(Contd. of page 3)

- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Precautions for safe handling**  
Thorough dedusting.  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

### 7778-50-9 Potassium Dichromate

PEL	Long-term value: 0.005* mg/m <sup>3</sup> Ceiling limit value: 0.1** mg/m <sup>3</sup> *as Cr(VI) **as CrO <sub>3</sub> ; see 29 CFR 1910.1026
REL	Long-term value: 0.0002 mg/m <sup>3</sup> as Cr; See Pocket Guide Apps. A and C
TLV	Long-term value: 0.05 mg/m <sup>3</sup> as Cr; BEI

- **Ingredients with biological limit values:**

### 7778-50-9 Potassium Dichromate

BEI	25 µg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Total chromium (fume)
	10 µg/L LD50 Intraperitoneal: urine Time: increase during shift LD50: Total chromium (fume)

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.  
Avoid contact with the eyes and skin.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/23/2014

Reviewed on 09/23/2014

Trade name: Potassium Dichromate Reagent A.C.S, Crystal

(Contd. of page 4)

- **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

· <b>Form:</b>	Crystalline
· <b>Color:</b>	Bright Red-Orange
· <b>Odor:</b>	Odorless
· <b>Odour threshold:</b>	Not determined.

- **pH-value:** Not applicable.

- **Change in condition**

· <b>Melting point/Melting range:</b>	398 °C (748 °F)
· <b>Boiling point/Boiling range:</b>	>500 °C (>932 °F)

- **Flash point:** Not applicable.

- **Flammability (solid, gaseous):** Contact with combustible material may cause fire.

- **Ignition temperature:**

- **Decomposition temperature:** Not determined.

- **Auto igniting:** Not determined.

- **Danger of explosion:** Not determined.

- **Explosion limits:**

- **Lower:** Not determined.
- **Upper:** Not determined.

- **Vapor pressure at 20 °C (68 °F):** 0 hPa

- **Density at 20 °C (68 °F):** 2.676 g/cm<sup>3</sup> (22.331 lbs/gal)

- **Relative density** Not determined.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/23/2014

Reviewed on 09/23/2014

Trade name: Potassium Dichromate Reagent A.C.S, Crystal

(Contd. of page 5)

- |   |  |
|---|--|
| · Vapour density  | Not applicable.                            |
| · Evaporation rate  | Not applicable.                            |
| · Solubility in / Miscibility with<br>Water at 20 °C (68 °F): | 125 g/l                                    |
| · Partition coefficient (n-octanol/water):                    | Not determined.                            |
| · Viscosity:  |  |
| Dynamic:  | Not applicable.                            |
| Kinematic:  | Not applicable.                            |
| · Other information   | No further relevant information available. |

## 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

Oral	LD50	190 mg/kg (mouse)
------	------	-------------------

- **Primary irritant effect:**
- **on the skin:** Caustic effect on skin and mucous membranes.
- **on the eye:** Strong caustic effect.
- **Sensitization:**
- Sensitization possible through inhalation.
- Sensitization possible through skin contact.
- **Additional toxicological information:**
- Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

7778-50-9	Potassium Dichromate	I
-----------	----------------------	---

- **NTP (National Toxicology Program)**

7778-50-9	Potassium Dichromate	K
-----------	----------------------	---

- **OSHA-Ca (Occupational Safety & Health Administration)** Substance is not listed.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Very toxic for fish

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/23/2014

Reviewed on 09/23/2014

**Trade name: Potassium Dichromate Reagent A.C.S, Crystal**



(Contd. of page 6)

- **Additional ecological information:**
- **General notes:**
  - Water hazard class 3 (Assessment by list): extremely hazardous for water
  - Do not allow product to reach ground water, water course or sewage system, even in small quantities.
  - Must not reach bodies of water or drainage ditch undiluted or unneutralized.
  - Danger to drinking water if even extremely small quantities leak into the ground.
  - Also poisonous for fish and plankton in water bodies.
  - Very toxic for aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
  - Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>· <b>UN-Number</b></li> <li>· <b>DOT, IMDG, IATA</b></li> </ul>                                | <p style="margin-left: 20px;">UN1479</p>   |
| <ul style="list-style-type: none"> <li>· <b>UN proper shipping name</b></li> <li>· <b>DOT</b></li> <li>· <b>IMDG, IATA</b></li> </ul> | <p style="margin-left: 20px;">RQ Oxidizing solid, n.o.s. (Potassium Dichromate)<br/>OXIDIZING SOLID, N.O.S. (Potassium Dichromate)</p> |
| <ul style="list-style-type: none"> <li>· <b>Transport hazard class(es)</b></li> <li>· <b>DOT</b></li> </ul>                           | <div style="text-align: center;">  </div>           |
| <ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>  | <p style="margin-left: 20px;">5.1 Oxidizing substances<br/>5.1</p>   |
| <ul style="list-style-type: none"> <li>· <b>IMDG, IATA</b></li> </ul>   | <div style="text-align: center;">  </div>           |
| <ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>  | <p style="margin-left: 20px;">5.1 Oxidizing substances<br/>5.1</p>   |
| <ul style="list-style-type: none"> <li>· <b>Packing group</b></li> <li>· <b>DOT, IMDG, IATA</b></li> </ul>                            | <p style="margin-left: 20px;">III</p>  |
| <ul style="list-style-type: none"> <li>· <b>Environmental hazards:</b></li> <li>· <b>Marine pollutant:</b></li> </ul>                 | <p style="margin-left: 20px;">Environmentally hazardous substance, solid<br/>No</p>  |
| <ul style="list-style-type: none"> <li>· <b>Special precautions for user</b></li> <li>· <b>Danger code (Kemler):</b></li> </ul>       | <p style="margin-left: 20px;">Warning: Oxidizing substances<br/>1479</p>   |

(Contd. on page 8)

USA

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/23/2014

Reviewed on 09/23/2014

Trade name: Potassium Dichromate Reagent A.C.S, Crystal

(Contd. of page 7)

· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>DOT</b>	
· <b>Quantity limitations</b>	On passenger aircraft/rail: 25 kg On cargo aircraft only: 100 kg
· <b>Hazardous substance:</b>	10 lbs, 4.54 kg
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5 kg
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· <b>UN "Model Regulation":</b>	UN1479, Oxidizing solid, n.o.s. (Potassium Dichromate), 5.1, III, ENVIRONMENTALLY HAZARDOUS

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is listed.
- TSCA (Toxic Substances Control Act): Substance is listed.
- Proposition 65
- Chemicals known to cause cancer: Substance is listed.
- Chemicals known to cause reproductive toxicity for females: Substance is listed.
- Chemicals known to cause reproductive toxicity for males: Substance is listed.
- Chemicals known to cause developmental toxicity: Substance is listed.

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

7778-50-9	Potassium Dichromate	A(inh), D(oral), K/L(inh), CBD(oral)
-----------	----------------------	--------------------------------------

- **TLV (Threshold Limit Value established by ACGIH)**

7778-50-9	Potassium Dichromate	AI
-----------	----------------------	----

- **NIOSH-Ca (National Institute for Occupational Safety and Health)** Substance is listed.

- **GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS03    GHS05    GHS06    GHS08

- **Signal word** Danger

- **Hazard statements**

May intensify fire; oxidizer.  
Toxic if swallowed.  
Harmful in contact with skin.  
Fatal if inhaled.  
Causes severe skin burns and eye damage.  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
May cause an allergic skin reaction.  
May cause genetic defects.

(Contd. on page 9)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/23/2014

Reviewed on 09/23/2014

**Trade name: Potassium Dichromate Reagent A.C.S, Crystal**

(Contd. of page 8)

*May cause cancer.*

*May damage fertility or the unborn child.*

*Causes damage to organs through prolonged or repeated exposure.*

**· Precautionary statements**

*Take any precaution to avoid mixing with combustibles.*

*IF SWALLOWED: Immediately call a POISON CENTER/ doctor.*

*IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.*

*IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*

*Specific treatment is urgent (see on this label).*

*Store locked up.*

*Dispose of contents/container in accordance with local/regional/national/international regulations.*

**· National regulations:**

**· Information about limitation of use:**

*Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.*

**· Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

## 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

**· Department issuing SDS:** *Environment protection department.*

**· Contact:** *Mr. Nelson*

**· Date of preparation / last revision** *09/23/2014 / -*

**· Abbreviations and acronyms:**

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*DOT: US Department of Transportation*

*IATA: International Air Transport Association*

*ACGIH: American Conference of Governmental Industrial Hygienists*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*NFPA: National Fire Protection Association (USA)*

*HMIS: Hazardous Materials Identification System (USA)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*Ox. Sol. 2: Oxidising Solids, Hazard Category 2*

*Acute Tox. 3: Acute toxicity, Hazard Category 3*

*Acute Tox. 4: Acute toxicity, Hazard Category 4*

*Acute Tox. 2: Acute toxicity, Hazard Category 2*

*Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B*

*Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1*

*Skin Sens. 1: Sensitisation - Skin, Hazard Category 1*

*Muta. 1B: Germ cell mutagenicity, Hazard Category 1B*

*Carc. 1B: Carcinogenicity, Hazard Category 1B*

*Repr. 1B: Reproductive toxicity, Hazard Category 1B*

*STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1*