
Printing date 09/23/2014 Reviewed on 01/30/2014

1 Identification

- · Product identifier
- · Trade name: Potassium Hydroxide, Reagent ACS Grade Pellets
- · Article number: P4500
- CAS Number: 1310-58-3 • EC number: 215-181-3
- Index number: 019-002-00-8



· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Product safety department Technical Coordinator

Sherman Nelson sherman@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS05

GHS07

- · Signal word Danger
- · Hazard statements

Harmful if swallowed.

Causes severe skin burns and eye damage.

· Precautionary statements

Do not breathe dust/fume/gas/mist/vapours/spray.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

(Contd. on page 2)

Printing date 09/23/2014 Reviewed on 01/30/2014

Trade name: Potassium Hydroxide, Reagent ACS Grade Pellets

(Contd. of page 1)

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



4 Health = 4 Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

1310-58-3 Potassium Hydroxide

- · Identification number(s)
- · EC number: 215-181-3
- · Index number: 019-002-00-8

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

Printing date 09/23/2014 Reviewed on 01/30/2014

Trade name: Potassium Hydroxide, Reagent ACS Grade Pellets

(Contd. of page 2)

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling Thorough dedusting.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

1310-58-3 Potassium Hydroxide

REL Ceiling limit value: 2 mg/m³

TLV Ceiling limit value: 2 mg/m³

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

Printing date 09/23/2014 Reviewed on 01/30/2014

Trade name: Potassium Hydroxide, Reagent ACS Grade Pellets

(Contd. of page 3)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Physical and chemical proper	ties	
Information on basic physical and c	chemical properties	_
General Information	F. France	
Appearance:		
Form:	Solid	
Color:	White	
Odor:	Odorless	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	360 °C (680 °F)	
Boiling point/Boiling range:	1327 °C (2421 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Product is not flammable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	0 hPa	
Density at 20 °C (68 °F):	$2.04 \ g/cm^3 (17.024 \ lbs/gal)$	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with Water at 20 °C (68 °F):	1120 g/l	
Partition coefficient (n-octanol/wate		
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Other information	No further relevant information available.	

USA

Printing date 09/23/2014 Reviewed on 01/30/2014

Trade name: Potassium Hydroxide, Reagent ACS Grade Pellets

(Contd. of page 4)

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

Oral LD50 273 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 6)

Printing date 09/23/2014 Reviewed on 01/30/2014

Trade name: Potassium Hydroxide, Reagent ACS Grade Pellets

 $\cdot \textbf{Recommended cleansing agent:} \ Water, if necessary with cleansing agents.$

(Contd. of page 5)

DOT, IMDG, IATA UN proper shipping name DOT IMDG, IATA POTASSIUM HYDROXIDE, SOLID Transport hazard class(es) DOT Class Class Label ROCORDINA Class Label ROCORDINA Class Label ROCORDINA Class ROCORDINA Class ROCORDINA ROCOR	4 Transport information	
IMDG, IATA POTASSIUM HYDROXIDE, SOLID Transport hazard class(es) DOT Class 8 Corrosive substances Label 8 IMDG, IATA Class 8 Corrosive substances Label 8 Class 1 Corrosive substances Label 8 Packing group DOT, IMDG, IATA II Environmental hazards: Marine pollutant: No Special precautions for user Danger code (Kemler): 80 EMS Number: F-A,S-B Segregation groups Alkalis Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) 1 kg Excepted quantities (EQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 30 g Maximum net quantity per outer packaging: 500 g	· UN-Number · DOT, IMDG, IATA	UN1813
Transport hazard class(es) DOT Class Label Responsibility of the property o	· UN proper shipping name	
Transport hazard class(es) DOT Class	· DOT · IMDG, IATA	
Class 8 Corrosive substances 8 Image: Image	· Transport hazard class(es)	
Label 8 - IMDG, IATA - Class 8 Corrosive substances - Label 8 - Packing group 8 - Packing group 11 - Environmental hazards: No - Special precautions for user 9 - Danger code (Kemler): 80 - EMS Number: F-A,S-B - Segregation groups Alkalis - Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. - Transport/Additional information: - DOT 0 - Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg - Hazardous substance: 1000 lbs, 454 kg - IMDG - Limited quantities (LQ) 1 kg - Excepted quantities (EQ) Code: E2 - Maximum net quantity per inner packaging: 30 g - Maximum net quantity per outer packaging: 500 g	\cdot DOT	
Label 8 - IMDG, IATA - Class 8 Corrosive substances - Label 8 - Packing group 8 - Packing group 11 - Environmental hazards: No - Special precautions for user 9 - Danger code (Kemler): 80 - EMS Number: F-A,S-B - Segregation groups Alkalis - Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. - Transport/Additional information: - DOT 0 - Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg - Hazardous substance: 1000 lbs, 454 kg - IMDG - Limited quantities (LQ) 1 kg - Excepted quantities (EQ) Code: E2 - Maximum net quantity per inner packaging: 30 g - Maximum net quantity per outer packaging: 500 g	CORROSIVE	
Class 8 Corrosive substances - Label 8 - Packing group - DOT, IMDG, IATA II - Environmental hazards: - Marine pollutant: No - Special precautions for user - Danger code (Kemler): 80 - EMS Number: F-A,S-B - Segregation groups Alkalis - Transport in bulk according to Annex II of - MARPOL73/78 and the IBC Code - Transport/Additional information: - DOT - Quantity limitations - On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg - Hazardous substance: - IMDG - Limited quantities (LQ) - Excepted quantities (EQ) - Code: E2 - Maximum net quantity per inner packaging: 30 g - Maximum net quantity per outer packaging: 500 g	· Class	
Class 8 Corrosive substances Label 8 Packing group DOT, IMDG, IATA II Environmental hazards: Marine pollutant: No Special precautions for user Danger code (Kemler): 80 EMS Number: F-A,S-B Alkalis Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ)		0
Packing group DOT, IMDG, IATA II Environmental hazards: Marine pollutant: No Special precautions for user Danger code (Kemler): Segregation groups Warning: Corrosive substances 80 F-A,S-B Alkalis Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg Hazardous substance: 1000 lbs, 454 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g		
Packing group DOT, IMDG, IATA Environmental hazards: Marine pollutant: No Special precautions for user Danger code (Kemler): Segregation groups EMS Number: Segregation groups Alkalis Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg Hazardous substance: 1000 lbs, 454 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g	· Class	
DOT, IMDG, IATA Environmental hazards:	· Label	8
Marine pollutant: No Special precautions for user Danger code (Kemler): EMS Number: Segregation groups Alkalis Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg Hazardous substance: 1000 lbs, 454 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g	· Packing group · DOT, IMDG, IATA	II
Danger code (Kemler): 80 EMS Number: F-A,S-B Segregation groups Alkalis Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg Hazardous substance: 1000 lbs, 454 kg IMDG Limited quantities (LQ) 1 kg Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g	· Environmental hazards: · Marine pollutant:	No
EMS Number: Segregation groups Alkalis Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg 1000 lbs, 454 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g	· Special precautions for user	· ·
Segregation groups Alkalis Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg 1000 lbs, 454 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g		
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg Hazardous substance: 1000 lbs, 454 kg IMDG Limited quantities (LQ) 1 kg Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g		
MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg 1000 lbs, 454 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g	0 0 0 1	
DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg 1000 lbs, 454 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g		V
• Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg 1000 lbs, 454 kg • IMDG • Limited quantities (LQ) • Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g	\cdot Transport/Additional information:	
On cargo aircraft only: 50 kg 1000 lbs, 454 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g	$\cdot DOT$	
 Hazardous substance: 1000 lbs, 454 kg IMDG Limited quantities (LQ) 1 kg Excepted quantities (EQ) Code: E2	· Quantity limitations	
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g	· Hazardous substance:	
• Limited quantities (LQ) • Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g		222.23, 22.73
• Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g		1 kg
Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g		
	TATUM LIB L	

Printing date 09/23/2014 Reviewed on 01/30/2014

Trade name: Potassium Hydroxide, Reagent ACS Grade Pellets

(Contd. of page 6)

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is not listed.
- · TSCA (Toxic Substances Control Act): Substance is listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value established by ACGIH) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS05 GHS07

- · Signal word Danger
- · Hazard statements

Harmful if swallowed.

Causes severe skin burns and eye damage.

· Precautionary statements

Do not breathe dust/fume/gas/mist/vapours/spray.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Mr. Nelson
- · Date of preparation / last revision 09/23/2014 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 8)

Printing date 09/23/2014 Reviewed on 01/30/2014

Trade name: Potassium Hydroxide, Reagent ACS Grade Pellets

(Contd. of page 7)

Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A

IICA