

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: A4485 AMMONIUM CHLORIDE ACS GRANULAR			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	>= 99.5%		100.30%
PH OF A 5% SOLUTION	4.5 - 5.5 AT 25 DEG C		4.90 DEG C
INSOLUBLE MATTER	PH 5% SOLN MAX 0.005%		0.002%
RESIDUE AFTER IGNITION	INSOLUBLE MAX 0.01%		0.0086%
CALCIUM CONTENT	RESIDUE MAX 0.001%		0.0003%
MAGNESIUM (MG) CONTENT	CALCIUM MAX PPM 5		2 PPM
HEAVY METAL (AS PB)	MAGNESIUM MAX PPM 5		< 5 PPM
IRON (FE) WT% EPA-6010B	HVY MTL MAX PPM 2		< 2 PPM
PHOSPHATE CONTENT	IRON MAX PPM 2		< 2 PPM
SULFATE (SO4) CONTENT	PHOSPHATE MAX 0.002%		< 0.002%
	SULFATE		
Lot # 423008			
Made			



Quality Manager
Aqua Solutions, Inc.