


**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> G7500 GLYCEROL (GLYCERIN) REAGENT ACS			
<b>Test</b>	<b>Target/UOM</b>	<b>Range</b>	<b>Result</b>
ASSAY OF MATERIAL	>= 99.5%		99.6%
COLOR (APHA)	MAX 10 APHA		0
RESIDUE AFTER IGNITION	MAX 0.01%		< 0.01%
	RESIDUE		
NEUTRALITY	PASSES TEST		PASSES TEST
	NEUTRALITY		
CHLORINATED COMPOUNDS	MAX 0.003%		3.00%
(ASCL)	CHLORINATE		
SULFATE (SO4) CONTENT	MAX 20 PPM		6.92%
	SULFATE		
ACROLEIN AND GLUCOSE	PASSES TEST		PASSES TEST
	ACROLEIN		
FATTY ACID ESTERS (AS BUTYRIC	MAX 0.05%		0.20%
ACID)	FATTY ACID		
SUBSTANCES DARKENED BY	PASSES TEST		PASSES TEST
SULFURIC ACID	SUB DARKEN		
HEAVY METAL (AS PB)	MAX 5 PPM		< 0.10%
	HVY MTL		
WATER CONTENT	MAX 0.5%		0.14%
<b>Lot #</b> 427418			
<b>Made</b>			



**Quality Manager**  
Aqua Solutions, Inc.