


Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: P3550 POTASSIUM CHLORIDE REAGENT ACS CRYSTAL			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	99.0 - 100.5%		100.19%
PH OF A 5% SOLUTION	5.4 - 8.6 AT 25 DEG C		7.90 DEG C
INSOLUBLE MATTER	PH 5% SOLN MAX 0.005%		0.001%
IODIDE	INSOLUBLE MAX 0.002%		< 0.002%
BROMIDE (BR)	IODIDE MAX 0.01%		< 0.001%
CHLORATE AND NITRATE (AS NO3)	BROMIDE MAX 0.003%		< 0.003%
PHOSPHATE CONTENT	CHLORATE MAX 5 PPM		< 5 PPM
SULFATE (SO4) CONTENT	PHOSPHATE MAX 0.001%		< 0.001%
BARIUM	SULFATE PASSES TEST		PASSES TEST
HEAVY METAL (AS PB)	BARIUM MAX 5 PPM		< 5 PPM
IRON (FE) WT% EPA-6010B	HVY MTL MAX 3 PPM		< 3 PPM
CALCIUM CONTENT	IRON MAX 0.002%		0.0003%
MAGNESIUM (MG) CONTENT	CALCIUM MAX 0.001%		0.0002%
SODIUM CONTENT	MAGNESIUM MAX 0.005%		0.0045%
	SODIUM		
Lot # 428103			
Made			



Quality Manager
 Aqua Solutions, Inc.