

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: S2675			
SODIUM CHLORIDE REAGENT ACS CRYSTAL			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	>= 99.0%		100.40%
PH OF A 5% SOLUTION	5.0 - 9.0 AT 25 DEG C		6.2 DEG C
INSOLUBLE MATTER	PH 5% SOLN		
	MAX 0.005%		0.0004%
	INSOLUBLE		
IODIDE	MAX 0.002%		< 0.0020%
	IODIDE		
BROMIDE (BR)	MAX 0.01%		< 0.010%
	BROMID		
CHLORATE AND NITRATE (AS NO3)	MAX 0.003%		0.0010%
	CHLORATE		
PHOSPHATE CONTENT	MAX 5 PPM		< 0.0005%
	PHOSPHATE		
SULFATE (SO4) CONTENT	MAX 0.004%		< 0.0040%
	SULFATE		
BARIUM	PASSES TEST		PASSES TEST
	BARIUM		
HEAVY METAL (AS PB)	MAX 5 PPM		< 0.0005%
	HVY MTL		
IRON (FE) WT% EPA-6010B	MAX 2 PPM		< 0.0002%
	IRON		
CALCIUM CONTENT	MAX 0.002%		0.0010%
	CALCIUM		
MAGNESIUM (MG) CONTENT	MAX 0.001%		0.0001%
	MAGNESIUM		
POTASSIUM CONTENT	MAX 0.005%		0.0020%
	POTASSIUM		
NITROGEN COMPOUNDS	0.003	0.000 - 0.003	0.001
	%		
Lot # 421017			
Made			

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

A handwritten signature in blue ink, reading "Richard Komm", is positioned above a horizontal line.

Quality Manager
Aqua Solutions, Inc.