

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Date of issue: 04/28/2014 Version 1.0

SECTION 1.Identification

Product identifier

Product number AX1235

Product name Ammonium Bifluoride Flakes

Practical

CAS-No. 1341-49-7

Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

Details of the supplier of the safety data sheet

Company EMD Millipore Corporation | 290 Concord Road, Billerica, MA 01821,

United States of America | General Inquiries: +1-978-715-4321 | Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)

Emergency telephone 800-424-9300 CHEMTREC (USA)

+1-703-527-3887 CHEMTREC (International)

24 Hours/day; 7 Days/week

SECTION 2. Hazards identification

GHS Classification

Acute toxicity, Category 3, Oral, H301 Skin corrosion, Category 1B, H314

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms





Signal Word
Danger

Hazard Statements

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

Precautionary Statements

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number AX1235 Version 1.0

Product name Ammonium Bifluoride Flakes

Practical

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Formula $(NH_4)HF_2$ H_5F_2N (Hill)

Molar mass 57.04 g/mol

Hazardous ingredients

Chemical Name (Concentration)

CAS-No.

Ammonium hydrogen difluoride (>= 90 % - <= 100 %)

1341-49-7

Exact percentages are being withheld as a trade secret.

SECTION 4. First aid measures

Description of first-aid measures

General advice

Countermeasurements must be implemented at once. First aider needs to protect himself.

Inhalation

After inhalation: fresh air. Call in physician. Keep respiratory tract clear. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

Skin contact

After contact with skin: Rinse with plenty of water for at least 10 minutes. Immediately remove contaminated clothes. Apply calcium gluconate gel (preparation: boil 5 g of calcium gluconate in 85 ml of hot distilled water, add 10 g glycerol. Allow 5 g of Carmellose-sodium to swell in the hot solution. Stable for 6 months, store in a cool place) and massage into the skin until the pain subsides, in between rinse with water and apply fresh gel. Continue gel therapy for another 15 minutes after the pain has subsided. If no calcium gluconate gel is available, apply several dressings thoroughly moistened with 20 % calcium gluconate solution. Medical advice absolutely required!

Eye contact

After contact with eyes: Rinse with plenty of water keeping eyelids open, protecting the unaffected eye (at least 10 minutes). Seek medical advice immediately!

Ingestion

After swallowing: Immediately give to drink plenty of water, add calcium (in the form of calcium gluconate or calcium lactate). Caution: In the case of vomiting risk of perforation! Administer more calcium gluconate solution. Laxative: Sodium sulfate (1 tablespoon/1/4 I water). Seek medical advice immediately. Ensure that injured persons remain calm and protect them against heat loss.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number AX1235 Version 1.0

Product name Ammonium Bifluoride Flakes
 Practical

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Shortness of breath, respiratory arrest, Unconsciousness, Convulsions, shock, Risk of blindness!

The following applies to ammonium salts in general: after swallowing: local irritation symptoms, nausea, vomiting, diarrhea. Systemic effect: after the uptake of very large qantities: drop in blood pressure, collapse, CNS disorders, spasms, narcotic conditions, respiratory paralysis, hemolysis. The following applies to soluble inorganic fluorides in general: may cause irritations to burns in contact with eyes, skin, mucous membranes. Systemic effect: drop in blood calcium level, agitation, spasms, cardiovascular disorders, CNS disorders.

Indication of any immediate medical attention and special treatment needed

Note for the doctor: It is recommended to consult a doctor with experience in the treatment of lesions caused by hydrofluoric acid. If a systemic effect is suspected, monitoring and treatment in an intensive care unit is urgently required. Caution, ventricular fibrillation due to electrolyte imbalance.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapors.

Fire may cause evolution of:

Ammonia, Hydrogen fluoride, nitrogen oxides

Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Avoid inhalation of dusts in all circumstances. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

Environmental precautions

Do not empty into drains.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number AX1235 Version 1.0

Product name Ammonium Bifluoride Flakes
 Practical

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Conditions for safe storage, including any incompatibilities

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Store at room temperature.

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Ingredients

Basis Value Threshold Remarks

limits

Ammonium hydrogen difluoride 1341-49-7

ACGIH Time Weighted Average 2.5 mg/m³ Expressed as: as F

(TWA):

NIOSH/GUIDE Recommended 2.5 mg/m³ Expressed as: as F

exposure limit (REL):

OSHA_TRANS PEL: 2.5 mg/m³ Expressed as: as F

Z1A Time Weighted Average 2.5 mg/m³ Expressed as: as F

(TWA):

OSHA/Z2 Time Weighted Average 2.5 mg/m³ Form of exposure: Dust.

(TWA):

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance. Work under hood. Do not inhale substance/mixture.

Eye/face protection

Tightly fitting safety goggles

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number AX1235 Version 1.0

Product name Ammonium Bifluoride Flakes

Practical

Other protective equipment:

protective clothing

Respiratory protection

required when dusts are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION 9. Physical and chemical properties

Physical state solid

Color white

Odor stinging

Odor Threshold No information available.

pH ca. 3.5

at 50 g/l 68 °F (20 °C)

2

at 5.7 g/l 68 °F (20 °C)

Melting point 126 °C

Boiling point/boiling range 460 °F (238 °C)

at 1,013 hPa (decomposition)

Flash point not combustible

Evaporation rate No information available.

Flammability (solid, gas) The product is not flammable.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapor pressure 1 hPa

at 68 °F (20 °C)

Relative vapor density No information available.

Density 1.5 g/cm³

at 68 °F (20 °C)

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number AX1235 Version 1.0

Product name Ammonium Bifluoride Flakes

Ammonium Bifluoride

Relative density No information available.

Water solubility 630 g/l

at 68 °F (20 °C)

Partition coefficient: n-

octanol/water

No information available.

Autoignition temperature No information available.

Decomposition temperature > 446 °F (> 230 °C)

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

Bulk density ca.750 kg/m³

SECTION 10. Stability and reactivity

Reactivity

See below

Chemical stability

hygroscopic

Possibility of hazardous reactions

Violent reactions possible with:

Generates dangerous gases or fumes in contact with:

acids, Release of:, Hydrogen fluoride

alkalines, Release of:, Ammonia

Risk of explosion with:

halogen-halogen compounds

Conditions to avoid

Strong heating (decomposition).

Incompatible materials

Aluminum, Iron, glass, Metals, quartzes/silicate ceramics, Zinc

Hazardous decomposition products

in the event of fire: See section 5.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number AX1235 Version 1.0

Product name Ammonium Bifluoride Flakes

Practical

SECTION 11. Toxicological information

Information on toxicological effects

Acute oral toxicity
LD50 rat: 130 mg/kg
OECD Test Guideline 401

absorption

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Corrosive to respiratory system

Acute dermal toxicity

absorption

Skin irritation

Causes poorly healing wounds. tissue damage

Causes burns.

Eye irritation

Causes serious eye damage.

Risk of blindness!

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number AX1235 Version 1.0

Product name Ammonium Bifluoride Flakes

Ammonium Bifluoride Flakes

Practical

Further information

After absorption:

Systemic effects:

Convulsions, Unconsciousness, Cardiac irregularities, respiratory arrest, shock, disturbed electrolyte balance.

Chronic uptake results in damage of:

Bone marrow, Liver, Kidney

The following applies to soluble inorganic fluorides in general: may cause irritations to burns in contact with eyes, skin, mucous membranes. Systemic effect: drop in blood calcium level, agitation, spasms, cardiovascular disorders, CNS disorders.

The following applies to ammonium salts in general: after swallowing: local irritation symptoms, nausea, vomiting, diarrhea. Systemic effect: after the uptake of very large qantities: drop in blood pressure, collapse, CNS disorders, spasms, narcotic conditions, respiratory paralysis, hemolysis. This substance should be handled with particular care.

SECTION 12. Ecological information

Ecotoxicity

Toxicity to fish

LC100 Danio rerio (zebra fish): 562 mg/l; 96 h (IUCLID) LC0 Danio rerio (zebra fish): 237 mg/l; 96 h (IUCLID)

Toxicity to bacteria

EC50 activated sludge: 2,394 mg/l

OECD Test Guideline 209

Persistence and degradability

No information available.

Bioaccumulative potential

No information available.

Mobility in soil

No information available.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number AX1235 Version 1.0

Product name Ammonium Bifluoride Flakes

Practical

SECTION 14. Transport information

Land transport (DOT)

UN number UN 1727

Proper shipping name AMMONIUM HYDROGENDIFLUORIDE, SOLID

Class 8
Packing group II
Environmentally hazardous ---

Air transport (IATA)

UN number UN 1727

Proper shipping name AMMONIUM HYDROGENDIFLUORIDE, SOLID

Class 8
Packing group II
Environmentally hazardous -Special precautions for user no

Sea transport (IMDG)

UN number UN 1727

Proper shipping name AMMONIUM HYDROGENDIFLUORIDE, SOLID

Class 8
Packing group II
Environmentally hazardous -Special precautions for user
EmS yes
F-A S-B

SECTION 15. Regulatory information

United States of America

OSHA Hazards

Toxic by ingestion

Corrosive to skin

Corrosive to eyes

Corrosive by inhalation.

This information is based on 29 CFR 1910.1200 criteria prior to adoption of the GHS, and may deviate from the GHS information on the label and in section 2.

SARA 311/312 Hazards

Acute Health Hazard

SARA 313

The following components are subject to reporting levels established by SARA Title III, Section 313:

Ingredients

Ammonium hydrogen difluoride 1341-49-7 100 %

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number AX1235 Version 1.0

Product name Ammonium Bifluoride Flakes

Practical

SARA 302

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

DEA List I

Not listed

DEA List II

Not listed

US State Regulations

Massachusetts Right To Know

Ingredients

Ammonium hydrogen difluoride

Pennsylvania Right To Know

Ingredients

Ammonium hydrogen difluoride

New Jersey Right To Know

Ingredients

Ammonium hydrogen difluoride

California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL.

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Full text of H-Statements referred to under sections 2 and 3.

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Date of issue: 04/28/2014

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.