



# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Date of issue: 01/09/2015

Version 1.0

## SECTION 1. Identification

### Product identifier

Product number	CX0655
Product name	Charcoal, Activated SX-2   Powder Norit®
CAS-No.	7440-44-0

### Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Reagent for analysis
-----------------	----------------------

### Details of the supplier of the safety data sheet

Company	EMD Millipore Corporation   290 Concord Road, Billerica, MA 01821, United States of America   General Inquiries: +1-978-715-4321   Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)
---------	--

Emergency telephone	800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week
---------------------	--

## SECTION 2. Hazards identification

### GHS-Labeling

Not a dangerous substance according to GHS.

### Other hazards

None known.

## SECTION 3. Composition/information on ingredients

Formula	C (Hill)
Molar mass	12.01 g/mol

### Hazardous ingredients

*Chemical Name (Concentration)*

CAS-No.

*charcoal activated (>= 90 % - <= 100 % )*

7440-44-0

Exact percentages are being withheld as a trade secret.

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

CX0655

Version 1.0

Product name

Charcoal, Activated SX-2 <br/>Powder Norit®

---

## SECTION 4. First aid measures

### Description of first-aid measures

#### *Inhalation*

After inhalation: fresh air.

#### *Skin contact*

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower.

#### *Eye contact*

After eye contact: rinse out with plenty of water.

#### *Ingestion*

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

Never give anything by mouth to an unconscious person.

### Most important symptoms and effects, both acute and delayed

We have no description of any toxic symptoms.

### Indication of any immediate medical attention and special treatment needed

No information available.

---

## SECTION 5. Fire-fighting measures

### Extinguishing media

#### *Suitable extinguishing media*

Water, Foam, Carbon dioxide (CO2), Dry powder

#### *Unsuitable extinguishing media*

For this substance/mixture no limitations of extinguishing agents are given.

### Special hazards arising from the substance or mixture

Combustible.

Risk of dust explosion.

Development of hazardous combustion gases or vapors possible in the event of fire.

### Advice for firefighters

#### *Special protective equipment for fire-fighters*

In the event of fire, wear self-contained breathing apparatus.

#### *Further information*

none

---

## SECTION 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

---

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

CX0655

Version 1.0

Product name

Charcoal, Activated SX-2 <br/>Powder Norit®

## Environmental precautions

No special precautionary measures necessary.

## Methods and materials for containment and cleaning up

Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly.

Clean up affected area. Avoid generation of dusts.

## SECTION 7. Handling and storage

### Precautions for safe handling

Observe label precautions.

### Conditions for safe storage, including any incompatibilities

Tightly closed.

Store at room temperature.

## SECTION 8. Exposure controls/personal protection

### Exposure limit(s)

#### *charcoal activated 7440-44-0*

ACGIH	Time Weighted Average (TWA):	2 mg/m <sup>3</sup>	Form of exposure: Respirable fraction.
NIOSH/GUIDE	Recommended exposure limit (REL):	2.5 mg/m <sup>3</sup>	Form of exposure: Respirable.
OSHA_TRANS	PEL:	15 mg/m <sup>3</sup>	Form of exposure: Total dust.
	PEL:	5 mg/m <sup>3</sup>	Form of exposure: Respirable fraction.
Z1A	Time Weighted Average (TWA):	10 mg/m <sup>3</sup>	Form of exposure: Total dust.
	Time Weighted Average (TWA):	5 mg/m <sup>3</sup>	Form of exposure: Respirable fraction.
	Time Weighted Average (TWA):	2.5 mg/m <sup>3</sup>	Form of exposure: Respirable dust.
	Time Weighted Average (TWA):	15millions of particles per cubic foot of air	

### Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

### Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

### Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

### Eye/face protection

Safety glasses

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

CX0655

Version 1.0

Product name

Charcoal, Activated SX-2 <br/>Powder Norit®

## *Hand protection*

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

## *Respiratory protection*

required when dusts are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

## SECTION 9. Physical and chemical properties

Physical state	solid
Color	black
Odor	odorless
Odor Threshold	Not applicable
pH	No information available.
Melting point	3,550 °C
Boiling point	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapor pressure	No information available.
Relative vapor density	No information available.
Density	No information available.
Relative density	No information available.
Water solubility	at 68 °F (20 °C) insoluble
Partition coefficient: n-octanol/water	log Pow: 0.78 (calculated) (Lit.) Bioaccumulation is not expected.

## SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

CX0655

Version 1.0

Product name

Charcoal, Activated SX-2 <br/> Powder Norit®

---

Autoignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none
Bulk density	ca.150 - 440 kg/m <sup>3</sup>

---

### SECTION 10. Stability and reactivity

#### Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

#### Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

#### Possibility of hazardous reactions

Risk of explosion with:

Oxidizing agents, oils, halogens, Peroxides

#### Conditions to avoid

no information available

#### Incompatible materials

no information available

#### Hazardous decomposition products

no information available

---

### SECTION 11. Toxicological information

#### Information on toxicological effects

##### *Likely route of exposure*

Eye contact, Skin contact, Ingestion

##### *Target Organs*

Respiratory system

cardiovascular system

##### *Specific target organ systemic toxicity - single exposure*

The substance or mixture is not classified as specific target organ toxicant, single exposure.

##### *Specific target organ systemic toxicity - repeated exposure*

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

##### *Aspiration hazard*

Regarding the available data the classification criteria are not fulfilled.

## SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

CX0655

Version 1.0

Product name

Charcoal, Activated SX-2 <br/>Powder Norit®

---

### Carcinogenicity

IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
ACGIH	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

### Further information

Inhalation of the dusts should be avoided as even inert dusts may impair respiratory organ functions.

However, when the product is handled appropriately, hazardous effects are unlikely to occur.  
Handle in accordance with good industrial hygiene and safety practice.

---

## SECTION 12. Ecological information

### Ecotoxicity

No information available.

### Persistence and degradability

No information available.

### Bioaccumulative potential

*Partition coefficient: n-octanol/water*

log Pow: 0.78

(calculated)

(Lit.) Bioaccumulation is not expected.

### Mobility in soil

No information available.

### *Additional ecological information*

No ecological problems are to be expected when the product is handled and used with due care and attention.

---

## SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

CX0655

Version 1.0

Product name

Charcoal, Activated SX-2 <br/>Powder Norit®

---

## SECTION 14. Transport information

### Land transport (DOT)

UN number	UN 1362
Proper shipping name	CARBON, ACTIVATED
Class	4.2
Packing group	III
Environmentally hazardous	--

### Air transport (IATA)

UN number	UN 1362
Proper shipping name	CARBON, ACTIVATED
Class	4.2
Packing group	III
Environmentally hazardous	--
Special precautions for user	yes Not permitted for transport

### Sea transport (IMDG)

Not classified as dangerous in the meaning of transport regulations.

Environmentally hazardous	--
Special precautions for user	yes Not permitted for transport

---

## SECTION 15. Regulatory information

### United States of America

#### SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

#### DEA List I

Not listed

#### DEA List II

Not listed

### US State Regulations

## SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

CX0655

Version 1.0

Product name

Charcoal, Activated SX-2 <br/>Powder Norit®

---

### Massachusetts Right To Know

#### *Ingredients*

charcoal activated

### Pennsylvania Right To Know

#### *Ingredients*

charcoal activated

### New Jersey Right To Know

#### *Ingredients*

charcoal activated

### California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

### Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL.

---

## SECTION 16. Other information

### Training advice

Provide adequate information, instruction and training for operators.

### Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at [www.wikipedia.org](http://www.wikipedia.org).

Date of issue:01/09/2015

---

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

*All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.*