	Date of issue: 05/05/2014	Version 1.0
SECTION 1.Identification Product identifier		
Product number	MX0486	
Product name	Methanol LC-MS Grade For Liquid Chromatography- Mass Spectrometry OmniSolv®	
Synonyms	MeOH	
CAS-No.	67-56-1	
Relevant identified uses of	the substance or mixture and uses advised against	
Identified uses	Reagent for analysis	
Details of the supplier of the	e safety data sheet	
Company	EMD Millipore Corporation 290 Concord Road, Billerica, MA 0 ⁻ United States of America General Inquiries: +1-978-715-4321 Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)	1821,
Emergency telephone	800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week	

SECTION 2. Hazards identification

GHS Classification

Flammable liquid, Category 2, H225 Acute toxicity, Category 3, Oral, H301 Acute toxicity, Category 3, Inhalation, H331 Acute toxicity, Category 3, Dermal, H311 Specific target organ systemic toxicity - single exposure, Category 1, Eyes, H370 For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms



Signal Word Danger

Product number	MX0486	Version 1.0
Product name	Methanol LC-MS Grade For Liquid Chromatography- 	Aass Spectrometry
	OmniSolv®	

Hazard Statements H225 Highly flammable liquid and vapor. H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled. H370 Causes damage to organs (Eyes).

Precautionary Statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P280 Wear protective gloves/ protective clothing.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

P403 + P235 Store in a well-ventilated place. Keep cool.

OSHA Hazards

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). This information is based on 29 CFR 1910.1200 criteria prior to adoption of the GHS and may deviate from the GHS information.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Formula	CH₃OH	CH₄O (Hill)
Synonyms	MeOH	
Molar mass	32.04 g/mol	

Hazardous ingredients

Chemical Name (Concentration) CAS-No. methanol (>= 90 % - <= 100 %) 67-56-1 Exact percentages are being withheld as a trade secret.

SECTION 4. First aid measures

Description of first-aid measures

General advice First aider needs to protect himself.

Inhalation

After inhalation: fresh air. If breathing stops: immediately apply artificial respiration, if necessary oxygen. Immediately call in physician.

Skin contact

After skin contact: wash off with plenty of water. Remove contaminated clothing. Call a physician immediately.

Product number	MX0486	Version 1.0
Product name	Methanol LC-MS Grade For Liquid Chromatography- 	ss Spectrometry
	OmniSolv®	

Eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

Ingestion

After swallowing: fresh air. Make victim drink ethanol (e.g. 1 drinking glass of a 40% alcoholic beverage). Call a doctor immediately (mention methanol ingestion). Only in exceptional cases, if no medical care is available within one hour, induce vomiting (only in fully conscious persons) and make victim drink ethanol again (approx. 0.3 ml of a 40% alcoholic beverage/kg body weight/hour).

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

irritant effects, Drowsiness, Dizziness, narcosis, agitation, spasms, inebriation, Nausea, Vomiting, Headache, blindness, Impairment of vision, Coma Drying-out effect resulting in rough and chapped skin.

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Water, Carbon dioxide (CO2), Foam, Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at ambient temperatures. Pay attention to flashback. Development of hazardous combustion gases or vapors possible in the event of fire.

Advice for firefighters

Special protective equipment for fire-fighters Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Cool closed containers exposed to fire with water spray. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Keep away from heat and sources of ignition. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

Product number	MX0486	Version 1.0
Product name	Methanol LC-MS Grade For Liquid Chromatography-<	br/>Mass Spectrometry
	OmniSolv®	

Environmental precautions

Do not empty into drains. Risk of explosion.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

SECTION 7. Handling and storage

Precautions for safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapors/aerosols.

Observe label precautions.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Store at room temperature.

Product number	MX0486	Version 1.0	
Product name	Methanol LC-MS Grade For Liquid Chromatography- 	ethanol LC-MS Grade For Liquid Chromatography- 	
	OmniSolv®		

SECTION 8. Exposure controls/personal protection

Exposure limit(s) Ingredients			
Basis	Value	Threshold limits	Remarks
methanol 67-56	6-1		
ACGIH	Time Weighted Average	200 ppm	
	(TWA): Short Term Exposure Limit (STEL):	250 ppm	
	Skin designation:		Can be absorbed through the skin.
NIOSH/GUIDE	Recommended exposure limit (REL):	200 ppm 260 mg/m³	
	Skin designation:		Can be absorbed through the skin.
	Short Term Exposure Limit (STEL):	250 ppm 325 mg/m³	
OSHA_TRANS	PEL:	200 ppm 260 mg/m³	
Z1A	Time Weighted Average (TWA):	200 ppm 260 mg/m³	
	Skin designation (Final Rule Limit applies): Short Term Exposure Limit (STEL):	250 ppm 325 mg/m³	Can be absorbed through the skin.

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

Eye/face protection Safety glasses

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Other protective equipment: Flame retardant antistatic protective clothing

Product number	MX0486	Version 1.0
Product name	Methanol LC-MS Grade For Liquid Chromatography- 	r/>Mass Spectrometry
	OmniSolv®	

Respiratory protection

required when vapors/aerosols are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

CTION 9. Physical and chemical Physical state	properties liquid
Color	colorless
Odor	characteristic
Odor Threshold	10 - 20000 ppm
рН	No information available.
Melting point	-98 °C
Boiling point/boiling range	148.1 °F (64.5 °C) at 1,013 hPa
Flash point	50 °F (10 °C) Method: c.c.
Evaporation rate	6.3 Reference substance: Diethyl ether
	1.9 Reference substance: n-butyl acetate
Flammability (solid, gas)	No information available.
Lower explosion limit	5.5 %(V)
Upper explosion limit	44 %(V)
Vapor pressure	128 hPa at 68 °F (20 °C)
Relative vapor density	1.11
Density	0.792 g/cm³ at 68 °F (20 °C)
Relative density	No information available.

Product number Product name	MX0486 Version 1.0 Methanol LC-MS Grade For Liquid Chromatography- Mass Spectrometry OmniSolv®		
Water solubility	at 68 °F (20 °C) soluble		
Partition coefficient: n- octanol/water	log Pow: -0.77 (experimental) (Lit.) Bioaccumulation is not expected.		
Autoignition temperature	851 °F (455 °C)		
Decomposition temperature	Distillable in an undecomposed state at normal pressure.		
Viscosity, dynamic	0.597 mPa.s at 68 °F (20 °C)		
Explosive properties	Not classified as explosive.		
Oxidizing properties	none		
Ignition temperature	851 °F (455 °C) DIN 51794		
Minimum ignition energy	0.14 mJ		
Conductivity	< 1 µS/cm		

SECTION 10. Stability and reactivity

Reactivity

Vapors may form explosive mixture with air.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Risk of explosion with:

Oxidizing agents, perchloric acid, perchlorates, salts of oxyhalogenic acids, chromium(VI) oxide, halogen oxides, nitrogen oxides, nonmetallic oxides, chromosulfuric acid, chlorates, hydrides, zinc diethyl, halogens, magnesium, hydrogen peroxide, Nitric acid

Exothermic reaction with:

acid halides, Acid anhydrides, Reducing agents, acids

Generates dangerous gases or fumes in contact with:

Alkaline earth metals, Alkali metals

Conditions to avoid

Warming.

Incompatible materials

various plastics, magnesium, zinc alloys

Product number	MX0486	Version	1. 0
Product name	Methanol LC-MS Grade For Liquid Chromatography- Mass Spe		/

Hazardous decomposition products

no information available

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure Inhalation, Eye contact, Skin contact

Target Organs Eyes Skin Respiratory system Central nervous system gastrointestinal tract

Acute oral toxicity LDLO human: 143 mg/kg (RTECS)

LD50 rat: 5,628 mg/kg (IUCLID)

absorption Symptoms: Nausea, Vomiting

Acute inhalation toxicity LC50 rat: 85.26 mg/l; 4 h (IUCLID)

absorption Symptoms: Irritation symptoms in the respiratory tract.

Acute dermal toxicity LD50 rabbit: ca. 17,100 mg/kg (External MSDS)

absorption

Skin irritation Drying-out effect resulting in rough and chapped skin.

Eye irritation Irritations of mucous membranes

Sensitization Sensitization test: guinea pig Result: negative (IUCLID)

Genotoxicity in vivo Mutagenicity (mammal cell test): micronucleus. Result: negative (IUCLID)

Product number	MX0486	Version 1.0
Product name	Methanol LC-MS Grade For Liquid Chromatograph	y- Mass Spectrometry
	OmniSolv®	

Genotoxicity in vitro		
Ames test		
Result: negative (IUCLID)		
CMR effects		
Carcinogenicity:		
Did not show carcinogenic effects in animal experiments.		
Mutagenicity: Regarding the available data the classification criteria are not fulfilled.		
Teratogenicity:		
Regarding the available data the classification criteria are not fulfilled. Reproductive toxicity:		
Regarding the available data the classification criteria are not fulfilled.		
Specific target organ system	ic toxicity - single exposure	
Target Organs: Eyes Causes damage to organs.		
Specific target organ system	ic toxicity - repeated exposure	
	not classified as specific target organ toxicant, repeated exposure.	
Aspiration hazard		
Regarding the available data	a the classification criteria are not fulfilled.	
Carcinogenicity		
IARC	No ingredient of this product present at levels greater than or	
	equal to 0.1% is identified as probable, possible or confirmed	
	human carcinogen by IARC.	
OSHA	No ingredient of this product present at levels greater than or	
	equal to 0.1% is identified as a carcinogen or potential	
	carcinogen by OSHA.	
NTP	No ingredient of this product present at levels greater than or	
	equal to 0.1% is identified as a known or anticipated carcinogen	
	by NTP.	
ACGIH	-	
ACGIH	No ingredient of this product present at levels greater than or	
	equal to 0.1% is identified as a carcinogen or potential	
	carcinogen by ACGIH.	
Further information		
Systemic effects:		
acidosis, drop in blood pressure, agitation, spasms, inebriation, Dizziness, Drowsiness,		
Headache, Impairment of vis Symptoms may be delayed.	ion, blindness, narcosis, Coma	
Damage to:		
Liver Kidney Cardiac Irreversible damage of the entired nerve		

Liver, Kidney, Cardiac, Irreversible damage of the optical nerve. Handle in accordance with good industrial hygiene and safety practice.

Product number	MX0486	Version 1.0
Product name	Methanol LC-MS Grade For Liquid Chromatography- 	
	OmniSolv®	

SECTION 12. Ecological information

Ecotoxicity

Toxicity to fish LC50 Lepomis macrochirus (Bluegill sunfish): 15,400 mg/l; 96 h (in soft water) (ECOTOX Database) Toxicity to daphnia and other aquatic invertebrates EC5 E.sulcatum: > 10,000 mg/l; 72 h (Lit.) EC50 Daphnia magna (Water flea): > 10,000 mg/l; 48 h (IUCLID) Toxicity to algae EC50 Pseudokirchneriella subcapitata (green algae): ca. 22,000 mg/l; 96 h (External MSDS) IC5 Scenedesmus quadricauda (Green algae): 8,000 mg/l; 8 d (IUCLID) Toxicity to bacteria EC5 Pseudomonas fluorescens: 6,600 mg/l; 16 h (IUCLID) Toxicity to fish (Chronic toxicity) NOEC Oryzias latipes (Orange-red killifish): 7,900 mg/l; 200 h (External MSDS) Persistence and degradability Biodegradability 99 %; 30 d OECD Test Guideline 301D Readily biodegradable. Biochemical Oxygen Demand (BOD) 600 - 1,120 mg/g (5 d) (IUCLID) Chemical Oxygen Demand (COD) 1,420 mg/g (IUCLID) Theoretical oxygen demand (ThOD) 1,500 mg/g (Lit.) Ratio BOD/ThBOD BOD5 76 % **Closed Bottle test Bioaccumulative potential** Partition coefficient: n-octanol/water log Pow: -0.77 (experimental) (Lit.) Bioaccumulation is not expected. Mobility in soil No information available.

Other adverse effects

Product number	MX0486	Version 1.0
Product name	Methanol LC-MS Grade For Liquid Chromatography- 	lass Spectrometry
	OmniSolv®	

Surface tension 22.6 mN/m at 68 °F (20 °C)

Stability in water 2.2 yr reaction with hydroxyl radicals (IUCLID)

Additional ecological information Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14. Transport information

Land transport (DOT)	
UN number	UN 1230
Proper shipping name	METHANOL
Class	3
Packing group	II
Environmentally hazardous	
Air transport (IATA)	
UN number	UN 1230
Proper shipping name	METHANOL
Class	3 (6.1)
Packing group	II
Environmentally hazardous	
Special precautions for user	no
Sea transport (IMDG)	
UN number	UN 1230
Proper shipping name	METHANOL
Class	3 (6.1)
Packing group	II
Environmentally hazardous	
Special precautions for user	yes
EmS	F-E S-D

Product number	MX0486	Version	1.0
Product name	Methanol LC-MS Grade For Liquid Chromatography- hr/>Mass Spe	ctrometry	/
	OmniSolv®		

SECTION 15. Regulatory information

United States of America

- OSHA Hazards
- Flammable Liquid Target organ effects Toxic by ingestion Toxic by inhalation. Toxic by skin absorption Respiratory irritant Skin irritant Eye irritant

This information is based on 29 CFR 1910.1200 criteria prior to adoption of the GHS, and may deviate from the GHS information on the label and in section 2.

SARA 311/312 Hazards

Fire Hazard Chronic Health Hazard

SARA 313

The following components are subject to reporting levels established by SARA Title III, Section 313: *Ingredients* 67-56-1 100 %

SARA 302

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311,

Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311,

Table 117.3.

DEA List I

Not listed

DEA List II Not listed

US State Regulations

Massachusetts Right To Know Ingredients methanol Pennsylvania Right To Know Ingredients

methanol

New Jersey Right To Know

Product number Product name	MX0486 Version 1.0 Methanol LC-MS Grade For Liquid Chromatography- Mass Spectrometry OmniSolv®
<i>Ingredients</i> methanol	
California Prop 65 Co WARNING: This proo defects or other repro <i>Ingredients</i> methanol	duct contains a chemical known in the State of California to cause birth
Notification status	
TSCA:	All components of the product are listed in the TSCA-inventory.
DSL:	All components of this product are on the Canadian DSL.

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapor.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H370	Causes damage to organs.

Key or legend to abbreviations and acronyms used in the safety data sheet Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Date of issue: 05/05/2014

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.