

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Date of issue: 05/05/2014 Version 1.0

#### **SECTION 1.Identification**

### **Product identifier**

Product number MX1458

Product name Methylsulfoxide [Dimethyl Sulfoxide] GR ACS

Synonyms Methanesulfinylmethane, Methyl sulfoxide, Dimethyl(oxido)sulfur,

**DMSO** 

CAS-No. 67-68-5

# Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

# Details of the supplier of the safety data sheet

Company EMD Millipore Corporation | 290 Concord Road, Billerica, MA 01821,

United States of America | General Inquiries: +1-978-715-4321 | Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)

Emergency telephone 800-424-9300 CHEMTREC (USA)

+1-703-527-3887 CHEMTREC (International)

24 Hours/day; 7 Days/week

#### **SECTION 2. Hazards identification**

#### **GHS Classification**

Flammable liquid, Category 4, H227

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **GHS-Labeling**

Signal Word Warning

Hazard Statements
H227 Combustible liquid.

#### **OSHA Hazards**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). This information is based on 29 CFR 1910.1200 criteria prior to adoption of the GHS and may deviate from the GHS information.

### Other hazards

May accelerate skin absorption of other materials.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number MX1458 Version 1.0

Product name Methylsulfoxide [Dimethyl Sulfoxide] GR ACS

## SECTION 3. Composition/information on ingredients

Formula (CH<sub>3</sub>)<sub>2</sub>SO C<sub>2</sub>H<sub>6</sub>OS (Hill)

Synonyms Methanesulfinylmethane, Methyl sulfoxide, Dimethyl(oxido)sulfur,

**DMSO** 

Molar mass 78.13 g/mol

# Hazardous ingredients

Chemical Name (Concentration)

CAS-No.

dimethyl sulphoxide (>= 90 % - <= 100 % )

67-68-5

Exact percentages are being withheld as a trade secret.

#### **SECTION 4. First aid measures**

## **Description of first-aid measures**

Inhalation

After inhalation: fresh air.

Skin contact

After skin contact: wash off with plenty of water. Remove contaminated clothing.

Eye contact

After eye contact: rinse out with plenty of water.

Ingestion

After swallowing: immediately make victim drink water (two glasses at most). Subsequently

administer: activated charcoal (20 - 40 g in 10% slurry).

Never give anything by mouth to an unconscious person.

## Most important symptoms and effects, both acute and delayed

irritant effects, CNS disorders, Nausea, Headache, Tiredness

# Indication of any immediate medical attention and special treatment needed

Laxative: Sodium sulfate (1 tablespoon/1/4 I water). Get medical attention.

# **SECTION 5. Fire-fighting measures**

# Extinguishing media

Suitable extinguishing media

Water, Carbon dioxide (CO2), Foam, Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# Special hazards arising from the substance or mixture

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapors possible in the event of fire.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number MX1458 Version 1.0

Product name Methylsulfoxide [Dimethyl Sulfoxide] GR ACS

Fire may cause evolution of:

Sulfur oxides

# Advice for firefighters

Special protective equipment for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

## **SECTION 6. Accidental release measures**

# Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

# **Environmental precautions**

Do not empty into drains.

## Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

# SECTION 7. Handling and storage

# Precautions for safe handling

Observe label precautions.

## Conditions for safe storage, including any incompatibilities

Tightly closed. Dry.

Store at room temperature.

### SECTION 8. Exposure controls/personal protection

# Exposure limit(s)

Contains no substances with occupational exposure limit values.

## **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

## Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

## Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number MX1458 Version 1.0

Product name Methylsulfoxide [Dimethyl Sulfoxide] GR ACS

Eye/face protection

Safety glasses

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Other protective equipment:

protective clothing

Respiratory protection

required when vapors/aerosols are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

# SECTION 9. Physical and chemical properties

Physical state liquid

Color colorless

Odor characteristic

Odor Threshold No information available.

pH No information available.

Melting point 18.5 °C

Boiling point/boiling range 372 °F (189 °C)

at 1,013 hPa

Flash point 189 °F (87 °C)

Method: c.c.

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit 1.8 %(V)

Upper explosion limit 63.0 %(V)

Vapor pressure 0.6 hPa

at 68 °F (20 °C)

Relative vapor density 2.7

Density 1.10 g/cm<sup>3</sup>

at 68 °F (20 °C)

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number MX1458 Version 1.0

Product name Methylsulfoxide [Dimethyl Sulfoxide] GR ACS

Relative density No information available.

Water solubility 1,000 g/l

at 68 °F (20 °C)

Partition coefficient: n-

octanol/water

log Pow: -1.35 (experimental)

(Lit.) Bioaccumulation is not expected.

Autoignition temperature No information available.

Decomposition temperature > 374 °F (> 190 °C)

Viscosity, dynamic 2.14 mPa.s

at 68 °F (20 °C)

Explosive properties Not classified as explosive.

Oxidizing properties none

Ignition temperature 572 - 576 °F (300 - 302 °C)

Saturated vapor concentration 8.0 g/m<sup>3</sup>

at 68 °F (20 °C)

Viscosity, kinematic 2.14 mm<sup>2</sup>/s

# SECTION 10. Stability and reactivity

#### Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

# Chemical stability

hygroscopic

## Possibility of hazardous reactions

Risk of explosion with:

acetylidene, organic halides, perchlorates, Acid chlorides, nonmetallic halides, iron(III) compounds, nitrates, fluorides, chlorates, hydrides, perchloric acid, Oxides of phosphorus, Nitric acid, silver compounds, silicon compounds, silanes, acid halides

Exothermic reaction with:

boron compounds, oxyhalogenic compounds, Potassium, sodium, Strong oxidizing agents, phosphorus halides, strong reducing agents, Acid chlorides, Strong acids, silver salt, nitrogen dioxide

Risk of ignition or formation of inflammable gases or vapors with:

potassium permanganate

# Conditions to avoid

Strong heating.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number MX1458 Version 1.0

Product name Methylsulfoxide [Dimethyl Sulfoxide] GR ACS

# Incompatible materials

various plastics, Metals

# Hazardous decomposition products

in the event of fire: See section 5.

# **SECTION 11. Toxicological information**

## Information on toxicological effects

Likely route of exposure

Inhalation, Eye contact, Skin contact

Target Organs

Skin

Eyes

Acute oral toxicity

LD50 rat: 14,500 mg/kg (RTECS)

Acute dermal toxicity LD50 rat: 40,000 mg/kg

(RTECS)

Skin irritation

Possible damages: slight irritation

Eye irritation

Possible damages: slight irritation

Sensitization

Sensitization test: guinea pig

Result: negative

(IUCLID)

Genotoxicity in vitro

Ames test

Result: negative

(IUCLID)

Mutagenicity (mammal cell test): chromosome aberration.

Result: negative

(National Toxicology Program)

Carcinogenicity

No indication of carcinogenic activity. (IUCLID)

**Teratogenicity** 

Did not show teratogenic effects in animal experiments. (IUCLID)

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number MX1458 Version 1.0

Product name Methylsulfoxide [Dimethyl Sulfoxide] GR ACS

Carcinogenicity

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

#### **Further information**

Possible symptoms:

After uptake:

CNS disorders, Nausea, Tiredness, Headache

Possible damages: Damage to:

Liver, Kidney

However, when the product is handled appropriately, hazardous effects are unlikely to occur.

Handle in accordance with good industrial hygiene and safety practice.

May accelerate skin absorption of other materials.

# **SECTION 12. Ecological information**

# **Ecotoxicity**

Toxicity to fish

LC50 Oncorhynchus mykiss (rainbow trout): 38,500 mg/l; 96 h (ECOTOX Database)

Toxicity to bacteria

EC10 Pseudomonas putida: 7,100 mg/l; 16 h (IUCLID) EC50 activated sludge: 10 - 100 mg/l; 30 min (IUCLID)

# Persistence and degradability

Biodegradability

3.1 %; 14 d

OECD Test Guideline 301C Not readily biodegradable.

### Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: -1.35 (experimental)

(Lit.) Bioaccumulation is not expected.

#### Mobility in soil

No information available.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number MX1458 Version 1.0

Product name Methylsulfoxide [Dimethyl Sulfoxide] GR ACS

#### Additional ecological information

Discharge into the environment must be avoided.

# **SECTION 13. Disposal considerations**

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

### **SECTION 14. Transport information**

# Land transport (DOT)

Not classified as dangerous in the meaning of transport regulations.

# Air transport (IATA)

Not classified as dangerous in the meaning of transport regulations.

# Sea transport (IMDG)

Not classified as dangerous in the meaning of transport regulations.

# **SECTION 15. Regulatory information**

#### **United States of America**

## **OSHA Hazards**

Combustible Liquid

Target organ effects

This information is based on 29 CFR 1910.1200 criteria prior to adoption of the GHS, and may deviate from the GHS information on the label and in section 2.

# SARA 311/312 Hazards

Fire Hazard

Chronic Health Hazard

## **SARA 313**

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **SARA 302**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number MX1458 Version 1.0

Product name Methylsulfoxide [Dimethyl Sulfoxide] GR ACS

#### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311,

Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311,

Table 117.3.

### **DEA List I**

Not listed

#### **DEA List II**

Not listed

# **US State Regulations**

# Massachusetts Right To Know

Remarks

No components are subject to the Massachusetts Right to Know Act.

# Pennsylvania Right To Know

Ingredients

dimethyl sulphoxide

## New Jersey Right To Know

Ingredients

dimethyl sulphoxide

### California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer,

birth, or any other reproductive defects.

## Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL.

### **SECTION 16. Other information**

# Training advice

Provide adequate information, instruction and training for operators.

#### Full text of H-Statements referred to under sections 2 and 3.

H227 Combustible liquid.

# Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Date of issue: 05/05/2014

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number MX1458 Version 1.0

Product name Methylsulfoxide [Dimethyl Sulfoxide] GR ACS

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.