# 

# SAFETY DATA SHEET according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

	Date of issue: 04/28/2014	Version 1.0
SECTION 1.Identification		
Product identifier		
Product number	PX1835	
Product name	<i>iso</i> -Propyl Alcohol [2-Propanol] GR ACS	
Synonyms	IPA, iPrOH	
CAS-No.	67-63-0	
Relevant identified uses of the	he substance or mixture and uses advised against	
Identified uses	Reagent for analysis	
Details of the supplier of the	safety data sheet	
Company	EMD Millipore Corporation   290 Concord Road, Billerica, MA 01821 United States of America   General Inquiries: +1-978-715-4321   Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)	,
Emergency telephone	800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week	

# **SECTION 2. Hazards identification**

# **GHS** Classification

Flammable liquid, Category 2, H225 Eye irritation, Category 2, H319 Specific target organ systemic toxicity - single exposure, Category 3, Central nervous system, H336 For the full text of the H-Statements mentioned in this Section, see Section 16.

# **GHS-Labeling**

Hazard pictograms



Signal Word Danger

Hazard Statements H225 Highly flammable liquid and vapor.

Product number	PX1835	Version 1.0
Product name	iso-Propyl Alcohol [2-Propanol] GR ACS	

H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

Precautionary Statements
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403 + P235 Store in a well-ventilated place. Keep cool.

#### **OSHA Hazards**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). This information is based on 29 CFR 1910.1200 criteria prior to adoption of the GHS and may deviate from the GHS information.

#### Other hazards

None known.

#### SECTION 3. Composition/information on ingredients

-	-	
Formula	CH₃CH(OH)CH₃	C₃H₅O (Hill)
Synonyms	IPA, iPrOH	
Molar mass	60.1 g/mol	

#### Hazardous ingredients

Chemical Name (Concentration) CAS-No. 2-Propanol (>= 90 % - <= 100 % ) 67-63-0 Exact percentages are being withheld as a trade secret.

# **SECTION 4. First aid measures**

# Description of first-aid measures

*Inhalation* After inhalation: fresh air. Consult doctor if feeling unwell.

Skin contact After skin contact: wash off with plenty of water. Remove contaminated clothing.

Eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

Ingestion

After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Pulmonary failure possible after aspiration of vomit. Call a physician immediately.

Never give anything by mouth to an unconscious person.

# Most important symptoms and effects, both acute and delayed

irritant effects, respiratory paralysis, Drowsiness, Dizziness, Unconsciousness, narcosis, inebriation, Headache, drowziness, Coma

# SAFETY DATA SHEET according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	PX1835	Vers
Product name	<i>iso</i> -Propyl Alcohol [2-Propanol] GR ACS	

Drying-out effect resulting in rough and chapped skin.

Indication of any immediate medical attention and special treatment needed No information available.

#### **SECTION 5. Fire-fighting measures**

#### Extinguishing media

*Suitable extinguishing media* Carbon dioxide (CO2), Foam, Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### Special hazards arising from the substance or mixture

Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at ambient temperatures. Pay attention to flashback. Development of hazardous combustion gases or vapors possible in the event of fire.

#### Advice for firefighters

Special protective equipment for fire-fighters Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system. Cool closed containers exposed to fire with water spray.

#### **SECTION 6.** Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Keep away from heat and sources of ignition. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

#### **Environmental precautions**

Do not empty into drains. Risk of explosion.

#### Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### SECTION 7. Handling and storage

#### Precautions for safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapors/aerosols.

Observe label precautions.

Product number	PX1835	Version 1.0
Product name	<i>iso</i> -Propyl Alcohol [2-Propanol] GR ACS	

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

# Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Store at room temperature.

# SECTION 8. Exposure controls/personal protection

Exposure limit(s) Ingredients			
Basis	Value	Threshold limits	Remarks
2-Propanol 67-	63-0		
ACGIH	Time Weighted Average (TWA):	200 ppm	
	Short Term Exposure Limit (STEL):	400 ppm	
NIOSH/GUIDE	Recommended	400 ppm	
	exposure limit (REL):	980 mg/m³	
	Short Term Exposure	500 ppm	
	Limit (STEL):	1,225 mg/m³	
OSHA_TRANS	PEL:	400 ppm	
		980 mg/m³	
Z1A	Short Term Exposure	500 ppm	
	Limit (STEL):	1,225 mg/m <sup>3</sup>	
	Time Weighted Average	400 ppm	
	(TWA):	980 mg/m <sup>3</sup>	

#### **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

## Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

#### Hygiene measures

Change contaminated clothing. Application of skin- protective barrier cream recommended. Wash hands after working with substance.

*Eye/face protection* Safety glasses

#### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Product number	PX1835	Version 1.0
Product name	<i>iso</i> -Propyl Alcohol [2-Propanol] GR ACS	

*Other protective equipment:* Flame retardant antistatic protective clothing

Respiratory protection

required when vapors/aerosols are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION 9. Physical and chemical p	roperties
------------------------------------	-----------

Physical state	liquid
Color	colorless
Odor	alcohol-like
Odor Threshold	1.0 - 196.1 ppm
рН	at 68 °F (20 °C) neutral
Melting point	-89.5 °C
Boiling point/boiling range	180.3 °F (82.4 °C) at  1,013 hPa
Flash point	54 °F (12 °C) Method: c.c.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	2 %(V)
Upper explosion limit	13.4 %(V)
Vapor pressure	43 hPa at  68 °F (20 °C)
Relative vapor density	2.07
Density	0.786 g/cm³ at 68 °F (20 °C)
Relative density	No information available.
Water solubility	at 68 °F (20 °C) soluble

# SAFETY DATA SHEET according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number Product name	PX1835 <i>iso</i> -Propyl Alcohol [2-Propanol] GR ACS	Version 1.0
Partition coefficient: n- octanol/water	log Pow: 0.05 OECD Test Guideline 107 Bioaccumulation is not expected.	
Autoignition temperature	No information available.	
Decomposition temperature	Distillable in an undecomposed state at normal pressure.	
Viscosity, dynamic	2.2 mPa.s at 68 °F (20 °C)	
Explosive properties	Not classified as explosive.	
Oxidizing properties	none	
Ignition temperature	797 °F (425 °C) Method: DIN 51794	
Minimum ignition energy	0.65 mJ	
Conductivity	< 0.1 µS/cm	

# SECTION 10. Stability and reactivity

#### Reactivity

Vapors may form explosive mixture with air.

#### **Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

#### Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapors with:

Alkali metals, Alkaline earth metals, Aluminum

Exothermic reaction with:

Oxidizing agents, Nitric acid, Aldehydes, Amines, fuming sulfuric acid, Iron

Risk of explosion with:

chlorates, Phosgene, organic nitro compounds, hydrogen peroxide, nitrogen oxides

#### Conditions to avoid

Warming.

# Incompatible materials

rubber, various plastics, oils

#### Hazardous decomposition products

no information available

# SAFETY DATA SHEET according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product numberPX1835Product nameiso-Propyl Alcohol [2-Propanol] GR ACS

Version 1.0

# SECTION 11. Toxicological information

#### Information on toxicological effects

*Likely route of exposure* Inhalation, Eye contact, Skin contact

*Target Organs* Eyes Skin Respiratory system *Acute oral toxicity* LDLO human: 3,570 mg/kg (RTECS)

LD50 rat: 5,045 mg/kg (RTECS)

Symptoms: Risk of aspiration upon vomiting., Aspiration may cause pulmonary edema and pneumonitis.

Acute inhalation toxicity LC50 rat: 46.5 mg/l; 4 h (External MSDS)

Symptoms: Irritation symptoms in the respiratory tract.

Acute dermal toxicity LD50 rabbit: 12,800 mg/kg (RTECS)

*Skin irritation* Drying-out effect resulting in rough and chapped skin.

*Eye irritation* rabbit Result: Eye irritation (RTECS)

Causes serious eye irritation.

Sensitization Sensitization test: guinea pig Result: negative (IUCLID)

*Genotoxicity in vivo* Mutagenicity (mammal cell test): micronucleus. Result: negative (IUCLID)

*Genotoxicity in vitro* Ames test Result: negative (IUCLID)

*Carcinogenicity* Did not show carcinogenic effects in animal experiments. (IUCLID)

Product number	PX1835	Version 1.0
Product name	iso-Propyl Alcohol [2-Propanol] GR ACS	

# Reproductive toxicity

No impairment of reproductive performance in animal experiments. (IUCLID)

# Teratogenicity

Did not show teratogenic effects in animal experiments. (IUCLID)

*Specific target organ systemic toxicity - single exposure* May cause drowsiness or dizziness.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure. *Aspiration hazard* 

Regarding the available data the classification criteria are not fulfilled.

# Carcinogenicity

IARC	No ingredient of this product present at levels greater than or
	equal to 0.1% is identified as probable, possible or confirmed
	human carcinogen by IARC.
OSHA	No ingredient of this product present at levels greater than or
	equal to 0.1% is identified as a carcinogen or potential
	carcinogen by OSHA.
NTP	No ingredient of this product present at levels greater than or
	equal to 0.1% is identified as a known or anticipated carcinogen
	by NTP.
ACGIH	No ingredient of this product present at levels greater than or
	equal to 0.1% is identified as a carcinogen or potential
	carcinogen by ACGIH.

# **Further information**

Systemic effects: After absorption: Headache, Dizziness, inebriation, Unconsciousness, narcosis After uptake of large quantities: respiratory paralysis, Coma Handle in accordance with good industrial hygiene and safety practice.

# **SECTION 12. Ecological information**

#### Ecotoxicity

*Toxicity to fish* LC50 Lepomis macrochirus (Bluegill sunfish): 1,400 mg/l; 96 h (ECOTOX Database) *Toxicity to daphnia and other aquatic invertebrates* EC5 E.sulcatum: 4,930 mg/l; 72 h (maximum permissible toxic concentration) (Lit.) EC50 Daphnia magna (Water flea): 13,299 mg/l; 48 h (IUCLID) *Toxicity to algae* IC50 Desmodesmus subspicatus (green algae): > 1,000 mg/l; 72 h (IUCLID) *Toxicity to bacteria* EC5 Pseudomonas putida: 1,050 mg/l; 16 h (Lit.) Product number PX1835 Product name *iso*-Propyl Alcohol [2-Propanol] GR ACS

# Persistence and degradability

*Biodegradability* 95 %; 21 d OECD Test Guideline 301E Readily biodegradable.

Theoretical oxygen demand (ThOD) 2,400 mg/g (Lit.) *Ratio BOD/ThBOD* BOD5 49 % (IUCLID)

*Ratio COD/ThBOD* 96 % (Lit.)

#### **Bioaccumulative potential**

Partition coefficient: n-octanol/water log Pow: 0.05 OECD Test Guideline 107 Bioaccumulation is not expected.

#### Mobility in soil

No information available.

# Additional ecological information

Discharge into the environment must be avoided.

# SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

# SECTION 14. Transport information

Land transport (DOT)	
UN number	UN 1219
Proper shipping name	ISOPROPANOL
Class	3
Packing group	II
Environmentally hazardous	
Air transport (IATA)	
Air transport (IATA) UN number	UN 1219
,	UN 1219 ISOPROPANOL
UN number	0.1.12.0
UN number Proper shipping name	ISOPROPANOL
UN number Proper shipping name Class	ISOPROPANOL 3

Product number	PX1835	Version 1.0
Product name	iso-Propyl Alcohol [2-Propanol] GR ACS	

Special precautions for user	no
Sea transport (IMDG)	
UN number	UN 1219
Proper shipping name	ISOPROPANOL
Class	3
Packing group	II
Environmentally hazardous	
Special precautions for user	yes
EmS	F-E S-D

# SECTION 15. Regulatory information

# United States of America

**OSHA Hazards** Flammable Liquid Eye irritant Target organ effects

This information is based on 29 CFR 1910.1200 criteria prior to adoption of the GHS, and may deviate from the GHS information on the label and in section 2.

# SARA 311/312 Hazards

Fire Hazard Acute Health Hazard Chronic Health Hazard

# **SARA 313**

The following components are subject to reporting levels established by SARA Title III, Section313:Ingredients2-Propanol67-63-0100 %

# **SARA 302**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

# Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311,

Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311,

Table 117.3.

DEA List I Not listed

DEA List II Not listed

**US State Regulations** 

Massachusetts Right To Know

Product number Product name	PX1835 <i>iso</i> -Propyl Alcohol [2-Propanol] GR ACS	Version 1.0
Floduct hame	SC-FIOPYI Alconol [2-FIOPanol] GR ACS	
<i>Ingredients</i> 2-Propanol		
Pennsylvania Right To <i>Ingredients</i> 2-Propanol	o Know	
<b>New Jersey Right To I</b> <i>Ingredients</i> 2-Propanol	Know	
<b>California Prop 65 Cor</b> This product does not birth, or any other repr	contain any chemicals known to the State of California to cause cancer,	
Notification status TSCA:	All components of the product are listed in the TSCA-inventory.	

DSL: All components of this product are on the Canadian DSL.

# **SECTION 16. Other information**

#### Training advice

Provide adequate information, instruction and training for operators.

# Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapor.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Date of issue: 04/28/2014

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.