

GFS Chemicals, Inc.
Columbus, Ohio 43223

LOT ANALYSIS

ITEM: 551 FERROUS SULFATE, REAGENT (ACS)

LOT#:L000551

Test	PASS/FAIL	NUMERICAL RESULT
Assay 99.0% min.	PASS	99.8%
Insoluble 0.01%	PASS	<0.01%
Chloride 0.001%	PASS	<0.001%
Phosphate 0.001%	PASS	<0.001%
Copper 0.005%	PASS	<0.005%
Ferric ion 0.1%	PASS	<0.1%
Manganese 0.05%	PASS	<0.05%
Zinc 0.005%	PASS	<0.005%
Substances not pptd by NH4OH 0.05%	PASS	<0.05%

TRACEABLE TO N.I.S.T. (Y/N)? Y

Comment:

Reported by: Daniel Merkoziaj

QC Supervisor: Alysa Panepinto

Quality Assured to Retest Point: NOT REQUIRED

C/A Print Date: 12/22/2015

Not for direct use in food, cosmetics, finished pharmaceuticals or drug products. Supplier is not responsible for compliance with FDA Current Good Manufacturing Practice (CGMP) requirements, including without limitation those for finished drug products in 21 C.F.R Parts 210 and 211. Consult warranty limitations at www.gfschemicals.com/statics/documents/aboutus/termsandconditions.html For resale by GFS authorized distributors only.