

**GFS Chemicals, Inc.**  
**Columbus, Ohio 43223**

LOT ANALYSIS

ITEM: 66 PERCHLORIC ACID, 70%, REAGENT (ACS)

LOT#:

Test	PASS/FAIL	NUMERICAL RESULT
Assay 69.0-72.0%	FAIL	
Residue after ignition 0.003%	FAIL	
Silicate + phosphate 0.0005%	FAIL	
Chloride 0.001%	FAIL	
Sulfate 0.001%	FAIL	
Nitrogen compounds (as N) 0.001%	FAIL	
Heavy metals (as Pb) 0.0001%	FAIL	
Iron 0.0001%	FAIL	
Color (APHA) 10 max	FAIL	

TRACEABLE TO N.I.S.T. (Y/N)? Y

Comment:

Reported by:

QC Supervisor: Robert Kramer

Quality Assured to Retest Point: NOT REQUIRED

C/A Print Date: 12/22/2015

Not for direct use in food, cosmetics, finished pharmaceuticals or drug products. Supplier is not responsible for compliance with FDA Current Good Manufacturing Practice (CGMP) requirements, including without limitation those for finished drug products in 21 C.F.R Parts 210 and 211. Consult warranty limitations at [www.gfschemicals.com/statics/documents/aboutus/termsandconditions.html](http://www.gfschemicals.com/statics/documents/aboutus/termsandconditions.html) For resale by GFS authorized distributors only.