

GFS Chemicals, Inc.
Columbus, Ohio 43223

LOT ANALYSIS

ITEM: 688 1,2-CYCLOHEXANEDIAMINETETRAACETIC ACID, REAGENT (ACS) (CDTA) LOT#:L029625

Test	PASS/FAIL	NUMERICAL RESULT
Assay 97.5-100.5%	PASS	99.5%
Residue after ignition 0.2%	PASS	<0.1%
Heavy metals (as Pb) 0.001%	PASS	<0.001%
Iron 0.005%	PASS	<0.005%
Insoluble in dil. NaOH 0.01%	PASS	<0.01%

TRACEABLE TO N.I.S.T. (Y/N)? Y

Comment:

Reported by: Michael McBride

QC Supervisor: Charles Fontaine

Quality Assured to Retest Point: NOT REQUIRED

C/A Print Date: 12/22/2015

Not for direct use in food, cosmetics, finished pharmaceuticals or drug products. Supplier is not responsible for compliance with FDA Current Good Manufacturing Practice (CGMP) requirements, including without limitation those for finished drug products in 21 C.F.R Parts 210 and 211. Consult warranty limitations at www.gfschemicals.com/statics/documents/aboutus/termsandconditions.html For resale by GFS authorized distributors only.