

GFS Chemicals, Inc.  
Columbus, Ohio 43223

LOT ANALYSIS

ITEM: 993 POTASSIUM FLUORIDE, REAGENT (ACS)

LOT#:L028291

Test	PASS/FAIL	NUMERICAL RESULT
Assay 99.0% min	PASS	99.2%
Titration acid 0.03 meq/g	PASS	<.03 meq/g
Titration base 0.01 meq/g	PASS	<.005 meq/g
Potassium fluosilicate 0.1%	PASS	<0.1%
Chloride 0.005%	PASS	<.005%
Sulfate 0.005%	PASS	<.005%
Heavy metals (Pb) 0.001%	PASS	<.001%
Iron 0.001%	PASS	<.001%
Sodium 0.2%	PASS	<0.2%

TRACEABLE TO N.I.S.T. (Y/N)? Y

Comment:

Reported by: John Rammenga

QC Supervisor: Alysa Panepinto

Quality Assured to Retest Point: NOT REQUIRED

C/A Print Date: 12/22/2015

Not for direct use in food, cosmetics, finished pharmaceuticals or drug products. Supplier is not responsible for compliance with FDA Current Good Manufacturing Practice (CGMP) requirements, including without limitation those for finished drug products in 21 C.F.R Parts 210 and 211. Consult warranty limitations at [www.gfschemicals.com/statics/documents/aboutus/termsandconditions.html](http://www.gfschemicals.com/statics/documents/aboutus/termsandconditions.html) For resale by GFS authorized distributors only.