

SAFETY DATA SHEET

1. Identification

Product identifier CHLOROFORM, VERITAS® ULTIMATE, HYDROCARBON STABILIZED

Other means of identification

Product code 1234

Synonym(s) TRICHLOROMETHANE

Recommended use professional, scientific and technical activities: scientific research and development

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name GFS Chemicals, Inc.
Address P.O. Box 245

Powell OH 43065 US

Telephone Phone 740-881-5501

Toll Free 800-858-9682 Fax 740-881-5989

Website www.gfschemicals.com
E-mail service@qfschemicals.com

Emergency phone Emergency Assistance Chemtrec 800-424-9300

number

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Skin corrosion/irritation Category 1A
Serious eye damage/eye irritation Category 1
Germ cell mutagenicity Category 2
Carcinogenicity Category 2
Reproductive toxicity Category 2

Specific target organ toxicity, single exposure Category 1 (kidney, liver)
Specific target organ toxicity, single exposure Category 3 narcotic effects

Specific target organ toxicity, repeated Category 1 (central nervous system, kidney,

exposure liver, respiratory system)

OSHA hazard(s) Not classified.

Label elements



Signal word Danger

Hazard statement Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage.

May cause drowsiness or dizziness. Suspected of causing genetic defects. Suspected of causing cancer. Suspected of damaging fertility or the unborn child. Causes damage to organs (kidney, liver). Causes damage to organs (central nervous system, kidney, liver, respiratory system)

through prolonged or repeated exposure.

Precautionary statement

PreventionObtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Use only outdoors or in a well-ventilated area. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. Wash skin thoroughly after

handling.

Material name: CHLOROFORM, VERITAS® ULTIMATE, HYDROCARBON STABILIZED

1234 Version #: 03 Revision date: August-29-2013 Issue date: October-26-2012 1 / 9

Response If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get

medical advice/attention. Rinse mouth.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container to an approved waste disposal plant.

Hazard(s) not otherwise

classified (HNOC)

Not classified.

Environmental hazards Hazardous to the aquatic environment, acute Category 2

hazard

Hazardous to the aquatic environment,

Category 2

long-term hazard

Supplemental information

Hazard statement Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention Avoid release to the environment.

Response Collect spillage.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

3. Composition/information on ingredients

Substances

1-PFNTFNF

Hazardous components

Chemical name	Common name and synonyms	CAS number	%	
CHLOROFORM	TRICHLOROMETHANE	67-66-3	100	
Stabilizers Chemical name		CAS number	%	

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Composition comments Occupational Exposure Limits for stabilizers are listed in Section 8.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician

or poison control center immediately.

Skin contactTake off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or

poison control center immediately. For minor skin contact, avoid spreading material on unaffected

109-67-1

<=0.02

skin.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention if irritation develops or persists. Call a physician or poison

control center immediately.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important

symptoms/effects, acute and

delayed

Corrosive effects. Irritation of eyes and mucous membranes. May cause temporary blindness and severe eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Narcosis.

Decrease in motor functions. Behavioral changes. Edema. Liver enlargement. Jaundice.

Proteinuria. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special treatment needed

In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed. Provide general supportive measures and treat symptomatically.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. IF exposed or concerned: Get medical advice/attention. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Foam, carbon dioxide or dry

powder

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Material name: CHLOROFORM, VERITAS® ULTIMATE, HYDROCARBON STABILIZED

1234 Version #: 03 Revision date: August-29-2013 Issue date: October-26-2012 2 / 9

Specific hazards arising from

the chemical

None known.

Special protective equipment and precautions for

and precautions for firefighters

Wear suitable protective equipment.

Fire-fighting equipment/instructions

Move containers from fire area if you can do it without risk. Water runoff can cause environmental damage.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak. Keep upwind. Keep out of low areas. Ensure adequate ventilation. Wear appropriate personal protective equipment.

Methods and materials for containment and cleaning up

Should not be released into the environment. This product is miscible in water. Prevent entry into waterways, sewers, basements or confined areas.

Large Spills: Stop leak if you can do so without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Clean contaminated surface thoroughly. Following product recovery, flush area with water. Clean up in accordance with all applicable regulations.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Never return spills in original containers for re-use. For waste disposal, see section 13 of the MSDS.

Environmental precautions

Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Do not get this material in contact with eyes. Do not get this material in contact with skin. Do not taste or swallow. Avoid contact during pregnancy/while nursing. Do not get this material on clothing. Use personal protective equipment as required. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Avoid release to the environment. Do not empty into drains.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep container tightly closed. Keep out of the reach of children. Store in a cool, dry place out of direct sunlight.

Value

2 ppm

8. Exposure controls/personal protection

Occupational exposure limits

Material

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Type

CHLOROFORM (CAS	Ceiling	240 mg/m3	
67-66-3)		50 ppm	
US. ACGIH Threshold Limit Va	llues		
Material	Туре	Value	
CHLOROFORM (CAS 67-66-3)	TWA	10 ppm	
US. NIOSH: Pocket Guide to C	hemical Hazards		
Material	Туре	Value	
CHLOROFORM (CAS 67-66-3)	STEL	9.78 mg/m3	

Biological limit values

Appropriate engineering

Provide eyewash station.

controls

Material name: CHLOROFORM, VERITAS® ULTIMATE, HYDROCARBON STABILIZED

1234 Version #: 03 Revision date: August-29-2013 Issue date: October-26-2012 3 / 9

No biological exposure limits noted for the ingredient(s).

Individual protection measures, such as personal protective equipment

Eye/face protection Chemical goggles are recommended. Eye wash fountains are required.

Skin protection

Hand protection Wear protective gloves.

Other Wear appropriate chemical resistant clothing. It may provide little or no thermal protection. Wear

protective gloves.

Respiratory protection Wear suitable respiratory protection. Use an organic vapor respirator for concentrations exceeding

the Occupational Exposure Limit.

Thermal hazards Not available.

General hygiene considerations

When using, do not eat, drink or smoke. Do not get in eyes. Do not get this material in contact with skin. Do not get this material on clothing. Wash hands before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practice. Provide eyewash station and safety shower.

9. Physical and chemical properties

Appearance Clear. **Physical state** Liquid. **Form** Liquid. Color Colorless. Odor Ether-like. **Odor threshold** Not available. Not available.

Melting point/freezing point -82.1 °F (-63.41 °C) Initial boiling point and

boiling range

142.11 °F (61.17 °C)

Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit -

upper (%)

Not available.

Explosive limit - lower

(%)

Not available.

Explosive limit - upper

(%)

Not available.

26.26 kPa at 25 °C Vapor pressure

4.12 Vapor density

Relative density Not available. Solubility(ies) 5 a/l at 77°F

Partition coefficient (n-octanol/water)

2

Auto-ignition temperature

Not available.

Decomposition temperature

437 °F (225 °C) On prolonged heating with water @ 225°C, decomp to formic acid, carbon

monoxide, and hydrogen chloride occurs.

Products of oxidative breakdown include phosgene, hydrogen chloride, chlorine, carbon dioxide,

and water.

Not available. **Viscosity**

Other information

Density 1.48 g/cm3 estimated

Dynamic viscosity 0.51 mPa.s

0.563 mPa.s

Dynamic viscosity temperature

86 °F (30 °C)

68 °F (20 °C)

Molecular formula C-H-Cl3

Material name: CHLOROFORM, VERITAS® ULTIMATE, HYDROCARBON STABILIZED SDS US 4/9 1234 Version #: 03 Revision date: August-29-2013 Issue date: October-26-2012

Molecular weight 119.38 g/mol

Percent volatile 100 %

Specific gravity 1.4835 at 20 °C

VOC (Weight %) 100 %

10. Stability and reactivity

Reactivity Not available.

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

Conditions to avoid

reactions

May decompose on long exposure to light.

Incompatible materials None known.

Hazardous decomposition

products

Chlorine. Hydrogen chloride. Nitrogen oxides (NOx). Irritating and/or toxic fumes and gases may

be emitted upon the products decomposition. Phosgene.

11. Toxicological information

Information on likely routes of exposure

Ingestion Causes digestive tract burns. Harmful if swallowed.

Inhalation Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. May cause

irritation to the respiratory system.

Skin contact Causes severe skin burns.

Causes severe eye burns. Causes serious eye damage. Eye contact

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Permanent eye damage including blindness could result. Narcosis. Edema. Liver enlargement. Jaundice. Proteinuria. Behavioral changes. Decrease in motor functions. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and

vomiting.

Information on toxicological effects

Acute toxicity Causes severe skin burns and eye damage. Harmful if swallowed

Product	Species	Test Results
CHLOROFORM (CAS 67-66-3	3)	
Acute		
Inhalation		
LC50	Rat	47.702 mg/l, 4 Hours
Oral		
LD50	Dog	2250 mg/kg
	Mouse	36 mg/kg
	Rabbit	9827 mg/kg
	Rat	2180 mg/kg
		1117 mg/kg
		908 mg/kg
		444 mg/kg
Other		
LD50	Dog	1000 mg/kg
	Mouse	623 mg/kg
	Rat	2000 mg/kg

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes severe eye burns. Causes serious eye damage.

Respiratory sensitization Due to lack of data the classification is not possible. Skin sensitization Due to lack of data the classification is not possible.

Germ cell mutagenicity Suspected of causing genetic defects.

Carcinogenicity Suspected of causing cancer.

Material name: CHLOROFORM, VERITAS® ULTIMATE, HYDROCARBON STABILIZED SDS US 5/9 1234 Version #: 03 Revision date: August-29-2013 Issue date: October-26-2012

IARC Monographs. Overall Evaluation of Carcinogenicity

CHLOROFORM (CAS 67-66-3) 2B Possibly carcinogenic to humans.

NTP Report on Carcinogens

CHLOROFORM (CAS 67-66-3)

Reproductive toxicity Suspected of damaging fertility or the unborn child.

Specific target organ toxicity

- single exposure

May cause irritation to the respiratory system. Narcotic effects. Causes damage to organs (kidney,

Specific target organ toxicity

- repeated exposure

Causes damage to organs (central nervous system, kidney, liver, respiratory system) through

prolonged or repeated exposure.

Aspiration hazard Due to lack of data the classification is not possible.

Chronic effects Prolonged exposure may cause chronic effects. Causes damage to organs through prolonged or

repeated exposure.

12. Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects. Components of this product are hazardous to aquatic

life. Accumulation in aquatic organisms is expected.

Product Species Test Results CHLOROFORM (CAS 67-66-3) **Aquatic** LC50 Fish Bluegill (Lepomis macrochirus) 13.3 - 20.8 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential Not available.

Partition coefficient n-octanol / water (log Kow)

CHLOROFORM 1.97

Mobility in soil Not available. Not available. Other adverse effects

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

> and its container must be disposed of as hazardous waste. Incinerate the material under controlled conditions in an approved incinerator. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Not available.

Hazardous waste code

D022: Waste chloroform

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN1888 **UN number UN proper shipping name** Chloroform Transport hazard class(es) 6.1(PGIII) Subsidary class(es) Not available.

Packing group

Special precautions for

Read safety instructions, SDS and emergency procedures before handling.

Labels required 6.1

Special provisions

IB3, N36, T7, TP2 **Packaging exceptions** 153

Packaging non bulk 203 **Packaging bulk** 241

IATA

user

UN number UN1888 **UN proper shipping name** Chloroform

Material name: CHLOROFORM, VERITAS® ULTIMATE, HYDROCARBON STABILIZED SDS US 1234 Version #: 03 Revision date: August-29-2013 Issue date: October-26-2012 6/9

^{*} Estimates for product may be based on additional component data not shown.

Transport hazard class(es) 6.1(PGIII)

Subsidary class(es) Packaging group III
Environmental hazards No

Labels required Not available.

ERG Code 6A

Special precautions for Not available.

user IMDG

UN number UN1888 **UN proper shipping name** CHLOROFORM **Transport hazard class(es)** 6.1(PGIII)

Subsidary class(es)
Packaging group
III

Environmental hazards Marine pollutantNo

Labels requiredNot available.EmSF-A, S-ASpecial precautions forNot available.

user

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available.

General information DOT Regulated Marine Pollutant. IMDG Regulated Marine Pollutant.

DOT



IATA; IMDG



15. Regulatory information

US federal regulations All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not on regulatory list.

CERCLA Hazardous Substance List (40 CFR 302.4)

CHLOROFORM (CAS 67-66-3) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes Delayed Hazard - Yes

Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely Yes hazardous substance

Material name: CHLOROFORM, VERITAS® ULTIMATE, HYDROCARBON STABILIZED

1234 Version #: 03 Revision date: August-29-2013 Issue date: October-26-2012 7 / 9

SARA 311/312 Yes Hazardous chemical

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

CHLOROFORM (CAS 67-66-3)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

1-PENTENE (CAS 109-67-1) CHLOROFORM (CAS 67-66-3)

Clean Water Act (CWA)
Section 112(r) (40 CFR
68.130)
Hazardous substance
Priority pollutant
Toxic pollutant
0.07 mg/l

(SDWA)

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

Not listed.

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Not regulated.

DEA Exempt Chemical Mixtures Code Number

Not regulated.

Food and Drug Not regulated.

Administration (FDA)

US state regulations WARNING: This product contains a chemical known to the State of California to cause cancer and

birth defects or other reproductive harm.

US. Massachusetts RTK - Substance List

1-PENTENE (CAS 109-67-1) CHLOROFORM (CAS 67-66-3)

US. New Jersey Worker and Community Right-to-Know Act

1-PENTENE (CAS 109-67-1) 500 LBS CHLOROFORM (CAS 67-66-3) 500 LBS

US. Pennsylvania RTK - Hazardous Substances

1-PENTENE (CAS 109-67-1) CHLOROFORM (CAS 67-66-3)

US. Rhode Island RTK

CHLOROFORM (CAS 67-66-3)

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

CHLOROFORM (CAS 67-66-3)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*		
Australia	Australian Inventory of Chemical Substances (AICS)	Yes		
Canada	Domestic Substances List (DSL)	Yes		
Canada	Non-Domestic Substances List (NDSL)	No		
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes		
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes		
Europe	European List of Notified Chemical Substances (ELINCS)	No		
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes		
Korea	Existing Chemicals List (ECL)	Yes		
New Zealand	New Zealand Inventory	Yes		
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes		
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes		
*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)				

16. Other information, including date of preparation or last revision

Issue dateOctober-26-2012Revision dateAugust-29-2013

Material name: CHLOROFORM, VERITAS® ULTIMATE, HYDROCARBON STABILIZED

1234 Version #: 03 Revision date: August-29-2013 Issue date: October-26-2012 8 / 9

Version # 03

Further information Not available.

Disclaimer The information in the sheet was written based on the best knowledge and experience currently

available. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified

in the text.

Revision Information Product and Company Identification: Alternate Trade Names

Material name: CHLOROFORM, VERITAS® ULTIMATE, HYDROCARBON STABILIZED

1234 Version #: 03 Revision date: August-29-2013 Issue date: October-26-2012 9 / 9