

1. Identification

Product identifier	AMMONIUM HYDROXIDE, SUPERIOR REAGENT (ACS)	
Other means of identification		
Product code	2584	
Synonym(s)	AMMONIA SOLUTION * AQUA AMMONIA	
Recommended use	manufacture of other chemical products, professional, scientific and technical activities: other professional, scientific and technical activities	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/Distributor information		
Company name	GFS Chemicals, Inc.	
Address	P.O. Box 245 Powell OH 43065 US	
Telephone	Phone	740-881-5501
	Toll Free	800-858-9682
	Fax	740-881-5989
Website	www.gfschemicals.com	
E-mail	service@gfschemicals.com	
Emergency phone number	Emergency Assistance	Chemtrec 800-424-9300

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 4
	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 1
	Sensitization, respiratory	Category 1
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
OSHA hazard(s)	Not classified.	
Label elements		



Signal word	Danger
Hazard statement	Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Use only outdoors or in a well-ventilated area. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. In case of inadequate ventilation wear respiratory protection.
Response	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC)	Not classified.	
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 1
	Hazardous to the aquatic environment, long-term hazard	Category 1

Supplemental information

Precautionary statement

Prevention

Avoid release to the environment.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

3. Composition/information on ingredients

Mixtures

Hazardous components

Chemical name	CAS number	%
AMMONIA	7664-41-7	29

Non-hazardous components

Chemical name	CAS number	%
WATER	7732-18-5	71

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately.

Skin contact

Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. For minor skin contact, avoid spreading material on unaffected skin.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Ingestion

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Give water or milk to drink and ice to suck. Get medical attention.

Most important symptoms/effects, acute and delayed

Corrosive effects. Irritation of eyes and mucous membranes. May cause temporary blindness and severe eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause allergic respiratory reaction.

Indication of immediate medical attention and special treatment needed

In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed. Provide general supportive measures and treat symptomatically.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media Water. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media None known.

Specific hazards arising from the chemical Irritating, corrosive and/or toxic gases or fumes will be released during a fire.

Special protective equipment and precautions for firefighters Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Fire-fighting equipment/instructions Water runoff can cause environmental damage. Use water spray to reduce vapors.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak. Keep upwind. Keep out of low areas. Ensure adequate ventilation. Avoid inhalation of vapors or mists. Wear appropriate personal protective equipment.

Methods and materials for containment and cleaning up

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Refer to attached safety data sheets and/or instructions for use. Should not be released into the environment. This product is miscible in water.

Large Spills: Stop leak if you can do so without risk. Dike the spilled material, where this is possible. Neutralize with acid. Flush to sewer if local regulations permit. Following product recovery, flush area with water. Clean up in accordance with all applicable regulations.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Never return spills in original containers for re-use. For waste disposal, see section 13 of the MSDS.

Environmental precautions

Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water.

7. Handling and storage

Precautions for safe handling

In case of insufficient ventilation, wear suitable respiratory equipment. Do not breathe mist or vapor. Do not get this material in contact with eyes. Do not get this material in contact with skin. Do not taste or swallow. Do not get this material on clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Avoid release to the environment. Do not empty into drains.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep out of the reach of children. Store in a cool, dry place out of direct sunlight.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
AMMONIA (CAS 7664-41-7)	PEL	35 mg/m ³ 50 ppm

US. ACGIH Threshold Limit Values

Components	Type	Value
AMMONIA (CAS 7664-41-7)	STEL	35 ppm
	TWA	25 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
AMMONIA (CAS 7664-41-7)	STEL	27 mg/m ³ 35 ppm
	TWA	18 mg/m ³ 25 ppm

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear chemical goggles.

Skin protection

Hand protection

Wear protective gloves.

Other

Wear appropriate chemical resistant clothing. It may provide little or no thermal protection. Wear protective gloves.

Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Not available.
General hygiene considerations	When using, do not eat, drink or smoke. Do not get in eyes. Do not get this material in contact with skin. Do not get this material on clothing. Wash hands before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Appearance	Clear.
Physical state	Liquid.
Form	Liquid.
Color	Colorless.
Odor	Ammoniacal.
Odor threshold	Not available.
pH	> 11 (1 N solution)
Melting point/freezing point	-97.6 °F (-72 °C)
Initial boiling point and boiling range	> 84.2 °F (> 29 °C) readily loses ammonia
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	16 % estimated
Flammability limit - upper (%)	< 25 %
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	719 torr (at 27 C)
Vapor density	0.6
Relative density	Not available.
Solubility(ies)	completely miscible
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	1204 °F (651 °C) (ammonia vapor) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.90 g/cm ³
Molecular formula	NH ₄ OH
Molecular weight	35.05 g/mol
Percent volatile	100 %
Specific gravity	0.9

10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable at ambient temperatures. Ammonia evaporates from opened containers.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	None under normal conditions.
Incompatible materials	Strong oxidizing agents. Acids. Halogens. Silver salts.
Hazardous decomposition products	Ammonia

11. Toxicological information

Information on likely routes of exposure

Ingestion	Causes digestive tract burns. Harmful if swallowed.
Inhalation	May cause irritation to the respiratory system. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin contact	Causes severe skin burns.
Eye contact	Causes severe eye burns. Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Permanent eye damage including blindness could result.

Information on toxicological effects

Acute toxicity Causes severe skin burns and eye damage. Harmful if swallowed.

Product	Species	Test Results
AMMONIUM HYDROXIDE (CAS Mixture)		
Acute		
<i>Inhalation</i>		
LC50	Cat	13.44 mg/l
		2.5724 mg/l, 1 Hours, estimated
		24.5 mg/l, 10 Minutes, estimated
		15.83 mg/l
	Mouse	11.5862 mg/l, 1 Hours, estimated
		11.4138 mg/l, 2 Hours, estimated
		24.3103 mg/l, 1 Hours, estimated
		24.31 mg/l
	Rabbit	13793.1035 ppm, 1 Hours, estimated
		26.2069 mg/l, 2 Hours, estimated
		21.9 mg/l
		17.5862 mg/l, 1 Hours, estimated
Rat	16.9 mg/l	
	16.8966 mg/l, 1 Hours, estimated	
	16.9 mg/l	
	16.8966 mg/l, 1 Hours, estimated	
LCL0	Cat	4.8276 mg/l
		4.8276 mg/l, 1 Hours, estimated
	Rabbit	4.8276 mg/l, 1 Hours, estimated
		4.8276 mg/l, 1 Hours, estimated
<i>Oral</i>	Rat	LD50
		350 mg/kg
Components	Species	Test Results

AMMONIA (CAS 7664-41-7)

Acute

Inhalation

LC50	Cat	7.05 mg/l, 1 Hours
		0.746 mg/l, 1 Hours
		7.105 mg/l, 10 Minutes
		3.36 mg/l, 1 Hours
	Mouse	3.31 mg/l, 2 Hours
		7.05 mg/l, 1 Hours
		4000 ppm, 1 Hours
		7.6 mg/l, 2 Hours
	Rabbit	5.1 mg/l, 1 Hours
		7.05 mg/l, 1 Hours
		4000 ppm, 1 Hours
		7.6 mg/l, 2 Hours
LCL0	Cat	4.9 mg/l, 1 Hours
		4.9 mg/l, 1 Hours

Components	Species	Test Results
	Rabbit	4.9 mg/l, 1 Hours
	Rat	1.4 mg/l, 1 Hours
<i>Oral</i> LD50	Rat	350 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation	Causes severe skin burns and eye damage.
Serious eye damage/eye irritation	Causes severe eye burns. Causes serious eye damage.
Respiratory sensitization	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitization	Due to lack of data the classification is not possible.
Germ cell mutagenicity	Mutagenic effects have been investigated. Due to lack of data the classification is not possible.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
Reproductive toxicity	Due to lack of data the classification is not possible.
Specific target organ toxicity - single exposure	Respiratory tract irritation.
Specific target organ toxicity - repeated exposure	Due to lack of data the classification is not possible.
Aspiration hazard	Due to lack of data the classification is not possible.
Chronic effects	Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity	Harmful to aquatic life with long lasting effects. Components of this product are hazardous to aquatic life. Accumulation in aquatic organisms is expected.
--------------------	---

Product	Species	Test Results
AMMONIUM HYDROXIDE (CAS Mixture)		
Fish	LC50	79.0902 mg/l, 96 hours, estimated
Components	Species	Test Results
AMMONIA (CAS 7664-41-7)		
Aquatic		
Fish	LC50	Silver carp (<i>Hypophthalmichthys molitrix</i>) 0.38 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability	None known.
Bioaccumulative potential	Not available.
Mobility in soil	Not available.
Other adverse effects	Not available.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dilute with water, neutralize with HCl, discharge to sewer with lots of water. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Not available.
Hazardous waste code	D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel]
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT	
UN number	UN2672

UN proper shipping name Ammonia solutions, relative density between 0.880 and 0.957 at 15 degrees C in water, with more than 10 percent but not more than 35 percent ammonia

Transport hazard class(es) 8

Subsidiary class(es) Not available.

Packing group III

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Labels required 8

Special provisions IB3, IP8, T7, TP1

Packaging exceptions 154

Packaging non bulk 203

Packaging bulk 241

IATA

UN number UN2672

UN proper shipping name Ammonia solutions, relative density between 0.880 and 0.957 at 15 degrees C in water, with more than 10 percent but not more than 35 percent ammonia

Transport hazard class(es) 8

Subsidiary class(es) -

Packing group III

Environmental hazards No

Labels required 8

ERG Code Not available.

Special precautions for user Not available.

IMDG

UN number UN2672

UN proper shipping name Ammonia solutions, relative density between 0.880 and 0.957 at 15 degrees C in water, with more than 10 percent but not more than 35 percent ammonia

Transport hazard class(es) 8

Subsidiary class(es) -

Packing group III

Environmental hazards

Marine pollutant No

Labels required 8

EmS Not available.

Special precautions for user Not available.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available.

General information DOT Regulated Marine Pollutant.

DOT



IATA; IMDG



15. Regulatory information

US federal regulations All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not on regulatory list.

CERCLA Hazardous Substance List (40 CFR 302.4)

AMMONIA (CAS 7664-41-7)

LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes
Delayed Hazard - Yes
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

No

SARA 311/312 Hazardous chemical

No

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

AMMONIA (CAS 7664-41-7)

Safe Drinking Water Act (SDWA) Not regulated.

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

Not listed.

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Not regulated.

DEA Exempt Chemical Mixtures Code Number

Not regulated.

Food and Drug Administration (FDA) Not regulated.

US state regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US. Massachusetts RTK - Substance List

AMMONIA (CAS 7664-41-7)

US. New Jersey Worker and Community Right-to-Know Act

AMMONIA (CAS 7664-41-7)

500 LBS

US. Pennsylvania RTK - Hazardous Substances

AMMONIA (CAS 7664-41-7)

US. Rhode Island RTK

AMMONIA (CAS 7664-41-7)

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

16. Other information, including date of preparation or last revision

Issue date	June-02-2014
Version #	01
Further information	Not available.
Disclaimer	The information in the sheet was written based on the best knowledge and experience currently available. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision Information	Product and Company Identification: Product Codes