

SAFETY DATA SHEET

1. Identification

Product identifier TRIETHYLAMINE, 99%

Other means of identification

Product code 2774

Recommended use professional, scientific and technical activities: other professional, scientific and technical activities

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company nameAddress
P.O. Box 245
Powell, OH 43065

United States

Telephone Phone 740-881-5501

Toll Free 800-858-9682 Fax 740-881-5989

Websitewww.gfschemicals.comE-mailservice@gfschemicals.com

Emergency phone Emergency Assistance Chemtrec 800-424-9300

number

2. Hazard(s) identification

Physical hazardsFlammable liquidsCategory 2Health hazardsAcute toxicity, oralCategory 4Acute toxicity, dermalCategory 3Acute toxicity, inhalationCategory 1Skin corrosion/irritationCategory 1ASerious eye damage/eye irritationCategory 1

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Environmental hazardsNot classified. **OSHA defined hazards**Not classified.

Label elements



Signal word Danger

Hazard statement Highly flammable liquid and vapor. Harmful if swallowed. Toxic in contact with skin. Causes severe

skin burns and eye damage. Causes serious eye damage. Fatal if inhaled. May cause respiratory

irritation.

Precautionary statement

Prevention Keep container tightly closed. Ground/bond container and receiving equipment. Keep away from

heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Take precautionary measures against static discharge. Do not eat, drink or smoke when using this product. Do not breathe mist or vapor. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after

handling.

Response If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a

POISON CENTER or doctor/physician. Wash contaminated clothing before reuse.

Storage Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep

cool. Store locked up.

Material name: TRIETHYLAMINE, 99%

2774 Version #: 01 Revision date: Issue date: July-16-2015 1 / 9

Disposal

Dispose of contents/container to an appropriate treatment and disposal facility in accordance with

Hazard(s) not otherwise classified (HNOC)

applicable laws and regulations, and product characteristics at time of disposal.

Supplemental information

Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or explosion.

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	%
TRIETHYLAMINE		121-44-8	100

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately.

Skin contactTake off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or

poison control center immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important

symptoms/effects, acute and

delayed

Ingestion

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information

Take off immediately all contaminated clothing. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Alcohol resistant foam. Water fog. Carbon dioxide (CO2). Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential for static discharge, use proper bonding and grounding procedures. This liquid may accumulate static electricity when filling properly grounded containers. Static electricity accumulation may be significantly increased by the presence of small quantities of water or other contaminants. Material will float and may ignite on surface of water. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

firefighters
Fire fighting

equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

Highly flammable liquid and vapor.

Material name: TRIETHYLAMINE, 99%
2774 Version #: 01 Revision date: Issue date: July-16-2015 2 / 9

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe vapors or spray mist. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Use appropriate containment to avoid environmental contamination. Transfer by mechanical means such as vacuum truck to a salvage tank or other suitable container for recovery or safe disposal. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

7. Handling and storage Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Explosion-proof general and local exhaust ventilation. Minimize fire risks from flammable and combustible materials (including combustible dust and static accumulating liquids) or dangerous reactions with incompatible materials. Handling operations that can promote accumulation of static charges include but are not limited to: mixing, filtering, pumping at high flow rates, splash filling, creating mists or sprays, tank and container filling, tank cleaning, sampling, gauging, switch loading, vacuum truck operations. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices. Wash contaminated clothing before reuse.

For additional information on equipment bonding and grounding, refer to the Canadian Electrical Code in Canada, (CSA C22.1), or the American Petroleum Institute (API) Recommended Practice 2003, "Protection Against Ignitions Arising out of Static, Lightning, and Stray Currents" or National Fire Protection Association (NFPA) 77, "Recommended Practice on Static Electricity" or National Fire Protection Association (NFPA) 70, "National Electrical Code".

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Eliminate sources of ignition. Avoid spark promoters. Ground/bond container and equipment. These alone may be insufficient to remove static electricity. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Co Material	ontaminants (29 CFR 1910.1000) Type	Value
TRIETHYLAMINE (CAS 121-44-8)	PEL	100 mg/m3
•		25 ppm
US. ACGIH Threshold Limit Values		
Material	Туре	Value
TRIETHYLAMINE (CAS 121-44-8)	STEL	3 ppm

Material name: TRIETHYLAMINE, 99%

2774 Version #: 01 Revision date: Issue date: July-16-2015 3 / 9

Material Type Value

TWA 1 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines

US. ACGIH Threshold Limit Values

TRIETHYLAMINE (CAS 121-44-8) Can be absorbed through the skin.

US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants

TRIETHYLAMINE (CAS 121-44-8) Can be absorbed through the skin.

Appropriate engineering

controls

Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state
Form
Liquid.
Color
Colorless.
Odor
Not available.
PH
Not available.
Not available.

Melting point/freezing point
Initial boiling point and

boiling range

-174.46 °F (-114.7 °C) 192.74 °F (89.3 °C)

Flash point 16.0 °F (-8.9 °C) Open Cup

Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower 1.2 %

(%)

Flammability limit -

8 %

upper (%)

Explosive limit - lower

Not available.

(%)

Explosive limit - upper

(%)

Not available.

Vapor pressure 7.61 kPa at 25 °C

Vapor density 3.49

Relative density Not available.

Solubility(ies)

Solubility (water) 20 g/l Partition coefficient 1.5

(n-octanol/water)

Auto-ignition temperature 480 °F (248.89 °C)

Material name: TRIETHYLAMINE, 99%

2774 Version #: 01 Revision date: Issue date: July-16-2015 4 / 9

Decomposition temperature Not available. **Viscosity** Not available.

Other information

Density 0.725 g/cm3 estimated at 25 °C

Flammability class Flammable IB estimated

Flash point class Flammable IB

Molecular formula C6H15N

Molecular weight 101.19 g/mol

Percent volatile 100 %

Specific gravity 0.73 at 25 °C **VOC (Weight %)** 100 %

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions. **Possibility of hazardous** Hazardous polymerization does not occur. **reactions**

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash

point. Contact with incompatible materials.

Incompatible materialsStrong acids. Strong oxidizing agents. Chlorine.Hazardous decompositionNo hazardous decomposition products are known.

products

11. Toxicological information

Information on likely routes of exposure

Inhalation Fatal if inhaled.

Skin contact Toxic in contact with skin. Causes severe skin burns.

Eye contact Causes serious eye damage.

Ingestion Causes digestive tract burns. Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result. May cause respiratory irritation.

Information on toxicological effects

Acute toxicity Fatal if inhaled. Toxic in contact with skin. Harmful if swallowed. May cause respiratory irritation.

Product	Species	Test Results
TRIETHYLAMINE (CAS 121	-44-8)	
Acute		
Dermal		
LD50	Rabbit	570 mg/kg
		416 mg/kg
Inhalation		
LC50	Mouse	6 mg/l, 2 Hours
	Rat	6 mg/l, 2 Hours
		0.42 mg/l, 1 Hours
LCL0	Rat	1000 mg/l, 4 h
Oral		
LD50	Mouse	546 mg/kg
	Rabbit	365 mg/kg
	Rat	460 mg/kg
Other		
LD50	Mouse	183 mg/kg

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Causes severe skin burns and eye damage.

Material name: TRIETHYLAMINE, 99%

2774 Version #: 01 Revision date: Issue date: July-16-2015 5 / 9

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not available.

US. National Toxicology Program (NTP) Report on Carcinogens

Not available.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

May cause respiratory irritation.

Specific target organ toxicity

- repeated exposure

Not classified.

Aspiration hazard Not available.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species	Test Results
TRIETHYLAMINE (CA	S 121-44-8)		
Aquatic			
Fish	LC50	Medaka, high-eyes (Oryzias latipes)	1000 mg/l, 24 hours
			720 mg/l, 48 hours
		Rainbow trout, donaldson trout (Oncorhynchus mykiss)	126 - 150 mg/l, 60 days
		Zebra danio (Danio rerio)	100 - 320 mg/l, 7 days

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential Not available.

Partition coefficient n-octanol / water (log Kow)

1.45

Mobility in soil No data available.

Other adverse effectsNo other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

US RCRA Hazardous Waste U List: Reference

TRIETHYLAMINE (CAS 121-44-8) U404

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

Material name: TRIETHYLAMINE, 99%

2774 Version #: 01 Revision date: Issue date: July-16-2015 6 / 9

14. Transport information

DOT

UN1296 **UN** number **UN proper shipping name** Triethylamine

Transport hazard class(es) Class 3 8 Subsidiary risk Label(s) 3,8 **Packing group** ΙΙ

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

IB2, T7, TP1 **Special provisions Packaging exceptions** 150 Packaging non bulk 202 Packaging bulk 243

IATA

UN number UN1296 **UN** proper shipping name **Triethylamine**

Transport hazard class(es) Class 3 Subsidiary risk 8 **Packing group** ΙΙ **Environmental hazards** No. **ERG Code** 3CH

Special precautions for

Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Other information

Allowed.

Cargo aircraft only Allowed.

IMDG

UN1296 **UN** number

UN proper shipping name **TRIETHYLAMINE**

Transport hazard class(es) Class 3 **Subsidiary risk** 8 **Packing group** ΙΙ **Environmental hazards**

Marine pollutant No. **EmS** F-E, S-C

Special precautions for Read safety instructions, SDS and emergency procedures before handling.

and the IBC Code

Transport in bulk according to Not established. Annex II of MARPOL 73/78

Material name: TRIETHYLAMINE, 99%

DOT



7/9 2774 Version #: 01 Revision date: Issue date: July-16-2015

IATA; IMDG



15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

Listed.

29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

TRIETHYLAMINE (CAS 121-44-8)

SARA 304 Emergency release notification

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

> Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Yes

Hazardous chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
TRIFTHYI AMINE	121-44-8	100	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

TRIETHYLAMINE (CAS 121-44-8)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Water Act (CWA)

Section 112(r) (40 CFR

68.130)

Safe Drinking Water Act

(SDWA)

Hazardous substance

Contaminate candidate list

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

TRIETHYLAMINE (CAS 121-44-8)

US. New Jersey Worker and Community Right-to-Know Act

TRIETHYLAMINE (CAS 121-44-8)

US. Pennsylvania Worker and Community Right-to-Know Law

TRIETHYLAMINE (CAS 121-44-8)

US. Rhode Island RTK

Material name: TRIETHYLAMINE, 99%

TRIETHYLAMINE (CAS 121-44-8)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

2774 Version #: 01 Revision date: Issue date: July-16-2015 8/9

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information, including date of preparation or last revision

Issue date July-16-2015

Version # 01

Disclaimer GFS Chemicals cannot anticipate all conditions under which this information and its product, or the

products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

Revision Information Physical & Chemical Properties: Multiple Properties

Transport Information: Proper Shipping Name/Packing Group

Material name: TRIETHYLAMINE, 99%

2774 Version #: 01 Revision date: Issue date: July-16-2015 9 / 9

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).