

# SAFETY DATA SHEET

### 1. Identification

Product identifier SILVER NITRATE, 99.9999%

Other means of identification

Product code 5086

**Recommended use** professional, scientific and technical activities: other professional, scientific and technical activities

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

**Manufacturer** 

**Company name Address**GFS Chemicals, Inc.
P.O. Box 245
Powell, OH 43065

**United States** 

**Telephone** Phone 740-881-5501

Toll Free 800-858-9682 Fax 740-881-5989

Websitewww.gfschemicals.comE-mailservice@gfschemicals.com

**Emergency phone** Emergency Assistance Chemtrec 800-424-9300

number

## 2. Hazard(s) identification

Physical hazardsOxidizing solidsCategory 2Health hazardsAcute toxicity, oralCategory 2Skin corrosion/irritationCategory 1Serious eye damage/eye irritationCategory 1Specific target organ toxicity, repeatedCategory 1

exposure

**Environmental hazards** Hazardous to the aquatic environment, acute Category 1

hazard

Hazardous to the aquatic environment, Category 1

long-term hazard

**OSHA defined hazards**Not classified.

**Label elements** 



Signal word Danger

**Hazard statement** May intensify fire; oxidizer. Fatal if swallowed. Causes severe skin burns and eye damage. Causes

serious eye damage. Causes damage to organs through prolonged or repeated exposure. Very

toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

**Precautionary statement** 

Material name: SILVER NITRATE, 99.9999%

**Prevention** Keep away from heat. Keep/Store away from clothing and other combustible materials. Take any

precaution to avoid mixing with combustibles. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

**Response** IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. If swallowed: Rinse

mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician. Wash contaminated clothing before reuse. In case of fire: Use water to

extinguish. Collect spillage.

**Storage** Store locked up.

5086 Version #: 02 Revision date: April-20-2015 Issue date: March-19-2013 1 / 8

**Disposal** 

Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information** 

None.

# 3. Composition/information on ingredients

#### **Substances**

Chemical name	Common name and synonyms	CAS number	%
SILVER NITRATE		7761-88-8	100

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before

removing clothes. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use

mouth-to-mouth method if victim indested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Most important

symptoms/effects, acute and delayed

**Indication of immediate** medical attention and special treatment needed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Prolonged exposure may cause chronic effects.

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

**General information** 

Take off all contaminated clothing immediately. Contact with combustible material may cause fire. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

## 5. Fire-fighting measures

Suitable extinguishing media Water. Water fog.

**Unsuitable extinguishing** 

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

None known. Greatly increases the burning rate of combustible materials. Containers may explode

when heated. During fire, gases hazardous to health may be formed.

Special protective equipment

and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

**Specific methods** 

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers. Cool containers exposed to flames with water until well after the fire is out.

**General fire hazards** 

May intensify fire; oxidizer. Contact with combustible material may cause fire.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Keep away from clothing and other combustible materials. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation, Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

5086 Version #: 02 2/8

Material name: SILVER NITRATE, 99.9999%

## Methods and materials for containment and cleaning up

Dike far ahead of spill for later disposal.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Minimize dust generation and accumulation. Avoid dust formation. Prevent product from entering drains. Prevent entry into waterways, sewer, basements or confined areas. Clean up in accordance with all applicable regulations. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination. This material and its container must be disposed of as hazardous waste.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Wear appropriate protective equipment and clothing during clean-up. Small Dry Spills: With clean shovel place material into clean, dry container and cover loosely; move containers from spill area. Refer to attached safety data sheets and/or instructions for use. Eliminate ignition sources including sources of electrical, static or frictional sparks. Keep combustibles (wood, paper, oil, etc.) away from spilled material. Ventilate the contaminated area. This product is miscible in water. Should not be released into the environment. This material is a water pollutant and should be prevented from contaminating soil or from entering sewage and drainage systems and bodies of water. Prevent entry into waterways, sewers, basements or confined areas. Stop leak if you can do so without risk.

### **Environmental precautions**

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

## 7. Handling and storage

### Precautions for safe handling

Keep away from heat. Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Keep away from clothing and other combustible materials. Take any precaution to avoid mixing with combustibles. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Do not store near combustible materials. Store away from incompatible materials (see Section 10 of the SDS). Store in a cool place in original container and protect from sunlight.

0.01 mg/m3

Dust.

# 8. Exposure controls/personal protection

#### **Occupational exposure limits**

H	OSHA Tak	امار 7-1 Limi	te for Air	<b>Contaminants</b>	(29 CFR	1910 1000)
US.	USHA IAL	116 T-T FIIIII	LS IUI AII	Contaminants	LZJ LFK	Tato Toon

Material	Туре	Value
SILVER NITRATE (CAS 7761-88-8)	PEL	0.01 mg/m3
<b>US. ACGIH Threshold Limit Va</b>	lues	
Material	Туре	Value
SILVER NITRATE (CAS 7761-88-8)	TWA	0.01 mg/m3
US. NIOSH: Pocket Guide to C	hemical Hazards	
Material	Type	Value Form

SILVER NITRATE (CAS 7761-88-8)

**Biological limit values Appropriate engineering** 

controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eve wash facilities and emergency shower must be available when handling this product. An eye wash and safety shower must be available in the immediate work area.

#### Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield. Eye wash fountains are

required.

Skin protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove **Hand protection** 

supplier. Frequent change is advisable.

TWA

Material name: SILVER NITRATE, 99.9999% 5086 Version #: 02 3/8 Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

**General hygiene** considerations

Keep from contact with clothing and other combustible materials. Remove and wash contaminated clothing promptly. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking.

Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

Crystalline. **Appearance Physical state** Solid. Solid. **Form** Color White. Odor Odorless.

6 Aqueous and alcoholic solution are neutral to litmus pН 413.6 °F (212 °C)

Not available.

Melting point/freezing point Initial boiling point and

boiling range

**Odor threshold** 

824 °F (440 °C)

Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Not available.

Flammability limit - lower

(%)

Flammability limit -

upper (%)

Not available.

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

Vapor pressure Not available. Not available. Vapor density Not available. Relative density

Solubility(ies)

55 % at 0 °C Solubility (water) **Partition coefficient** Not available. (n-octanol/water)

**Auto-ignition temperature** Not available. **Decomposition temperature** 824 °F (440 °C) Viscosity Not available.

Other information

**Density** 5.35 g/cm3 estimated

Molecular formula AqNO3 Molecular weight 169.87 g/mol

Specific gravity 5.35

## 10. Stability and reactivity

Reactivity Greatly increases the burning rate of combustible materials.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

**Conditions to avoid** Exposure to light. Heat. Contact with incompatible materials. **Incompatible materials** Combustible material. Reducing agents. Reducing agents **Hazardous decomposition** May include oxides of silver. May include oxides of nitrogen.

products

Material name: SILVER NITRATE, 99.9999% 5086 Version #: 02 Revision date: April-20-2015 Issue date: March-19-2013 4/8

## 11. Toxicological information

### Information on likely routes of exposure

**Inhalation** May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

**Skin contact**Causes severe skin burns. **Eye contact**Causes serious eye damage.

**Ingestion** Fatal if swallowed. Causes digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

#### Information on toxicological effects

**Acute toxicity** Fatal if swallowed.

Product	Species	Test Results	
SILVER NITRATE (CAS 77	761-88-8)		
Acute			
Oral			
LD50	Mouse	50 mg/kg	
Other			
LD50	Mouse	23.783 mg/kg	
		13.9 mg/kg	

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Skin corrosion/irritation** Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

**Respiratory sensitization** Not available.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity**This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. **Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Causes damage to organs through prolonged or repeated exposure.

**Aspiration hazard** Not available.

**Chronic effects** Prolonged inhalation may be harmful. Causes damage to organs through prolonged or repeated

exposure.

## 12. Ecological information

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

Product		Species	Test Results
SILVER NITRATE (C	AS 7761-88-8)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	0.0009 - 0.0012 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	0.0039 - 0.0048 mg/l, 96 hours

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Persistence and degradabilityNone known.Bioaccumulative potentialNo data available.Mobility in soilNo data available.

**Other adverse effects**No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this

material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with

chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. Collect for silver recovery.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

## 14. Transport information

DOT

**UN number** UN1493 **UN proper shipping name** Silver nitrate

Transport hazard class(es)

**Class** 5.1 **Subsidiary risk** 5.1 Label(s) **Packing group** TT

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

**Special provisions** IB8, IP4, T3, TP33 **Packaging exceptions** 152

Packaging non bulk 212 Packaging bulk 242

**IATA** 

**UN number** UN1493 **UN** proper shipping name Silver nitrate

Transport hazard class(es)

Class 5.1 **Subsidiary risk Packing group** ΙΙ **Environmental hazards** No. **ERG Code** 5L

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed.

Cargo aircraft only

Allowed.

**IMDG** 

UN1493 **UN number** 

**UN proper shipping name** SILVER NITRATE

Transport hazard class(es)

**Class** 5.1 **Subsidiary risk Packing group** Π **Environmental hazards** 

Marine pollutant No. **EmS** F-A, S-O

Special precautions for Read safety instructions, SDS and emergency procedures before handling.

**Transport in bulk according to** Not applicable.

Annex II of MARPOL 73/78 and the IBC Code

Material name: SILVER NITRATE, 99.9999% 5086 Version #: 02 6/8



### IATA; IMDG



## 15. Regulatory information

**US federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

SILVER NITRATE (CAS 7761-88-8)

Listed.

**SARA 304 Emergency release notification** 

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

**SARA 311/312** Yes

**Hazardous chemical** 

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
SILVER NITRATE	7761-88-8	100

#### Other federal regulations

## Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Water Act (CWA)
Section 112(r) (40 CFR
68.130)
Hazardous substance
Priority pollutant
Toxic pollutant
Not regulated.

(SDWA)

**US state regulations** 

# US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

#### **US. Massachusetts RTK - Substance List**

SILVER NITRATE (CAS 7761-88-8)

### **US. New Jersey Worker and Community Right-to-Know Act**

SILVER NITRATE (CAS 7761-88-8)

Material name: SILVER NITRATE, 99.9999%

5086 Version #: 02 Revision date: April-20-2015 Issue date: March-19-2013 7 / 8

### **US. Pennsylvania Worker and Community Right-to-Know Law**

**Inventory name** 

SILVER NITRATE (CAS 7761-88-8)

#### **US. Rhode Island RTK**

SILVER NITRATE (CAS 7761-88-8)

### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

On inventory (yes/no)\*

Yes

#### **International Inventories**

Country(s) or region

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

## 16. Other information, including date of preparation or last revision

Issue dateMarch-19-2013Revision dateApril-20-2015

Version # 02

United States & Puerto Rico

**Disclaimer** The information given is designed only as a guidance for safe handling, use, processing, storage,

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. GFS Chemicals cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

**Revision Information** This document has undergone significant changes and should be reviewed in its entirety.

5086 Version #: 02 Revision date: April-20-2015 Issue date: March-19-2013 8 / 8

Material name: SILVER NITRATE, 99.9999%