

# SAFETY DATA SHEET

## 1. Identification

Product identifier CALCIUM HYDROXIDE, PURIFIED

Other means of identification

Product code 5270

**Synonyms** Hydrated lime

**Recommended use** professional, scientific and technical activities: other professional, scientific and technical activities

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

**Company name**Address
P.O. Box 245
Powell, OH 43065

**United States** 

**Telephone** Phone 740-881-5501

Toll Free 800-858-9682 Fax 740-881-5989

Website www.gfschemicals.com
E-mail service@gfschemicals.com

**E-mail** service@gfschemicals.con **Emergency phone** Emergency Assistance

number

2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Skin corrosion/irritation Category 1

Serious eye damage/eye irritation Category 1

**Environmental hazards** Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment,

Category 3

Chemtrec 800-424-9300

long-term hazard

**OSHA defined hazards** Not classified.

**Label elements** 



Signal word Danger

**Hazard statement** Causes severe skin burns and eye damage. Causes serious eye damage. Harmful to aquatic life.

Harmful to aquatic life with long lasting effects.

**Precautionary statement** 

**Prevention** Do not breathe dust. Wash thoroughly after handling. Avoid release to the environment. Wear

protective gloves/protective clothing/eye protection/face protection.

**Response** If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER or doctor/physician. Wash contaminated clothing before reuse.

**Storage** Store locked up.

**Disposal** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with

applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information** None.

Material name: CALCIUM HYDROXIDE, PURIFIED

5270 Version #: 01 Revision date: Issue date: June-02-2015 1 / 8

# 3. Composition/information on ingredients

#### **Substances**

Chemical name	Common name and synonyms	CAS number	%
CALCIUM HYDROXIDE	Hydrated lime	1305-62-0	100

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

### 4. First-aid measures

**Inhalation** If dust from the material is inhaled, remove the affected person immediately to fresh air. Call a

physician if symptoms develop or persist.

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or

poison control center immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove **Eye contact** 

contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center

immediately.

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If Ingestion

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important

symptoms/effects, acute and

delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Upper respiratory tract irritation. Coughing.

**Indication of immediate** medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation.

Symptoms may be delayed.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

### 5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Use fire-extinguishing media

appropriate for surrounding materials.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

**Special protective equipment** and precautions for

firefiahters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Use water spray to cool unopened containers.

**Specific methods** 

Use standard firefighting procedures and consider the hazards of other involved materials.

**General fire hazards** No unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This product is miscible in water. Should not be released into the environment. Stop leak if you car do so without risk. If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Collect dust using a vacuum cleaner equipped with HEPA filter. Minimize dust generation and accumulation. Prevent entry into waterways, sewer, basements or confined areas. Clean up in accordance with all applicable regulations. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS. Small Dry Spills: With clean shovel place material into clean, dry container and cover loosely; move containers from spill area. Neutralize small amounts with diluted hydrochloric acid (HCl) and flush to sewer with large amounts of water.

**Environmental precautions** 

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

5270 Version #: 01 Revision date: Issue date: June-02-2015 2/8

Material name: CALCIUM HYDROXIDE, PURIFIED

### 7. Handling and storage

Precautions for safe handling

Provide appropriate exhaust ventilation at places where dust is formed. Minimize dust generation and accumulation. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

### **Occupational exposure limits**

Material	Туре	Value	Form
CALCIUM HYDROXIDE (CAS 1305-62-0)	PEL	5 mg/m3	Respirable fraction.
ŕ		15 mg/m3	Total dust.
<b>US. ACGIH Threshold Limit Value</b>	es		
Material	Туре	Value	
CALCIUM HYDROXIDE (CAS 1305-62-0)	TWA	5 mg/m3	
<b>US. NIOSH: Pocket Guide to Che</b>	mical Hazards		
Material	Туре	Value	
CALCIUM HYDROXIDE (CAS 1305-62-0)	TWA	5 mg/m3	

#### **Biological limit values**

No biological exposure limits noted for the ingredient(s).

**Appropriate engineering** controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or fumes that may be generated during handling or thermal processing. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. Eye wash facilities and emergency shower must be available when handling this product.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves. Wear appropriate chemical resistant clothing. Other

**Respiratory protection** Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels

exceeding the exposure limits.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

**General hygiene** considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

**Physical state** Solid. **Form** Powder. Color White. Odor Odorless. **Odor threshold** Not available.

12.4 (saturated solution)

Melting point/freezing point

Initial boiling point and

boiling range

1076 °F (580 °C) Not available.

Flash point Not available.

5270 Version #: 01 Revision date: Issue date: June-02-2015 3/8

Material name: CALCIUM HYDROXIDE, PURIFIED

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Flammability limit -

upper (%)

Not available.

Not available.

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

Not available. Vapor pressure Vapor density Not available. Relative density Not available.

Solubility(ies)

Solubility (water) 2 g/l at 32°F **Partition coefficient** Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Viscosity Not available.

Other information

**Density** 2.24 g/cm3 estimated

Molecular formula Ca(OH)2 Molecular weight 74.10 g/mol Specific gravity 2.24

# 10. Stability and reactivity

Reactivity Reacts violently with strong acids. This product may react with oxidizing agents.

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

**Conditions to avoid** 

Do not mix with other chemicals. Contact with incompatible materials. Avoid dispersal of dust in the

air (i.e., clearing dust surfaces with compressed air).

**Incompatible materials** Acids. Oxidizing agents. Phosphorus. Maleic anhydride. Nitroethane. Nitromethane. Nitroparaffins.

Nitropropane.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

### 11. Toxicological information

Information on likely routes of exposure

Inhalation Inhalation of dusts may cause respiratory irritation. Prolonged inhalation may be harmful

Skin contact Causes severe skin burns.

**Eye contact** Causes serious eye damage. Dust in the eyes will cause irritation.

Ingestion Causes digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result. Upper respiratory tract irritation. Coughing.

### Information on toxicological effects

**Acute toxicity** 

**Product Species Test Results** 

CALCIUM HYDROXIDE (CAS 1305-62-0)

Material name: CALCIUM HYDROXIDE, PURIFIED

**Acute** Oral

LD50 Rat 7340 mg/kg

5270 Version #: 01 Revision date: Issue date: June-02-2015 4/8

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Skin corrosion/irritation** Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

**Respiratory sensitization** Not available.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. **Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

**Aspiration hazard** Not available.

**Chronic effects** Prolonged inhalation may be harmful.

## 12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

Product Species Test Results

CALCIUM HYDROXIDE (CAS 1305-62-0)

Aquatic

Fish LC50 Western mosquitofish (Gambusia affinis) 240 mg/l, 24 hours
220 mg/l, 48 hours
160 mg/l, 96 hours

Zambezi barbel (Clarias gariepinus) 33.8844 mg/l, 96 hours

**Persistence and degradability** No data is available on the degradability of this product.

**Bioaccumulative potential**No data available. **Mobility in soil**No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this

material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with

chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations. Neutralize and flush solution into sewer connected

to wastewater treatment system in compliance with applicable laws and regulations.

**Local disposal regulations** 

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues /

unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

## 14. Transport information

DOT

**UN number** UN3262

**UN proper shipping name** Corrosive solid, basic, inorganic, n.o.s. (CALCIUM HYDROXIDE)

Transport hazard class(es)

Class 8
Subsidiary risk Label(s) 8
Packing group III

Material name: CALCIUM HYDROXIDE, PURIFIED

5270 Version #: 01 Revision date: Issue date: June-02-2015 5 / 8

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Special precautions for Read safety instructions, SDS and emergency procedures before handling.

user

IB8, IP3, T1, TP33 Special provisions

**Packaging exceptions** 154 Packaging non bulk 213 Packaging bulk 240

**IATA** 

**UN number** UN3262

**UN proper shipping name** Corrosive solid, basic, inorganic, n.o.s. (CALCIUM HYDROXIDE)

Transport hazard class(es)

**Class** 8 **Subsidiary risk Packing group** III **Environmental hazards** No. **ERG Code** 8L

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

Allowed. Passenger and cargo

aircraft Cargo aircraft only

Other information

Allowed.

Not applicable.

**IMDG** 

**UN** number UN3262

**UN** proper shipping name CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (CALCIUM HYDROXIDE)

Transport hazard class(es)

**Class** 8 **Subsidiary risk Packing group** III

**Environmental hazards** Marine pollutant

No. **EmS** F-A, S-B

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78

and the IBC Code



# IATA; IMDG



# 15. Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

5270 Version #: 01 Revision date: Issue date: June-02-2015 6/8

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### **CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

#### SARA 304 Emergency release notification

Not regulated.

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### **SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312** Yes

**Hazardous chemical** 

### SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act** 

(SDWA)

Not regulated.

Food and Drug

Administration (FDA)

Total food additive
Direct food additive

GRAS food additive

### **US state regulations**

# US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

### **US. Massachusetts RTK - Substance List**

CALCIUM HYDROXIDE (CAS 1305-62-0)

# **US. New Jersey Worker and Community Right-to-Know Act**

CALCIUM HYDROXIDE (CAS 1305-62-0)

### US. Pennsylvania Worker and Community Right-to-Know Law

CALCIUM HYDROXIDE (CAS 1305-62-0)

### **US. Rhode Island RTK**

Not regulated.

## **US. California Proposition 65**

Material name: CALCIUM HYDROXIDE, PURIFIED

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

5270 Version #: 01 Revision date: Issue date: June-02-2015 7 / 8

Country(s) or region Inventory name On inventory (yes/no)\*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

**Issue date** June-02-2015

Version # 01

**Disclaimer** GFS Chemicals cannot anticipate all conditions under which this information and its product, or the

products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

**Revision Information** Product and Company Identification: Product Codes

Composition / Information on Ingredients: Disclosure Overrides

5270 Version #: 01 Revision date: Issue date: June-02-2015 8 / 8

Material name: CALCIUM HYDROXIDE, PURIFIED