

SAFETY DATA SHEET

1. Identification

Product identifier BARIUM CHLORIDE, DIHYDRATE, REAGENT (ACS)

Other means of identification

Product code 602

Recommended use professional, scientific and technical activities: other professional, scientific and technical activities

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name GFS Chemicals, Inc. **Address** P.O. Box 245

Powell OH 43065 US

Telephone Phone 740-881-5501

Toll Free 800-858-9682 Fax 740-881-5989

Website www.gfschemicals.com
E-mail service@gfschemicals.com

Emergency phone service@grschemicals.com
Emergency Assistance

number

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 3

Acute toxicity, inhalation Category 4
Skin corrosion/irritation Category 2

Specific target organ toxicity, single exposure Category 1 (circulatory system, muscle)
Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Chemtrec 800-424-9300

Specific target organ toxicity, single exposure Category 3 narcotic effects

Specific target organ toxicity, repeated Category 1 (heart)

exposure

OSHA hazard(s) Not classified.

Label elements



Signal word Danger

Hazard statement Toxic if swallowed. Causes skin irritation. Harmful if inhaled. May cause respiratory irritation. May

cause drowsiness or dizziness. Causes damage to organs (circulatory system, muscle). Causes damage to organs (heart) through prolonged or repeated exposure. Harmful to aquatic life.

Harmful to aquatic life with long lasting effects.

Precautionary statement

Prevention Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume. Wash thoroughly after

handling. Do not eat, drink or smoke when using this product. Wear protective gloves.

ResponseIF ON SKIN: Wash with plenty of soap and water. If inhaled: Remove person to fresh air and keep

comfortable for breathing. IF exposed: Call a POISON CENTER or doctor/physician. Rinse mouth.

If skin irritation occurs: Get medical advice/attention.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container to an approved waste disposal plant.

Hazard(s) not otherwise

classified (HNOC)

Not classified.

Material name: BARIUM CHLORIDE, DIHYDRATE, REAGENT (ACS)

5DS US

602 Version #: 01 Revision date: Issue date: January-09-2014

1 / 8

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment,

long-term hazard

Supplemental information Precautionary statement

> **Prevention** Avoid release to the environment.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

3. Composition/information on ingredients

Substances

Hazardous components

Chemical name	Common name and synonyms	CAS number	%
BARIUM CHLORIDE,		10326-27-9	100

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

> artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a POISON CENTER or doctor/physician if you feel unwell.

Category 3

Skin contact Remove contaminated clothing. Wash off with soap and plenty of water. If skin irritation occurs:

Get medical advice/attention.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting

without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way

valve or other proper respiratory medical device.

Most important

symptoms/effects, acute and

delaved

Indication of immediate medical attention and special treatment needed

General information

Irritant effects. Prolonged exposure may cause chronic effects.

In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed. Provide general supportive measures and treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. In the case of accident or if you feel unwell, seek medical advice immediately

5. Fire-fighting measures

Suitable extinguishing media

Use extinguishing agent suitable for type of surrounding fire. Water.

(show the label where possible). Wash contaminated clothing before reuse.

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

Not applicable.

Special protective equipment

and precautions for

firefighters

Wear suitable protective equipment.

Fire-fighting

equipment/instructions

In the event of fire, cool tanks with water spray. Water runoff can cause environmental damage.

Specific methods Cool containers exposed to flames with water until well after the fire is out.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Immediately evacuate personnel to safe areas. Local authorities should be advised if significant spillages cannot be contained. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak. Keep upwind. Keep out of low areas. Ventilate closed spaces before entering them. Wear appropriate personal protective equipment.

Material name: BARIUM CHLORIDE, DIHYDRATE, REAGENT (ACS) SDS US 602 Version #: 01 Revision date:

Methods and materials for containment and cleaning up

Should not be released into the environment. Stop leak if you can do so without risk. Cover with DRY earth, DRY sand, or other non-combustible material followed with plastic sheet to minimize spreading or contact with rain. Do not get water on spilled substance or inside containers. Sweep up or vacuum up spillage and collect in suitable container for disposal. This material and its container must be disposed of as hazardous waste. Avoid dust formation. Following product recovery, flush area with water. Prevent entry into waterways, sewer, basements or confined areas. Clean up in accordance with all applicable regulations. Small Dry Spills: With clean shovel place material into clean, dry container and cover loosely; move containers from spill area. For waste disposal, see section 13 of the MSDS.

Environmental precautions

Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water.

7. Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Do not taste or swallow. Avoid breathing dust. Avoid contact with skin. Avoid contact with eyes. Use only outdoors or in a well-ventilated area. Avoid prolonged exposure. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Avoid release to the environment. Do not empty into drains.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep out of the reach of children. Store in a cool, dry place out of direct sunlight.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Material	Туре	Value
BARIUM CHLORIDE,	PEL	0.5 mg/m3
DIHYDRATE (CAS		

US. ACGIH Threshold Limit Values

Material	Туре	Value
BARIUM CHLORIDE,	TWA	0.5 mg/m3
DILIVIDRATE (CAC		_

DIHYDRATE (CAS 10326-27-9)

US. NIOSH: Pocket Guide to Chemical Hazards Material Type

	.,,,,	74.40
BARIUM CHLORIDE,	TWA	0.5 mg/m3
DIHYDRATE (CAS		

10326-27-9) **Biological limit values**

10326-27-9)

Stiological limit valuesNo biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area.

Value

Individual protection measures, such as personal protective equipment

Eye/face protection Chemical goggles are recommended.

Skin protection

Hand protection Wear protective gloves.

Other Wear appropriate chemical resistant clothing. Wear protective gloves.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Wear respirator if there is

dust formation.

Thermal hazards Not available.

General hygiene considerations

When using, do not eat, drink or smoke. Avoid contact with eyes. Avoid contact with skin. Wash hands before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

AppearanceCrystalline.Physical stateSolid.FormSolid.ColorWhite.

602 Version #: 01 Revision date: Issue date: January-09-2014 3 / 8

Odor Odorless. **Odor threshold** Not available.

pН 5.2 - 8.2 (5% aqueous solution)

Melting point/freezing point 1765.4 °F (963 °C) (after losing water at 113 C)

Initial boiling point and

boiling range

Not available.

Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit -

upper (%)

Not available.

Explosive limit - lower

(%)

Not available.

Explosive limit - upper

(%)

Not available.

Vapor density Not available. **Relative density** Not available. 380 g/l Solubility(ies) **Partition coefficient** Not available. (n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. **Viscosity** Not available.

Other information

Density 3.10 g/cm3 **Molecular formula** BaCl2.2H2O Molecular weight 244.28 Specific gravity 3.097

10. Stability and reactivity

Reactivity Not available.

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid

None under normal conditions.

Incompatible materials Acids.

Hazardous decomposition

products

Hydrogen chloride. Barium oxide. Upon combustion, oxides of chlorine may be released.

11. Toxicological information

Information on likely routes of exposure

Ingestion Toxic if swallowed. Harmful if inhaled. Inhalation Skin contact Not available.

Eye contact Due to lack of data the classification is not possible.

Symptoms related to the physical, chemical and toxicological characteristics Irritant effects.

Information on toxicological effects

Toxic if swallowed. Harmful if inhaled. **Acute toxicity**

Material name: BARIUM CHLORIDE, DIHYDRATE, REAGENT (ACS) SDS US 602 Version #: 01 Revision date: Issue date: January-09-2014 4/8

Product Species Test Results

BARIUM CHLORIDE, DIH	YDRATE (CAS 10326-27-9)	
Acute	,	
Oral		
LD50	Rat	220 mg/kg
		150 mg/kg
		132 mg/kg
		118 mg/kg
LDL0	Dog	90 mg/kg
	Guinea pig	76 mg/kg
	Rabbit	170 mg/kg

Other

LDL0

LD50 Mouse 19.2 mg/kg 12 mg/kg 8.2 mg/kg

* Estimates for product may be based on additional component data not shown.

Rat

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

May irritate eyes. Due to lack of data the classification is not possible.

Due to lack of data the classification is not possible. **Respiratory sensitization** Skin sensitization Due to lack of data the classification is not possible. Germ cell mutagenicity Due to lack of data the classification is not possible.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicity Due to lack of data the classification is not possible.

Specific target organ toxicity

- single exposure

Respiratory tract irritation. Narcotic effects. Causes damage to organs (circulatory system, muscle).

20 mg/kg

Specific target organ toxicity

- repeated exposure

Causes damage to organs (heart) through prolonged or repeated exposure.

Due to lack of data the classification is not possible. **Aspiration hazard**

Chronic effects Prolonged inhalation may be harmful. Causes damage to organs through prolonged or repeated

exposure.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected.

Contains a substance which causes risk of hazardous effects to the environment.

Product Test Results

BARIUM CHLORIDE, DIHYDRATE (CAS 10326-27-9)

Aquatic

Crustacea EC50 Water flea (Daphnia magna) 14.5 mg/l, 48 hours LC50 Fish Mummichog (Fundulus heteroclitus) > 1000 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential Not available. **Mobility in soil** Not available. Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

> and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

^{*} Estimates for product may be based on additional component data not shown.

Local disposal regulations Not available.

Hazardous waste code D005: Waste Barium

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN number UN1564

UN proper shipping name Barium compounds, n.o.s. (BARIUM CHLORIDE)

Transport hazard class(es) 6.1(PGIII) Subsidary class(es) Not available.

Packing group III

Special precautions for

Read safety instructions, SDS and emergency procedures before handling.

user

Labels required 6.1

Special provisions IB8, IP3, T1, TP33

Packaging exceptions 153 Packaging non bulk 213 **Packaging bulk** 240

IATA

UN number UN1564

UN proper shipping name Barium compounds, n.o.s. (BARIUM CHLORIDE)

Transport hazard class(es) 6.1(PGIII)

Subsidary class(es) **Packaging group** III**Environmental hazards** No Labels required 6.1

Not available. **ERG Code** Not available. Special precautions for

user **IMDG**

> **UN** number UN1564

UN proper shipping name Barium compounds, n.o.s. (BARIUM CHLORIDE)

Transport hazard class(es) 6.1(PGIII)

Subsidary class(es) **Packaging group** III **Environmental hazards**

Marine pollutant No Labels required 6.1

Not available. **EmS Special precautions for** Not available.

user

No information available.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

DOT



Material name: BARIUM CHLORIDE, DIHYDRATE, REAGENT (ACS) SDS US 602 Version #: 01 Revision date: Issue date: January-09-2014 6/8



15. Regulatory information

US federal regulations CERCLA/SARA Hazardous Substances - Not applicable.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not on regulatory list.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

hazardous substance

SARA 311/312 No

Hazardous chemical

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act 2 mg/l (SDWA) 2 mg/l

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and **Chemical Code Number**

Not listed.

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

DEA Exempt Chemical Mixtures Code Number

Not regulated.

Food and Drug

Not regulated.

Administration (FDA)

US state regulations California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material

is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

BARIUM CHLORIDE, DIHYDRATE (CAS 10326-27-9) 500 lbs

US. Pennsylvania RTK - Hazardous Substances

Not regulated.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Material name: BARIUM CHLORIDE, DIHYDRATE, REAGENT (ACS) SDS US 602 Version #: 01 Revision date: Issue date: January-09-2014 7/8

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A IIVaali indicatoo this and dust a	and its with the inventory requirements administered by the governing south of	`

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

16. Other information, including date of preparation or last revision

Issue date January-09-2014

Version # 01

Further information Not available.

Disclaimer The information in the sheet was written based on the best knowledge and experience currently

> available. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified

in the text.

Revision Information Product and Company Identification: Product Codes

Hazards Identification: US Hazard Categories

Composition / Information on Ingredients: Disclosure Overrides

Physical & Chemical Properties: Multiple Properties Toxicological Information: Toxicological Data

Transport Information: Proper Shipping Name/Packing Group

Regulatory Information: United States

SDS US 602 Version #: 01 Revision date: Issue date: January-09-2014 8/8