

1. Identification

| | | |
|---|--|-----------------------|
| Product identifier | ARSENIC, 1000 ppm STANDARD SOLUTION | |
| Other means of identification | | |
| Product code | 739 | |
| Recommended use | professional, scientific and technical activities: other professional, scientific and technical activities | |
| Recommended restrictions | None known. | |
| Manufacturer/Importer/Supplier/Distributor information | | |
| Manufacturer | | |
| Company name | GFS Chemicals, Inc. | |
| Address | P.O. Box 245 Powell, OH 43065 United States | |
| Telephone | Phone | 740-881-5501 |
| | Toll Free | 800-858-9682 |
| | Fax | 740-881-5989 |
| Website | www.gfschemicals.com | |
| E-mail | service@gfschemicals.com | |
| Emergency phone number | Emergency Assistance | Chemtrec 800-424-9300 |

2. Hazard(s) identification

| | | |
|------------------------------|---|-------------|
| Physical hazards | Not classified. | |
| Health hazards | Skin corrosion/irritation | Category 1A |
| | Serious eye damage/eye irritation | Category 1 |
| | Carcinogenicity | Category 1A |
| | Specific target organ toxicity, repeated exposure | Category 2 |
| Environmental hazards | Not classified. | |
| OSHA defined hazards | Not classified. | |
| Label elements | | |



| | | |
|--|---|--|
| Signal word | Danger | |
| Hazard statement | Causes severe skin burns and eye damage. Causes serious eye damage. May cause cancer. May cause damage to organs through prolonged or repeated exposure. | |
| Precautionary statement | | |
| Prevention | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. | |
| Response | If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse. | |
| Storage | Store locked up. | |
| Disposal | Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. | |
| Hazard(s) not otherwise classified (HNOC) | None known. | |
| Supplemental information | None. | |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|-------------------|--------------------------|------------|---------|
| WATER | | 7732-18-5 | 96.48 |
| NITRIC ACID | | 7697-37-2 | 3 - < 5 |
| ARSENIC PENTOXIDE | | 1303-28-2 | 0.15 |

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

| | |
|---|--|
| Inhalation | Move to fresh air. Call a physician if symptoms develop or persist. |
| Skin contact | Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse. |
| Eye contact | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately. |
| Ingestion | Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. |
| Most important symptoms/effects, acute and delayed | Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Prolonged exposure may cause chronic effects. |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed. |
| General information | IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂). |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be formed. |
| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Fire fighting equipment/instructions | Move containers from fire area if you can do so without risk. |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. |
| General fire hazards | No unusual fire or explosion hazards noted. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
| Methods and materials for containment and cleaning up | Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. |
| Environmental precautions | Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. |

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Type | Value |
|-----------------------------|------|---------|
| NITRIC ACID (CAS 7697-37-2) | PEL | 5 mg/m3 |
| | | 2 ppm |

US. ACGIH Threshold Limit Values

| Components | Type | Value |
|-----------------------------|------|-------|
| NITRIC ACID (CAS 7697-37-2) | STEL | 4 ppm |
| | TWA | 2 ppm |

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|-----------------------------|------|------------------|
| NITRIC ACID (CAS 7697-37-2) | STEL | 10 mg/m3 |
| | | 4 ppm |
| | TWA | 5 mg/m3 2 ppm |

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection

Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

Hand protection

Wear appropriate chemical resistant gloves.

Other

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection

Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state

Liquid.

Form

Liquid.

Color

Colorless.

Odor

Odorless.

Odor threshold

Not available.

pH

Not available.

Melting point/freezing point

32 °F (0 °C) estimated

Initial boiling point and boiling range

212 °F (100 °C) estimated

Flash point

Not available.

Evaporation rate

Not available.

Material name: ARSENIC, 1000 ppm STANDARD SOLUTION

| | |
|---|-----------------------|
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not available. |
| Vapor density | Not available. |
| Relative density | Not available. |
| Solubility(ies) | |
| Solubility (water) | Not available. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |
| Other information | |
| Density | 1.024 g/cm3 estimated |
| Percent volatile | 96.48 % estimated |
| Specific gravity | 1.02 estimated |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| Chemical stability | Material is stable under normal conditions. |
| Possibility of hazardous reactions | Hazardous polymerization does not occur. |
| Conditions to avoid | Contact with incompatible materials. |
| Incompatible materials | Strong oxidizing agents. |
| Hazardous decomposition products | No hazardous decomposition products are known. |

11. Toxicological information

Information on likely routes of exposure

| | |
|---|---|
| Inhalation | May cause damage to organs through prolonged or repeated exposure by inhalation. May cause irritation to the respiratory system. Prolonged inhalation may be harmful. |
| Skin contact | Causes severe skin burns. |
| Eye contact | Causes serious eye damage. |
| Ingestion | Causes digestive tract burns. |
| Symptoms related to the physical, chemical and toxicological characteristics | Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. |

Information on toxicological effects

Acute toxicity

| Product | Species | Test Results |
|---|---------|---|
| ARSENIC, 1000 ppm STANDARD SOLUTION (CAS Mixture) | | |
| Acute | | |
| <i>Inhalation</i> | | |
| LC50 | Mouse | 7218.9351 mg/l, 30 Minutes estimated 1982.2485 mg/l, 4 Hours estimated |
| | Rat | 4082.8403 mg/l, 30 Minutes estimated 1923.0769 mg/l, 4 Hours estimated |

| Product | Species | Test Results |
|---------------------|--------------------|--------------|
| <i>Oral</i> LD50 | Mouse | 15581 mg/kg |
| | Rat | 75560 mg/kg |
| | Sprague-Dawley rat | 51837 mg/kg |
| | Swiss mouse | 22564 mg/kg |
| Components | Species | Test Results |

ARSENIC PENTOXIDE (CAS 1303-28-2)

Acute

Oral

| | | |
|------|-------|----------|
| LD50 | Mouse | 55 mg/kg |
| | Rat | 8 mg/kg |

NITRIC ACID (CAS 7697-37-2)

Acute

Inhalation

| | | |
|------|-------|----------------------|
| LC50 | Mouse | 244 mg/l, 30 Minutes |
| | | 67 mg/l, 4 Hours |
| | Rat | 334 mg/l, 30 Minutes |
| | | 244 mg/l, 30 Minutes |
| | | 138 mg/l, 30 Minutes |
| | | 65 mg/l, 4 Hours |

* Estimates for product may be based on additional component data not shown.

| | |
|---|--|
| Skin corrosion/irritation | Causes severe skin burns and eye damage. |
| Serious eye damage/eye irritation | Causes serious eye damage. |
| Respiratory or skin sensitization | |
| Respiratory sensitization | Not available. |
| Skin sensitization | This product is not expected to cause skin sensitization. |
| Germ cell mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. |
| Carcinogenicity | May cause cancer. |
| Reproductive toxicity | This product is not expected to cause reproductive or developmental effects. |
| Specific target organ toxicity - single exposure | Not classified. |
| Specific target organ toxicity - repeated exposure | May cause damage to organs through prolonged or repeated exposure. |
| Aspiration hazard | Not available. |
| Chronic effects | Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure. |

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| Product | Species | Test Results |
|---|---------|--|
| ARSENIC, 1000 ppm STANDARD SOLUTION (CAS Mixture) | | |
| Aquatic | | |
| Fish | LC50 | Fish |
| | | 17257.1113 mg/l, 96 hours estimated |
| Components | Species | Test Results |
| ARSENIC PENTOXIDE (CAS 1303-28-2) | | |
| Aquatic | | |
| Fish | LC50 | Striped bass (<i>Morone saxatilis</i>) |
| | | 6.4 - 13.5 mg/l, 96 hours |

| Components | Species | Test Results | |
|-----------------------------|---------|---|---------------------------|
| NITRIC ACID (CAS 7697-37-2) | | | |
| Aquatic | | | |
| Crustacea | LC50 | Cockle (<i>Cerastoderma edule</i>) | 330 - 1000 mg/l, 48 hours |
| | | Green or European shore crab (<i>Carcinus maenas</i>) | 180 mg/l, 48 hours |
| Fish | LC50 | Starfish (<i>Asterias rubens</i>) | 100 - 330 mg/l, 48 hours |

* Estimates for product may be based on additional component data not shown.

| | |
|--------------------------------------|---|
| Persistence and degradability | No data is available on the degradability of this product. |
| Bioaccumulative potential | No data available. |
| Mobility in soil | No data available. |
| Other adverse effects | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |

13. Disposal considerations

| | |
|-----------------------------------|--|
| Disposal instructions | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Local disposal regulations | Dispose in accordance with all applicable regulations. |
| Hazardous waste code | The waste code should be assigned in discussion between the user, the producer and the waste disposal company. |

US RCRA Hazardous Waste P List: Reference

ARSENIC PENTOXIDE (CAS 1303-28-2) P011

| | |
|--|--|
| Waste from residues / unused products | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| Contaminated packaging | Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. |

14. Transport information

DOT

| | |
|-------------------------------------|--|
| UN number | UN3264 |
| UN proper shipping name | Corrosive liquid, acidic, inorganic, n.o.s. (NITRIC ACID RQ = 29586 LBS) |
| Transport hazard class(es) | |
| Class | 8 |
| Subsidiary risk | - |
| Label(s) | 8 |
| Packing group | III |
| Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |
| Special provisions | IB3, T7, TP1, TP28 |
| Packaging exceptions | 154 |
| Packaging non bulk | 203 |
| Packaging bulk | 241 |

IATA

| | |
|-------------------------------------|---|
| UN number | UN3264 |
| UN proper shipping name | Corrosive liquid, acidic, inorganic, n.o.s. (NITRIC ACID) |
| Transport hazard class(es) | |
| Class | 8 |
| Subsidiary risk | - |
| Packing group | III |
| Environmental hazards | No. |
| ERG Code | 8L |
| Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |
| Other information | |
| Passenger and cargo aircraft | Allowed. |
| Cargo aircraft only | Allowed. |

IMDG

| | |
|------------------|--------|
| UN number | UN3264 |
|------------------|--------|

Material name: ARSENIC, 1000 ppm STANDARD SOLUTION

UN proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)

Transport hazard class(es)

Class 8

Subsidiary risk -

Packing group III

Environmental hazards

Marine pollutant No.

EmS F-A, S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

DOT



IATA; IMDG



15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

ARSENIC PENTOXIDE (CAS 1303-28-2) Listed.

NITRIC ACID (CAS 7697-37-2) Listed.

SARA 304 Emergency release notification

ARSENIC PENTOXIDE (CAS 1303-28-2) 1 LBS

NITRIC ACID (CAS 7697-37-2) 1000 LBS

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - Yes
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

| Chemical name | CAS number | Reportable quantity | Threshold planning quantity | Threshold planning quantity, lower value | Threshold planning quantity, upper value |
|-------------------|------------|---------------------|-----------------------------|--|--|
| NITRIC ACID | 7697-37-2 | 1000 | 1000 lbs | | |
| ARSENIC PENTOXIDE | 1303-28-2 | 1 | | 100 lbs | 10000 lbs |

SARA 311/312 No

Hazardous chemical

SARA 313 (TRI reporting)

| Chemical name | CAS number | % by wt. |
|---------------|------------|----------|
| NITRIC ACID | 7697-37-2 | 3 - < 5 |

Other federal regulations**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

NITRIC ACID (CAS 7697-37-2)

Safe Drinking Water Act (SDWA) Not regulated.**US state regulations****US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)**

Not listed.

US. Massachusetts RTK - Substance List

ARSENIC PENTOXIDE (CAS 1303-28-2)

NITRIC ACID (CAS 7697-37-2)

US. New Jersey Worker and Community Right-to-Know Act

ARSENIC PENTOXIDE (CAS 1303-28-2)

NITRIC ACID (CAS 7697-37-2)

US. Pennsylvania Worker and Community Right-to-Know Law

ARSENIC PENTOXIDE (CAS 1303-28-2)

NITRIC ACID (CAS 7697-37-2)

US. Rhode Island RTK

ARSENIC PENTOXIDE (CAS 1303-28-2)

NITRIC ACID (CAS 7697-37-2)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision**Issue date** June-22-2015**Version #** 01**Disclaimer** GFS Chemicals cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.**Revision Information** Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Transport Information: Proper Shipping Name/Packing Group