SAFETY DATA SHEET

1. Identification

Product identifier NICKEL, 1,000 ppm AA STANDARD SOLUTION

Other means of identification

Product code 755

professional, scientific and technical activities: other professional, scientific and technical activities **Recommended use**

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name GFS Chemicals, Inc. **Address** P.O. Box 245 Powell, OH 43065

United States

Telephone Phone 740-881-5501

Toll Free 800-858-9682 Fax 740-881-5989

Website www.gfschemicals.com E-mail service@gfschemicals.com

Emergency phone Chemtrec 800-424-9300 **Emergency Assistance**

number

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 1A

> Serious eye damage/eye irritation Category 1 Sensitization, respiratory Category 1 Sensitization, skin Category 1 Carcinogenicity Category 1 Specific target organ toxicity, repeated Category 2

exposure

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment,

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye

damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause cancer. May cause damage to organs through prolonged or repeated exposure. Toxic to aquatic

Category 3

life. Toxic to aquatic life with long lasting effects.

Precautionary statement Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. In case of inadequate

ventilation wear respiratory protection.

755 Version #: 01 Revision date: Issue date: June-14-2015 1/9 Response If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. If skin irritation or rash occurs: Get medical advice/attention. Wash

contaminated clothing before reuse. Collect spillage.

Storage Store locked up.

Disposal Dispose of contents/container to an appropriate treatment and disposal facility in accordance with

applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. % of the mixture consists of component(s) of unknown long-term hazards to the aquatic

environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
WATER		7732-18-5	96.13
NITRIC ACID		7697-37-2	3 - < 5
NICKEL NITRATE, HEXAHYDRATE		13478-00-7	0.5

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

> Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If experiencing respiratory symptoms: Call a POISON

CENTER or doctor/physician.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. Call a physician or

poison control center immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If Ingestion

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important

symptoms/effects, acute and

delaved

include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Difficulty in breathing. Prolonged exposure may cause chronic effects. Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water

immediately. While flushing, remove clothes which do not adhere to affected area. Call an

Indication of immediate medical attention and special treatment needed

ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

General information IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

firefighters Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

2/9

General fire hazards No unusual fire or explosion hazards noted.

755 Version #: 01 Revision date: Issue date: June-14-2015

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should

be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other

engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. General ventilation normally adequate. Eye wash facilities and emergency shower must be available when handling this

8. Exposure controls/personal protection

Occupational exposure limits

HE	OSHA Table 7	-1 Limite for	Air Contaminants	(20 CED 10	10 1000\
US.	USHA Table 2	2-1 Limits for	Air Contaminants	(29 CFK 19	TO.TOOO)

Components	Туре	Value	
NICKEL NITRATE, HEXAHYDRATE (CAS 13478-00-7)	PEL	1 mg/m3	
NITRIC ACID (CAS 7697-37-2)	PEL	5 mg/m3	
ŕ		2 ppm	
US. ACGIH Threshold Limit V	alues		
Components	Туре	Value	Form
NICKEL NITRATE, HEXAHYDRATE (CAS 13478-00-7)	TWA	0.1 mg/m3	Inhalable fraction.
NITRIC ACID (CAS 7697-37-2)	STEL	4 ppm	
,	TWA	2 ppm	
US. NIOSH: Pocket Guide to	Chemical Hazards		
Components	Туре	Value	
NICKEL NITRATE, HEXAHYDRATE (CAS 13478-00-7)	TWA	0.015 mg/m3	
NITRIC ACID (CAS 7697-37-2)	STEL	10 mg/m3	
		4 ppm	
	TWA	5 mg/m3	
		2 ppm	

Material name: NICKEL, 1,000 ppm AA STANDARD SOLUTION

product.

Biological limit values

controls

Appropriate engineering

755 Version #: 01 Revision date: Issue date: June-14-2015 3 / 9

No biological exposure limits noted for the ingredient(s).

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Chemical respirator with

organic vapor cartridge and full facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Physical state Liquid.

Form Aqueous solution.

Color Colorless. Odor Odorless. **Odor threshold** Not available. Not available. рH

Melting point/freezing point Initial boiling point and

boiling range

32 °F (0 °C) estimated

212 °F (100 °C) estimated

Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit -

upper (%)

Not available.

Explosive limit - lower

(%)

Not available.

Explosive limit - upper

(%)

Not available.

Not available. Vapor pressure Not available. Vapor density Relative density Not available.

Solubility(ies)

Not available. Solubility (water) **Partition coefficient** Not available.

(n-octanol/water)

Not available.

Auto-ignition temperature Not available. **Decomposition temperature** Not available. **Viscosity**

Other information

Density 1.03 g/cm3 **Percent volatile** 96 % estimated

Specific gravity 1.03

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. Chemical stability Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Contact with incompatible materials.

Material name: NICKEL, 1,000 ppm AA STANDARD SOLUTION

755 Version #: 01 Revision date: Issue date: June-14-2015 4/9 **Incompatible materials**

Hazardous decomposition

Strong oxidizing agents.

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause damage to organs through prolonged or repeated exposure by inhalation. May cause

irritation to the respiratory system. May cause allergy or asthma symptoms or breathing difficulties

if inhaled. Prolonged inhalation may be harmful.

Skin contact Causes severe skin burns. May cause an allergic skin reaction.

Eye contact Causes serious eye damage. **Ingestion** Causes digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Difficulty in breathing.

Information on toxicological effects

Acute toxicity May cause an allergic skin reaction.

Product	Species	Test Results
NICKEL, 1,000 ppm AA S	TANDARD SOLUTION (CAS Mixture)	
Acute		
Inhalation		
LC50	Mouse	7218.9351 mg/l, 30 Minutes estimated
		3110 mg/l
		1982.2485 mg/l, 4 Hours estimated
	Rat	4082.8403 mg/l, 30 Minutes estimated
		3905 mg/l
		1923.0769 mg/l, 4 Hours estimated
Components	Species	Test Results
NICKEL NITRATE, HEXAH	YDRATE (CAS 13478-00-7)	

ICKEL NITRATE, HEXAHYDRATE (CAS 134/8-00-7)

Acute

Oral

LD50 Rat 1620 mg/kg

NITRIC ACID (CAS 7697-37-2)

Acute

Inhalation

LC50 Mouse 244 mg/l, 30 Minutes

67 mg/l, 4 Hours

Rat 334 mg/l, 30 Minutes

> 244 mg/l, 30 Minutes 138 mg/l, 30 Minutes

65 mg/l, 4 Hours

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity May cause cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

NICKEL NITRATE, HEXAHYDRATE (CAS 13478-00-7) 1 Carcinogenic to humans.

755 Version #: 01 Revision date: Issue date: June-14-2015 5/9

Material name: NICKEL, 1,000 ppm AA STANDARD SOLUTION

^{*} Estimates for product may be based on additional component data not shown.

US. National Toxicology Program (NTP) Report on Carcinogens

NICKEL NITRATE, HEXAHYDRATE (CAS 13478-00-7) Known To Be Human Carcinogen.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Not available.

Chronic effects Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. May cause

damage to organs through prolonged or repeated exposure.

12. Ecological information

Toxic to aquatic life with long lasting effects. **Ecotoxicity**

Product		Species	Test Results
NICKEL, 1,000 ppm A	A STANDARD SOLU	TION (CAS Mixture)	
Aquatic			
Crustacea	EC50	Daphnia	93.2 mg/l, 48 hours estimated
Fish	LC50	Fish	5820 mg/l, 96 hours estimated
Components		Species	Test Results
NICKEL NITRATE, HE	XAHYDRATE (CAS 1	3478-00-7)	
Aquatic			
Crustacea	EC50	Brine shrimp (Artemia salina)	0.466 mg/l, 48 hours
Fish	LC50	Striped bass (Morone saxatilis)	6.2 mg/l, 96 hours
NITRIC ACID (CAS 76	97-37-2)		
Aquatic			
Crustacea	LC50	Cockle (Cerastoderma edule)	330 - 1000 mg/l, 48 hours
		Green or Europeon shore crab (Carcinus maenas)	180 mg/l, 48 hours
Fish	LC50	Starfish (Asterias rubens)	100 - 330 mg/l, 48 hours

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this **Disposal instructions**

material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with

chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

Waste from residues /

unused products

disposal company.

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN number UN3264

UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (NITRIC ACID RQ = 29586 LBS)

Transport hazard class(es) 8 Class

755 Version #: 01 Revision date: Issue date: June-14-2015 6/9

Material name: NICKEL, 1,000 ppm AA STANDARD SOLUTION

Subsidiary risk 8 Label(s) **Packing group** III

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

Special provisions IB3, T7, TP1, TP28

Packaging exceptions 154 Packaging non bulk 203 Packaging bulk 241

IATA

UN number UN3264

UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (NITRIC ACID)

Transport hazard class(es) Class

8 **Subsidiary risk Packing group** III **Environmental hazards** No. **ERG Code** 8L

Special precautions for

user Other information Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Cargo aircraft only Allowed.

IMDG

UN number UN3264

UN proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)

Transport hazard class(es) **Class**

8 **Subsidiary risk** Packing group III

Environmental hazards

Marine pollutant No. F-A, S-B **EmS**

Special precautions for Read safety instructions, SDS and emergency procedures before handling.

user

Transport in bulk according to

Annex II of MARPOL 73/78

and the IBC Code

Not established.

Allowed.

DOT





15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

NICKEL NITRATE, HEXAHYDRATE (CAS 13478-00-7) Listed. NITRIC ACID (CAS 7697-37-2) Listed.

SARA 304 Emergency release notification

NITRIC ACID (CAS 7697-37-2) 1000 LBS

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categoriesImmediate Hazard - Yes
Delayed Hazard - Yes
Fire Hazard - No

Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

quantity planning quantity planning quantity, lower quantity, upper value value	Chemical name	CAS number	Reportable quantity	Threshold planning quantity	• • • • • • • • • • • • • • • • • • • •		
---	---------------	------------	------------------------	-----------------------------	---	--	--

NITRIC ACID 7697-37-2 1000 1000 lbs

SARA 311/312 No

Hazardous chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
NITRIC ACID	7697-37-2	3 - < 5	
NICKEL NITRATE, HEXAHYDRATE	13478-00-7	0.5	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

NICKEL NITRATE, HEXAHYDRATE (CAS 13478-00-7)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

NITRIC ACID (CAS 7697-37-2)

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.

US. Massachusetts RTK - Substance List

NICKEL NITRATE, HEXAHYDRATE (CAS 13478-00-7)

NITRIC ACID (CAS 7697-37-2)

US. New Jersey Worker and Community Right-to-Know Act

NICKEL NITRATE, HEXAHYDRATE (CAS 13478-00-7)

NITRIC ACID (CAS 7697-37-2)

US. Pennsylvania Worker and Community Right-to-Know Law

NICKEL NITRATE, HEXAHYDRATE (CAS 13478-00-7)

NITRIC ACID (CAS 7697-37-2)

US. Rhode Island RTK

NITRIC ACID (CAS 7697-37-2)

Material name: NICKEL, 1,000 ppm AA STANDARD SOLUTION

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

NICKEL NITRATE, HEXAHYDRATE (CAS 13478-00-7) Listed: May 7, 2004

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes

755 Version #: 01 Revision date: Issue date: June-14-2015 8 / 9

Country(s) or region	Inventory name On inventory	(yes/no)*
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date June-14-2015

Version # 01

Disclaimer GFS Chemicals cannot anticipate all conditions under which this information and its product, or the

products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

Revision Information Product and Company Identification: Product and Company Identification