

# SAFETY DATA SHEET

## 1. Identification

**Product identifier** ZINC, 1,000 ppm STANDARD SOLUTION

Other means of identification

**Product code** 766

**Recommended use** professional, scientific and technical activities: other professional, scientific and technical activities

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

**Manufacturer** 

Company name GFS Chemicals, Inc. **Address** P.O. Box 245 Powell, OH 43065

**United States** 

**Telephone** Phone 740-881-5501

Toll Free 800-858-9682 740-881-5989 Fax

Website www.gfschemicals.com E-mail service@gfschemicals.com

**Emergency phone** Chemtrec 800-424-9300 **Emergency Assistance** 

number

# 2. Hazard(s) identification

**Physical hazards** Not classified.

**Health hazards** Skin corrosion/irritation Category 2

> Serious eye damage/eye irritation Category 2A

**Environmental hazards** Hazardous to the aquatic environment, acute Category 2

hazard

Hazardous to the aquatic environment, Category 3

long-term hazard

**OSHA** defined hazards Not classified.

**Label elements** 



Signal word Warning

Material name: ZINC, 1,000 ppm STANDARD SOLUTION

**Hazard statement** Causes skin irritation. Causes serious eye irritation. Toxic to aquatic life. Harmful to aquatic life

with long lasting effects.

**Precautionary statement** 

**Prevention** Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face

protection.

IF ON SKIN: Wash with plenty of soap and water. If in eyes: Rinse cautiously with water for Response

several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical

advice/attention. Take off contaminated clothing and wash before reuse.

Storage Store away from incompatible materials.

**Disposal** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with

applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise

classified (HNOC)

None known

**Supplemental information** 0.93% of the mixture consists of component(s) of unknown acute hazards to the aquatic

environment. 0.93% of the mixture consists of component(s) of unknown long-term hazards to the

aquatic environment.

766 Version #: 01 Revision date: Issue date: June-14-2015 1/9

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
WATER		7732-18-5	98.87
HYDROGEN CHLORIDE		7647-01-0	0.93
ZINC CHLORIDE		7646-85-7	0.21

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get

medical advice/attention. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes, Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Skin irritation. May cause redness and pain.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

**Indication of immediate** medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media

**Unsuitable extinguishing** media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

**Special protective equipment** and precautions for

firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

**Specific methods** 

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions** 

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or

supervisory personnel of all environmental releases.

## 7. Handling and storage

Precautions for safe handling

Material name: ZINC, 1,000 ppm STANDARD SOLUTION

Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

766 Version #: 01 Revision date: Issue date: June-14-2015 2/9 Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

## **Occupational exposure limits**

Components	Туре	Value	Form
HYDROGEN CHLORIDE (CAS 7647-01-0)	Ceiling	7 mg/m3	
(4.576.7626)		5 ppm	
ZINC CHLORIDE (CAS 7646-85-7)	PEL	1 mg/m3	Fume.
US. ACGIH Threshold Limit Val	lues		
Components	Туре	Value	Form
HYDROGEN CHLORIDE (CAS 7647-01-0)	Ceiling	2 ppm	
ZINC CHLORIDE (CAS 7646-85-7)	STEL	2 mg/m3	Fume.
,	TWA	1 mg/m3	Fume.
US. NIOSH: Pocket Guide to Cl	hemical Hazards		
Components	Туре	Value	Form
HYDROGEN CHLORIDE (CAS 7647-01-0)	Ceiling	7 mg/m3	
,		5 ppm	
ZINC CHLORIDE (CAS 7646-85-7)	STEL	2 mg/m3	Fume.
•	TWA	1 mg/m3	Fume.

**Biological limit values** 

**Appropriate engineering** 

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities

and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Face shield is recommended. Wear safety glasses with side shields (or goggles).

No biological exposure limits noted for the ingredient(s).

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

**Other** Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

**Appearance** 

Physical state Liquid.
Form Liquid.
Color Colorless.
Odor Not available.
Odor threshold Not available.
PH Not available.

Melting point/freezing point
Initial boiling point and

boiling range

32 °F (0 °C) estimated 212 °F (100 °C) estimated

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Material name: ZINC, 1,000 ppm STANDARD SOLUTION

766 Version #: 01 Revision date: Issue date: June-14-2015 3 / 9

Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Not available.

Flammability limit -

upper (%)

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

Vapor pressure Not available. Vapor density Not available. **Relative density** Not available.

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available. (n-octanol/water)

**Auto-ignition temperature Decomposition temperature** 

Not available. Not available.

Not available.

Other information

**Viscosity** 

**Density** 1.02 g/cm3 estimated Percent volatile 98.87 % estimated Specific gravity 1.02 estimated

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions. **Possibility of hazardous** Hazardous polymerization does not occur.

reactions

**Conditions to avoid** Contact with incompatible materials.

**Incompatible materials** Strong oxidizing agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

# 11. Toxicological information

## Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

Skin contact Causes skin irritation.

**Eye contact** Causes serious eye irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain.

## Information on toxicological effects

**Acute toxicity** 

Product	Species	Test Results
ZINC, 1,000 ppm STANDA	ARD SOLUTION (CAS Mixture)	
Acute		
Inhalation		
LC50	Mouse	55511 mg/l
	Rat	99999 mg/l
		940.4764 mg/l, 10 Minutes estimated
Oral		
LD50	Guinea pig	95238.0938 mg/kg estimated
	Mouse	99999 mg/kg
	Rabbit	45090 mg/kg

Material name: ZINC, 1,000 ppm STANDARD SOLUTION

766 Version #: 01 Revision date: Issue date: June-14-2015 4/9

Product	Species	Test Results
Other		
LD50	Mouse	10647.5615 mg/kg estimated
	Rat	27619.0469 mg/kg estimated
Components	Species	Test Results
HYDROGEN CHLORIDE (CAS	S 7647-01-0)	
Acute		
Dermal		
LD50	Mouse	1449 mg/kg
Inhalation		
LC50	Mouse	1108 ppm, 1 Hours
		1108 mg/l, 1 Hours
	Rat	3124 ppm, 1 Hours
		3124 mg/l, 1 Hours
Oral		- ·
LD50	Rabbit	900 mg/kg
Other		
LD50	Mouse	1449 mg/kg
ZINC CHLORIDE (CAS 7646	-85-7)	
Acute	,	
Inhalation		
LC50	Rat	1.975 mg/l, 10 Minutes
		<= 1.975 mg/l, 10 Minutes
Oral		
LD50	Guinea pig	200 mg/kg
	Mouse	1260 mg/kg
		350 mg/kg
	Rat	1100 mg/kg
	rac .	350 mg/kg
Other		550 Hig/kg
<i>Other</i> LD50	Mouse	330 mg/kg
LDJ0	110036	
		91 mg/kg
	_	24 mg/kg
	Rat	58 mg/kg

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Skin corrosion/irritation** Causes skin irritation.

**Serious eye damage/eye** Causes serious eye irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not available.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

HYDROGEN CHLORIDE (CAS 7647-01-0) 3 Not classifiable as to carcinogenicity to humans.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

**Aspiration hazard** Not available.

Material name: ZINC, 1,000 ppm STANDARD SOLUTION

766 Version #: 01 Revision date: Issue date: June-14-2015 5 / 9

## 12. Ecological information

Ecotoxicity	Toxic to aquatic life. Harmful t	to aquatic life with long lasting effects.

Product		Species	Test Results
ZINC, 1,000 ppm STA	NDARD SOLUTION (	CAS Mixture)	
Aquatic			
Crustacea	EC50	Daphnia	1070.4166 mg/l, 48 hours estimated
Fish	LC50	Fish	3431.4871 mg/l, 96 hours estimated
Components		Species	Test Results
HYDROGEN CHLORID	E (CAS 7647-01-0)		
Aquatic			
Fish	LC50	Western mosquitofish (Gambusia affinis)	282 mg/l, 96 hours
ZINC CHLORIDE (CAS	5 7646-85-7)		
Aquatic			
Crustacea	EC50	American or virginia oyster (Crassostrea virginica)	0.1511 - 0.2782 mg/l, 48 hours
Fish	LC50	Rainbow trout, donaldson trout (Oncorhynchus mykiss)	0.101 - 0.197 mg/l, 96 hours

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

**Bioaccumulative potential** No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this

material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with

chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues /

unused products

residues. This material and its container must be disposed of in a safe manner (see: Disposal

Dispose of in accordance with local regulations. Empty containers or liners may retain some product

instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

## 14. Transport information

DOT

UN1789 **UN number** 

**UN** proper shipping name Hydrochloric acid

Transport hazard class(es) Class 8 **Subsidiary risk** 8 Label(s) **Packing group** TT

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

**Special provisions** A3, A6, B3, B15, IB2, N41, T8, TP2, TP12

**Packaging exceptions** 154 Packaging non bulk 202 **Packaging bulk** 242

**IATA** 

UN1789 **UN number** UN proper shipping name Hydrochloric acid

766 Version #: 01 Revision date: Issue date: June-14-2015 6/9

Material name: ZINC, 1,000 ppm STANDARD SOLUTION

Transport hazard class(es)

Class **Subsidiary risk Packing group** ΙΙ **Environmental hazards** No. **ERG Code** 8L

Special precautions for Read safety instructions, SDS and emergency procedures before handling.

user

Other information

Passenger and cargo Allowed.

aircraft

Cargo aircraft only Allowed.

**IMDG** 

**UN number** UN1789

**UN** proper shipping name HYDROCHLORIC ACID

Transport hazard class(es)

Class 8 **Subsidiary risk Packing group** II **Environmental hazards** Marine pollutant No.

**EmS** F-A, S-B

Special precautions for Read safety instructions, SDS and emergency procedures before handling.

user

**Transport in bulk according to** Not established. Annex II of MARPOL 73/78 and the IBC Code

DOT



IATA; IMDG



## 15. Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

HYDROGEN CHLORIDE (CAS 7647-01-0) Listed. ZINC CHLORIDE (CAS 7646-85-7) Listed.

SARA 304 Emergency release notification

HYDROGEN CHLORIDE (CAS 7647-01-0) 5000 LBS

766 Version #: 01 Revision date: Issue date: June-14-2015 7/9

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity	Threshold planning quantity	Threshold planning quantity, lower value	Threshold planning quantity, upper value
LIVEROCEN	7647 01 0	F000	FOO Iba		

**HYDROGEN** 7647-01-0 5000 500 lbs

**CHLORIDE** 

**SARA 311/312** No **Hazardous chemical** 

SARA 313 (TRI reporting) Not regulated.

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

HYDROGEN CHLORIDE (CAS 7647-01-0)

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

HYDROGEN CHLORIDE (CAS 7647-01-0) Safe Drinking Water Act Not regulated. (SDWA)

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number 6545

HYDROGEN CHLORIDE (CAS 7647-01-0)

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

HYDROGEN CHLORIDE (CAS 7647-01-0) 20 %WV

**DEA Exempt Chemical Mixtures Code Number** 

HYDROGEN CHLORIDE (CAS 7647-01-0) 6545

## **US state regulations**

# US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed

#### **US. Massachusetts RTK - Substance List**

HYDROGEN CHLORIDE (CAS 7647-01-0) ZINC CHLORIDE (CAS 7646-85-7)

## **US. New Jersey Worker and Community Right-to-Know Act**

HYDROGEN CHLORIDE (CAS 7647-01-0) ZINC CHLORIDE (CAS 7646-85-7)

#### US. Pennsylvania Worker and Community Right-to-Know Law

HYDROGEN CHLORIDE (CAS 7647-01-0) ZINC CHLORIDE (CAS 7646-85-7)

#### **US. Rhode Island RTK**

HYDROGEN CHLORIDE (CAS 7647-01-0) ZINC CHLORIDE (CAS 7646-85-7)

## **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

## **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes

Material name: ZINC, 1,000 ppm STANDARD SOLUTION

766 Version #: 01 Revision date: Issue date: June-14-2015 8/9 Country(s) or regionInventory nameOn inventory (yes/no)\*KoreaExisting Chemicals List (ECL)YesNew ZealandNew Zealand InventoryYesPhilippinesPhilippine Inventory of Chemicals and Chemical SubstancesYes

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

**Issue date** June-14-2015

Material name: ZINC, 1,000 ppm STANDARD SOLUTION

Version # 01

**Disclaimer** GFS Chemicals cannot anticipate all conditions under which this information and its product, or the

products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

**Revision Information** Composition / Information on Ingredients: Ingredients

Physical & Chemical Properties: Multiple Properties

Transport Information: Proper Shipping Name/Packing Group

766 Version #: 01 Revision date: Issue date: June-14-2015 9 / 9