



Formic Acid, 88%

BAKER ANALYZED[®] A.C.S. Reagent

Product No. 0128

Lot No. L15J10

Release Date 04/12/2012

Certificate of Analysis

TEST	SPECIFICATION	RESULT
Exceeds A.C.S. Specifications		
Meets Reagent Specifications for testing USP/NF monographs		
Assay (HCOOH)	88.0 % min.	91.7 %
Color (APHA)	15 max.	5
Dilution Test	Passes Test	Passes Test
Residue after Evaporation	0.002 % max.	0.002 %
Acetic Acid (CH ₃ COOH)	0.4 % max.	< 0.1 %
Ammonium (NH ₄)	0.005 % max.	< 0.003 %
Sulfate (SO ₄)	0.002 % max.	< 0.0005 %
Sulfite (SO ₃)	Passes Test	Passes Test
Trace Impurities (in ppm):		
Chloride (Cl)	5 max.	< 3
Heavy Metals (as Pb)	5 max.	< 3
Iron (Fe)	5 max.	3
For Laboratory, Research or Manufacturing Use		
Country of Origin: NETHERLANDS		



Phillipsburg, NJ 9001.2008, 14001.2004
 Paris, KY 9001.2008
 Mexico City, Mexico 9001.2008
 Deventer, The Netherlands 9001.2008, 14001.2004, 13485.2003
 Selangor, Malaysia 9001.2008
 Panaji, India 9001.2008
 Gliwice, Poland 9001.2008, 17025.2005

Richard M. Siberski
 Richard M. Siberski
 Global Director of Quality Assurance

For questions on this Certificate of Analysis please contact Technical Services at 855-282-6867 or 610-573-2600

Avantor[™] Performance Materials, Inc.

3477 Corporate Parkway • Suite #200 • Center Valley, PA 18034 • U.S.A. • Phone: 610.573.2600 • Fax: 610.573.2610