



Potassium Carbonate, Anhydrous, Granular

BAKER ANALYZED[®] A.C.S. Reagent

Product No. 3012

Lot No. L12344

Release Date 04/10/2012

Certificate of Analysis

TEST	SPECIFICATION	RESULT
Exceeds A.C.S. Specifications		
Meets Reagent Specifications for testing USP/NF monographs		
Assay (K ₂ CO ₃) (by acid-base titration)	99.0 % min.	99.7 %
Insoluble Matter	0.01 % max.	< 0.002 %
Calcium (Ca)	0.002 % max.	< 0.0002 %
Chloride (Cl)	0.003 % max.	0.002 %
Magnesium (Mg)	0.002 % max.	< 0.0001 %
Phosphate (PO ₄)	0.001 % max.	< 0.0005 %
Silica (SiO ₂)	0.005 % max.	< 0.003 %
Sulfur Compounds (as SO ₄)	0.004 % max.	0.002 %
Sodium (Na)	0.02 % max.	0.02 %
Trace Impurities (in ppm):		
Heavy Metals (as Pb)	5 max.	< 3
Iron (Fe)	5 max.	< 1
For Laboratory, Research or Manufacturing Use		
Country of Origin: USA		



Phillipsburg, NJ 9001.2008, 14001.2004
Paris, KY 9001.2008
Mexico City, Mexico 9001.2008
Deventer, The Netherlands 9001.2008, 14001.2004, 13485.2003
Selangor, Malaysia 9001.2008
Panaji, India 9001.2008
Gliwice, Poland 9001.2008, 17025.2005

Richard M. Siberski
Global Director of Quality Assurance

For questions on this Certificate of Analysis please contact Technical Services at 855-282-6867 or 610-573-2600

Avantor[™] Performance Materials, Inc.

3477 Corporate Parkway • Suite #200 • Center Valley, PA 18034 • U.S.A. • Phone: 610.573.2600 • Fax: 610.573.2610