



Sulfuric Acid, DILUT-IT[®]
Analytical Concentrate, 0.02N

(1/50 equiv.=0.9808 g H₂SO₄)

2 4

Product No. 4704

Lot No. K47N60

Release Date 02/28/2012

Certificate of Analysis

TEST	SPECIFICATION	RESULT
(Makes 0.02N solution after dilution to 1000 mL)		
Normality (by titrimetry)	Passes Test	Passes Test
For Laboratory, Research or Manufacturing Use		
USE BEFORE November 30, 2014		
Country of Origin: NETHERLANDS		



Phillipsburg, NJ 9001.2008, 14001.2004
Paris, KY 9001.2008
Mexico City, Mexico 9001.2008
Deventer, The Netherlands 9001.2008, 14001.2004, 13485.2003
Selangor, Malaysia 9001.2008
Panaji, India 9001.2008
Gliwice, Poland 9001.2008, 17025.2005

Richard M. Siberski
Global Director of Quality Assurance

For questions on this Certificate of Analysis please contact Technical Services at 855-282-6867 or 610-573-2600

Avantor[™] Performance Materials, Inc.

3477 Corporate Parkway • Suite #200 • Center Valley, PA 18034 • U.S.A. • Phone: 610.573.2600 • Fax: 610.573.2610