

# **SAFETY DATA SHEET**

## 1. Identification

Product identifier: OXALIC ACID

# Other means of identification

Product No.: 2752, 0230, 20803

### Recommended use and restriction on use

Recommended use: Not available. Restrictions on use: Not known.

#### Manufacturer/Importer/Supplier/Distributor Information

#### Manufacturer

Company Name:	Avantor Performance Materials, Inc.
Address:	3477 Corporate Parkway, Suite 200
	Center Valley, PA 18034
Telephone:	
	Customer Service: 855-282-6867
Fax:	
Contact Person:	Environmental Health & Safety
e-mail:	info@avantormaterials.com

#### **Emergency telephone number:**

24 Hour Emergency: 908-859-2151

Chemtrec: 800-424-9300

## 2. Hazard(s) identification

## **Hazard Classification**

#### **Health Hazards**

Skin Corrosion/Irritation	Category 1C
Serious Eye Damage/Eye Irritation	Category 1
Specific Target Organ Toxicity -	Category 3
Single Exposure	

## Label Elements

Hazard Symbol:





	outdoors or in a well-ventilated area.
Response:	Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Storage:	Store locked up. Store in a well-ventilated place. Keep container tightly closed.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
erende which de net	News

Other hazards which do not None. result in GHS classification:

# 3. Composition/information on ingredients

#### Substances

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
ETHANEDIOIC ACID, DIHYDRATE		6153-56-6	99 - 100%

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures	
General information:	Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.
Ingestion:	Call a physician or poison control center immediately. Rinse mouth. Do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Inhalation:	Move to fresh air. If breathing is difficult, give oxygen. Apply artificial respiration if victim is not breathing Call a physician or poison control center immediately.
Skin Contact:	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician or poison control center immediately. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Call a physician or poison control center immediately. In case of irritation from airborne exposure, move to fresh air.
Most important symptoms/	effects, acute and delayed
Symptomore	Courses source aligned and human Courses dispetities treat human Mist or

# Symptoms:Causes severe skin and eye burns. Causes digestive tract burns. Mist or<br/>vapor extremely irritating to eyes and respiratory tract.

## Indication of immediate medical attention and special treatment needed



Treatment:	Treat symptomatically. Symptoms may be delayed.	
5. Fire-fighting measures		
General Fire Hazards:	No unusual fire or explosion hazards noted.	
Suitable (and unsuitable) extingu	lishing media	
Suitable extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials.	
Unsuitable extinguishing media:	None.	
Specific hazards arising from the chemical:	Fire may produce irritating, corrosive and/or toxic gases.	
Special protective equipment an	d precautions for firefighters	
Special fire fighting procedures:	Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool. Cool containers exposed to flames with water until well after the fire is out.	
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.	
6. Accidental release measure	S	
Personal precautions, protective equipment and emergency procedures:	Keep unauthorized personnel away. Keep upwind. Use personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. See Section 8 of the MSDS for Personal Protective Equipment.	
Methods and material for containment and cleaning up:	Neutralize with lime or soda ash. Sweep up and place in a clearly labeled container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.	
Notification Procedures:	Prevent entry into waterways, sewer, basements or confined areas. Inform authorities if large amounts are involved.	
Environmental Precautions:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.	
7. Handling and storage		
Precautions for safe handling:	Wear protective gloves/protective clothing/eye protection/face protection. Do not get in eyes, on skin, on clothing. Do not taste or swallow. Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Use caution when adding this material to water. See Section 8 of the MSDS for Personal Protective Equipment.	
Conditions for safe storage, including any incompatibilities:	Keep away from food, drink and animal feeding stuffs. Keep container tightly closed. Store in a cool and well-ventilated place. Store in corrosive resistant container with a resistant inner liner. Do not store in metal containers.	



# 8. Exposure controls/personal protection

# **Control Parameters**

#### **Occupational Exposure Limits**

Chemical Identity	Туре	Exposure Limit Values	Source
ETHANEDIOIC ACID, DIHYDRATE	TWA	1 mg/m3	US. ACGIH Threshold Limit Values (2011)
	STEL	2 mg/m3	US. ACGIH Threshold Limit Values (2011)
	REL	1 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	STEL	2 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	1 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	STEL	2 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	1 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	1 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	STEL	2 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)

Appropriate	Engineering
Controls	

No data available.

## Individual protection measures, such as personal protective equipment

General information:	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area.
Eye/face protection:	Wear safety glasses with side shields (or goggles) and a face shield. Wear a full-face respirator, if needed.
Skin Protection Hand Protection:	Chemical resistant gloves
Other:	Wear suitable protective clothing.
Respiratory Protection:	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information.
Hygiene measures:	Provide eyewash station and safety shower. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Do not get this material in contact with skin. Do not get in eyes.

# 9. Physical and chemical properties

#### Appearance

Solid Crystals



Color:	Colorless
Odor:	Odorless
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	101.5 °C
Initial boiling point and boiling range:	149 °C
Flash Point:	Not applicable
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosi	ve limits
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	< 0.01 kPa (25 °C)
Vapor density:	No data available.
Relative density:	1.65 (18.5 °C)
Solubility(ies)	
Solubility in water:	143 g/l (25 °C)
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.
Other information	
Molecular weight:	126.07 g/mol (C2H2O4.2H2O)

# 10. Stability and reactivity

Reactivity:	No dangerous reaction known under conditions of normal use.
Chemical Stability:	Material is stable under normal conditions.
Possibility of Hazardous Reactions:	Hazardous polymerization does not occur.
Conditions to Avoid:	Avoid dust formation. Excessive heat.
Incompatible Materials:	Strong bases.
Hazardous Decomposition Products:	Thermal decomposition may release oxides of carbon.

# 11. Toxicological information

Information on likely routes of e Ingestion:	exposure May cause burns of the gastrointestinal tract if swallowed.
Inhalation:	Irritating to respiratory system.
Skin Contact:	Causes severe skin burns.
Eye contact:	Causes serious eye damage.



# Information on toxicological effects

Acute toxicity (list all possible	Acute toxicity (list all possible routes of exposure)		
Oral Product:	LD 50 (Rat): 375.0 mg/kg		
Dermal Product:	LD 50 (Rabbit): 20,000 mg/kg		
Inhalation Product:	No data available.		
Repeated Dose Toxicity Product:	No data available.		
Skin Corrosion/Irritation Product:	Causes severe skin burns.		
Serious Eye Damage/Eye Irritati Product:	on Causes serious eye damage.		
Respiratory or Skin Sensitizatio Product:	<b>n</b> Not a skin sensitizer.		
Carcinogenicity Product:	This substance has no evidence of carcinogenic properties.		
IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified			
US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified			
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified			
Germ Cell Mutagenicity			
In vitro Product:	No mutagenic components identified		
In vivo Product:	No mutagenic components identified		
Reproductive Toxicity Product:	No components toxic to reproduction		
Specific Target Organ Toxicity - Product:	Single Exposure Respiratory tract irritation.		
Specific Target Organ Toxicity - Product:	Repeated Exposure None known.		
Aspiration Hazard Product:	Not classified		
Other Effects:	None known.		



# 12. Ecological information

Ecotoxicity:	
Acute hazards to the aquatic	environment:
Fish Product:	No data available.
Aquatic Invertebrates Product:	No data available.
Chronic hazards to the aquati	c environment:
Fish Product:	No data available.
Aquatic Invertebrates Product:	No data available.
Toxicity to Aquatic Plants Product:	No data available.
Persistence and Degradability	
Biodegradation Product:	There are no data on the degradability of this product.
BOD/COD Ratio Product:	No data available.
Bioaccumulative Potential Bioconcentration Factor (B0 Product:	CF) No data available on bioaccumulation.
Partition Coefficient n-octar Product:	nol / water (log Kow) No data available.
Mobility in Soil:	No data available.
Other Adverse Effects:	The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
13. Disposal considerations	
Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or local laws.
Contaminated Packaging:	Since emptied containers retain product residue, follow label warnings even after container is emptied.



# 14. Transport information

DOT			
UN Number:	UN 3261		
UN Proper Shipping Name:	Corrosive solid, acidic, organic, n.o.s.(OXALIC ACID, DIHYDRATE)		
Transport Hazard Class(es)			
Class(es):	8		
Label(s):	8		
Packing Group:	III		
Marine Pollutant:	No		
IMDG			
UN Number:	UN 3261		
UN Proper Shipping Name:	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.(OXALIC ACID, DIHYDRATE)		
Transport Hazard Class(es)	,		
Class(es):	8		
Label(s):	8		
EmS No.:	F-A, S-B		
Packing Group:	III		
Marine Pollutant:	No		
ΙΑΤΑ			
UN Number:	UN 3261		
Proper Shipping Name:	Corrosive solid, acidic, organic, n.o.s.(OXALIC ACID, DIHYDRATE)		
Transport Hazard Class(es):			
Class(es):	8		
Label(s):	8		
Marine Pollutant:	No		
Packing Group:	III		

# 15. Regulatory information

## **US Federal Regulations**

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

## CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **Hazard categories**



# None present or none present in regulated quantities.

#### SARA 304 Emergency Release Notification


None present or none present in regulated quantities.



SARA 311/312 Hazardous Chemical Identity		anning Quantity
OXALIC ACID ETHANEDIOIC ACID, DIHYDRATE		500 lbs 500 lbs
SARA 313 (TRI Reporting None present or no		ulated quantities.
Clean Water Act Section 311 None present or none pres		
Clean Air Act (CAA) Section None present or none pres		Release Prevention (40 CFR 68.130): uantities.
US State Regulations		
US. California Proposition No ingredient regul		65 present.
<b>US. New Jersey Worker a</b> ETHANEDIOIC ACID, DIHYDRATE	nd Community R Listed	ight-to-Know Act
OXALIC ACID	Listed	
<b>US. Massachusetts RTK -</b> ETHANEDIOIC ACID, DIHYDRATE		
OXALIC ACID	Listed	
<b>US. Pennsylvania RTK - H</b> ETHANEDIOIC ACID, DIHYDRATE	Hazardous Substa Listed	ances
OXALIC ACID	Listed	
US. Rhode Island RTK OXALIC ACID	Listed	
Inventory Status: Australia AICS: Canada DSL Inventory List: EINECS, ELINCS or NLP: Japan (ENCS) List: China Inv. Existing Chemical Su Korea Existing Chemicals Inv. (I Canada NDSL Inventory: Philippines PICCS: US TSCA Inventory: New Zealand Inventory of Chem Japan ISHL Listing: Japan Pharmacopoeia Listing:	KECI):	On or in compliance with the inventory On or in compliance with the inventory Not in compliance with the inventory. On or in compliance with the inventory On or in compliance with the inventory Not in compliance with the inventory Not in compliance with the inventory.

# 16.Other information, including date of preparation or last revision

# **NFPA Hazard ID**







Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Issue Date:	10-17-2014
Revision Date:	No data available.
Version #:	1.0
Further Information:	No data available.
Disclaimer:	THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND AVANTOR PERFORMANCE MATERIALS MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION<(>,<) WARRANTIES OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON- INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, AVANTOR PERFORMANCE MATERIALS ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. AVANTOR PERFORMANCE MATERIALS REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES.