

Revision date: 08-26-2014

SAFETY DATA SHEET

1. Identification

Product identifier: BARIUM CHLORIDE (ANHYDROUS)

Other means of identification

Product No.: 0980

Recommended use and restriction on use

Recommended use: Not available. Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company Name: Avantor Performance Materials, Inc. Address: 3477 Corporate Parkway, Suite 200

Center Valley, PA 18034

Telephone:

Customer Service: 855-282-6867

Fax:

Contact Person: Environmental Health & Safety e-mail: info@avantormaterials.com

Emergency telephone number:

24 Hour Emergency: 908-859-2151

Chemtrec: 800-424-9300

2. Hazard(s) identification

Hazard classification

Health hazards

Acute toxicity (Oral) Category 3
Acute toxicity (Inhalation - dust and Category 4

mist)

Environmental hazards

Acute hazards to the aquatic Category 3 environment

Label elements

Hazard symbol:



Signal word: Danger

Hazard statement: Toxic if swallowed.

Harmful if inhaled. Harmful to aquatic life.

Precautionary statement



Revision date: 08-26-2014

Prevention: Wash hands thoroughly after handling. Do not eat, drink or smoke when

using this product. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Avoid release to the environment.

Response: IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse

mouth. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor if you

feel unwell.

Storage: Store locked up.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

None.

3. Composition/information on ingredients

Substances

| Chemical identity | Common name and synonyms | CAS number | Content in percent (%)* | | |
|-------------------|--------------------------|---------------|-------------------------|--|--|
| BARIUM CHLORIDE | | 10361-37-2 | 90 - 100% | | |

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information: Get medical advice/attention if you feel unwell. Show this safety data sheet

to the doctor in attendance.

Ingestion: Call a physician or poison control center immediately. Do not induce

vomiting without advice from poison control center. If vomiting occurs, keep

head low so that stomach content doesn't get into the lungs.

Inhalation: Move to fresh air. Call a physician or poison control center immediately. If

breathing stops, provide artificial respiration.

Skin contact: Immediately flush with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes. Call a physician or poison control center immediately. Wash contaminated clothing before reuse.

Destroy or thoroughly clean contaminated shoes.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Get medical attention immediately.

Most important symptoms/effects, acute and delayed

Symptoms: Toxic if swallowed. Harmful if inhaled.

Indication of immediate medical attention and special treatment needed

Treat symptomatically. Symptoms may be delayed.

5. Fire-fighting measures

General fire hazards: No unusual fire or explosion hazards noted.



Revision date: 08-26-2014

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

None known.

Specific hazards arising from

the chemical:

Fire may produce irritating, corrosive and/or toxic gases.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool. Cool containers exposed to

flames with water until well after the fire is out.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Keep unauthorized personnel away. Use personal protective equipment. See Section 8 of the MSDS for Personal Protective Equipment. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Methods and material for containment and cleaning

up:

Sweep up and place in a clearly labeled container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.

Notification Procedures:

Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Inform authorities if large amounts are involved.

Environmental precautions:

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling:

Use personal protective equipment as required. Avoid contact with eyes, skin, and clothing. Do not breathe mist or vapor. Do not taste or swallow. Do not eat, drink or smoke when using the product. Use only with adequate ventilation. Wash hands thoroughly after handling. See Section 8 of the MSDS for Personal Protective Equipment.

Conditions for safe storage, including any incompatibilities:

Do not store in metal containers. Keep in a cool, well-ventilated place. Store in a dry place.



Revision date: 08-26-2014

8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Chemical identity | Туре | Exposure Limit values | Source | | | |
|-------------------------|------|-----------------------|--|--|--|--|
| BARIUM CHLORIDE - as Ba | TWA | 0.5 mg/m3 | US. ACGIH Threshold Limit Values (2011) | | | |
| | REL | 0.5 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2010) | | | |
| | PEL | 0.5 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) | | | |
| | TWA | 0.5 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) | | | |

Appropriate engineering

controls

No data available.

Individual protection measures, such as personal protective equipment

General information: Good general ventilation (typically 10 air changes per hour) should be used.

Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls

to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the

immediate work area.

Eye/face protection: Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection: Chemical resistant gloves

Other: Wear suitable protective clothing.

Respiratory protection: In case of inadequate ventilation use suitable respirator.

Hygiene measures: Provide eyewash station and safety shower. Observe good industrial

hygiene practices. Wash hands before breaks and immediately after handling the product. Do not eat, drink or smoke when using the product.

Wash contaminated clothing before reuse.

9. Physical and chemical properties

Appearance

Physical state: Solid

Form: Crystals or powder.

Color: White Odor: Odorless

Odor threshold:

pH:

No data available.

No data available.

Melting point/freezing point: 962 °C Initial boiling point and boiling range: 1,560 °C

Flash Point:

Evaporation rate:

No data available.

No data available.

No data available.

Noncombustible Solid

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

No data available.

No data available.



Revision date: 08-26-2014

Explosive limit - lower (%): No data available.

Vapor pressure: Estimated < 0.01 kPa (25 °C)

Vapor density:No data available. **Relative density:**3.86 (20 °C)

Solubility(ies)

Solubility in water: 310 g/l (0 °C)
Solubility (other): No data available.
Partition coefficient (n-octanol/water): No data available.
Auto-ignition temperature: No data available.
Decomposition temperature: No data available.
Viscosity: No data available.

Other information

Molecular weight: 208.23 g/mol (BaCl2)

10. Stability and reactivity

Reactivity: No dangerous reaction known under conditions of normal use.

Chemical stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

Hazardous polymerization does not occur.

Conditions to avoid: Contact with incompatible materials.

Incompatible materials: Strong oxidizing agents. Acids. Strong oxidizing agents. Acids.

Hazardous decomposition

products:

Halogens.

11. Toxicological information

Information on likely routes of exposure

Ingestion: Toxic if swallowed.

Inhalation: Harmful if inhaled.

Skin contact: May cause irritation.

Eye contact: May cause irritation.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: LD 50 (Rat): 118 mg/kg

LD L0 (Guinea pig): 76 mg/kg

Dermal

Product: No data available.

Inhalation

Product: No data available.

Repeated dose toxicity

Product: No data available.

Skin corrosion/irritation



Revision date: 08-26-2014

Product: May cause skin irritation.

Serious eye damage/eye irritation

Product: May irritate eyes.

Respiratory or skin sensitization

Product: Not a skin sensitizer.

Carcinogenicity

Product: This substance has no evidence of carcinogenic properties.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ cell mutagenicity

In vitro

Product: No mutagenic components identified

In vivo

Product: No mutagenic components identified

Reproductive toxicity

Product: No components toxic to reproduction

Specific target organ toxicity - single exposure
Product:
No data available.

Specific target organ toxicity - repeated exposure

Product: No data available.

Aspiration hazard

Product: Not classified

Other effects: None known.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

BARIUM CHLORIDE LC 50 (Rainbow trout, donaldson trout (Oncorhynchus mykiss), 28 d): 32.2 -

54.2 mg/l Mortality

LC 50 (Western mosquitofish (Gambusia affinis), 96 h): 1,080 mg/l Mortality

LC 50 (Carp (Leuciscus idus melanotus), 48 h): 870 mg/l Mortality

Aquatic invertebrates

Product: No data available.

Specified substance(s):

BARIUM CHLORIDE EC 50 (Water flea (Daphnia magna), 48 h): 14.5 mg/l Intoxication

LC 50 (Scud (Echinogammarus berilloni), 96 h): 122 mg/l Mortality

LC 50 (Crayfish (Austropotamobius pallipes pall), 96 h): 46 mg/l Mortality

SDS US - SDS000001566



Revision date: 08-26-2014

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and degradability

Biodegradation

Product: There are no data on the degradability of this product.

BOD/COD ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration factor (BCF)

Product: No data available on bioaccumulation.

Partition coefficient n-octanol / water (log Kow) Product: No data available.

Mobility in soil: No data available.

Other adverse effects: Harmful to aquatic organisms.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local

laws.

Contaminated packaging: Since emptied containers retain product residue, follow label warnings even

after container is emptied.

14. Transport information

DOT

UN number: UN 1564

UN proper shipping name: Barium compounds, n.o.s.(BARIUM CHLORIDE)

Transport hazard class(es)

Class(es): 6.1
Label(s): 6.1
Packing group: III
Marine Pollutant: No



Revision date: 08-26-2014

IMDG

UN number: UN 1564

UN proper shipping name: BARIUM COMPOUND, N.O.S.(BARIUM CHLORIDE)

Transport hazard class(es)

Class(es): 6.1 Label(s): 6.1 EmS No.: F-A, S-A

Packing group: III
Marine Pollutant: No

IATA

UN number: UN 1564

Proper Shipping Name: Barium compound, n.o.s.(BARIUM CHLORIDE)

Transport hazard class(es):

Class(es): 6.1
Label(s): 6.1
Marine Pollutant: No
Packing group: III

15. Regulatory information

US federal regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

BARIUM CHLORIDE Reportable quantity: 1000 lbs.

Superfund amendments and reauthorization act of 1986 (SARA)

Hazard categories

| Χ | Acute (Immediate) | | Chronic (Delayed) | | Fire | | Reactive | | Pressure Generating |
|---|-------------------|--|-------------------|--|------|--|----------|--|---------------------|
|---|-------------------|--|-------------------|--|------|--|----------|--|---------------------|

SARA 302 Extremely hazardous substance

None present or none present in regulated quantities.

SARA 304 Emergency release notification

| Chemical identity | RQ |
|-------------------|-----------|
| BARIUM CHLORIDE | 1000 lbs. |

SARA 311/312 Hazardous chemical

| Chemical identity | Threshold Planning Quantity |
|-------------------|-----------------------------|
| BARIUM CHLORIDE | 500 lbs |

SARA 313 (TRI reporting)

| | Reporting threshold for | Reporting threshold for manufacturing and | | | |
|-------------------|----------------------------|--|--|--|--|
| Chemical identity | other users | processing | | | |
| BARIUM CHLORIDE | 10000 lbs | 25000 lbs. | | | |

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.



Revision date: 08-26-2014

US state regulations

US. California Proposition 65

No ingredient regulated by CA Prop 65 present.

US. New Jersey Worker and Community Right-to-Know Act

BARIUM CHLORIDE Listed

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

No ingredient regulated by PA Right-to-Know Law present.

US. Rhode Island RTK

BARIUM CHLORIDE Listed

Inventory Status:

Australia AICS:

Canada DSL Inventory List:

EINECS, ELINCS or NLP:

Japan (ENCS) List:

China Inv. Existing Chemical Substances:

Korea Existing Chemicals Inv. (KECI):

On or in compliance with the inventory

On or in compliance with the inventory

Not in compliance with the inventory.

On or in compliance with the inventory.

Korea Existing Chemicals Inv. (KECI):

Canada NDSL Inventory:

Philippines PICCS:

US TSCA Inventory:

New Zealand Inventory of Chemicals:

On or in compliance with the inventory.

New Zealand Inventory of Chemicals:

Japan ISHL Listing:


Japan Pharmacopoeia Listing:

On or in compliance with the inventory

Not in compliance with the inventory.

16.Other information, including date of preparation or last revision

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Issue date: 08-26-2014

Revision date: No data available.

Version #: 1.0

Further information: No data available.



Disclaimer:

Version: 1.0

Revision date: 08-26-2014

THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND AVANTOR PERFORMANCE MATERIALS MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION<(>,<)> WARRANTIES OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE. OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, AVANTOR PERFORMANCE MATERIALS ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. AVANTOR PERFORMANCE MATERIALS REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES.