

Revision date: 06-11-2014

# SAFETY DATA SHEET

# 1. Identification

Product identifier: HYDROGEN PEROXIDE

Other means of identification

Product No.: 5803, 5170, 3664, V340, 2192, 2204, 2203, 2202, 2201, 2200, 2190, 2189, 2186, 5236, 5853,

5846, 5816, 2002, 5516, 5369, 5240, 5155, 37818, 37817, 37810

Recommended use and restriction on use

Recommended use: Not available. Restrictions on use: Not known.

# Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company Name: Avantor Performance Materials, Inc. Address: 3477 Corporate Parkway, Suite 200

Center Valley, PA 18034

Telephone:

Customer Service: 855-282-6867

Fax:

Contact Person: Environmental Health & Safety e-mail: info@avantormaterials.com

**Emergency telephone number:** 

24 Hour Emergency: 908-859-2151

Chemtrec: 800-424-9300

# 2. Hazard(s) identification

# **Hazard classification**

#### Physical hazards

Oxidizing liquids Category 2

**Health hazards** 

Acute toxicity (Oral)

Acute toxicity (Inhalation - vapor)

Skin corrosion/irritation

Serious eye damage/eye irritation

Germ cell mutagenicity

Specific target organ toxicity - single

Category 1

Category 1

Category 1

Category 1

exposure

Specific target organ toxicity - single

exposure

Category 3

#### **Environmental hazards**

Acute hazards to the aquatic Category 2

environment

\_Label elements

**Hazard symbol:** 



Revision date: 06-11-2014



Signal word: Danger

**Hazard statement:** May intensify fire; oxidizer.

Toxic if inhaled. Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause respiratory irritation. May cause genetic defects.

Causes damage to organs if swallowed.

Toxic to aquatic life.

#### **Precautionary statement**

**Prevention:** Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Keep away from heat. - No smoking. Keep/Store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles. Wash thoroughly after handling. Do not breathe dust/mist/vapors. Use only outdoors or in a well-

ventilated area. Wear protective gloves/protective clothing/eye

protection/face protection. Do not eat, drink or smoke when using this

product. Avoid release to the environment.

**Response:** In case of fire: Use water spray, foam, dry powder or carbon dioxide for

extinction. IF exposed: Call a POISON CENTER or doctor/physician. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF INHALED: Remove victim to

fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked

up.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical identity	Common name and synonyms	CAS number	Content in percent (%)*
HYDROGEN PEROXIDE		7722-84-1	25 - 35%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

# 4. First-aid measures



Revision date: 06-11-2014

**General information:** Get medical advice/attention if you feel unwell. Show this safety data sheet

to the doctor in attendance.

**Ingestion:** Call a physician or poison control center immediately. Do NOT induce

vomiting. If vomiting occurs, keep head low so that stomach content doesn't

get into the lungs.

**Inhalation:** Move to fresh air. Call a physician or poison control center immediately. If

breathing is difficult, give oxygen. Apply artificial respiration if victim is not

breathing

**Skin contact:** Immediately flush with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes. Call a physician or poison control center immediately. Wash contaminated clothing before reuse.

Destroy or thoroughly clean contaminated shoes.

**Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Call a physician or poison control center

immediately. In case of irritation from airborne exposure, move to fresh air.

Get medical attention immediately.

Most important symptoms/effects, acute and delayed

**Symptoms:** Harmful if swallowed. Toxic if inhaled. Corrosive to skin and eyes.

Indication of immediate medical attention and special treatment needed

**Treat symptomatically.** Symptoms may be delayed.

5. Fire-fighting measures

**General fire hazards:** Strong oxidizer - contact with other material may cause fire.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing

media:

None known.

Specific hazards arising from

the chemical:

Strong oxidizer. Contact with combustible material may cause fire. Pressurized container may explode when exposed to heat or flame.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without

risk.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Self-contained breathing apparatus and full

protective clothing must be worn in case of fire.

6. Accidental release measures



Revision date: 06-11-2014

Personal precautions, protective equipment and emergency procedures: Keep unauthorized personnel away. Use personal protective equipment. Ventilate closed spaces before entering them. See Section 8 of the MSDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Methods and material for containment and cleaning up:

Eliminate all ignition sources if safe to do so. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.

**Notification Procedures:** 

Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Inform authorities if large amounts are involved.

**Environmental precautions:** 

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling:

Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Wash hands thoroughly after handling. Do not get in eyes, on skin, on clothing. Keep away from combustible material. Do not taste or swallow. Do not eat, drink or smoke when using the product. DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight.

Conditions for safe storage, including any incompatibilities:

Keep away from heat. Keep away from sources of ignition - No smoking. Keep away from combustible material. Keep container tightly closed. Store in a well-ventilated place. Store in a dry place.

# 8. Exposure controls/personal protection

## **Control parameters**

Occupational exposure limits

Chemical identity	Туре	Exposure Limit values	Source		
HYDROGEN PEROXIDE	TWA	1 ppm	US. ACGIH Threshold Limit Values (2011)		
	REL	1 ppm 1.4 mg/m3	US. NIOSH: Pocket Guide to Chemical		
			Hazards (2010)		
	PEL	1 ppm 1.4 mg/m3	US. OSHA Table Z-1 Limits for Air		
			Contaminants (29 CFR 1910.1000) (02 2006)		
	TWA	1 ppm 1.4 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000)		
		-	(1989)		

Appropriate engineering controls

No data available.

# Individual protection measures, such as personal protective equipment

**General information:** Good general ventilation (typically 10 air changes per hour) should be used.

Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an

acceptable level. An eye wash and safety shower must be available in the immediate work area.

**Eye/face protection:** Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection



Revision date: 06-11-2014

**Hand protection:** Chemical resistant gloves

Other: Wear appropriate clothing to prevent reasonably probable skin contact.

**Respiratory protection:** In case of inadequate ventilation use suitable respirator. Chemical

respirator with acid gas cartridge.

**Hygiene measures:** Provide eyewash station and safety shower. Always observe good personal

hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

## 9. Physical and chemical properties

**Appearance** 

Physical state:

Form:
Color:
Color:
Colorless

Mild pungent

Odor threshold:
No data available.

pH: 3.3
Melting point/freezing point: -25 °C
Initial boiling point and boiling range: 108 °C

Flash Point:

Evaporation rate:

Flammability (solid, gas):

Not applicable

< 1 (butyl acetate=1)

No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

No data available.

No data available.

No data available.

No data available.

Vapor pressure:3.33 kPaVapor density:1.17

Relative density: 1.11 (20 °C)

Solubility(ies)

Solubility in water:
Solubility (other):

Partition coefficient (n-octanol/water):

Auto-ignition temperature:

Decomposition temperature:

Viscosity:

Miscible with water.

No data available.

No data available.

No data available.

No data available.

# 10. Stability and reactivity

**Reactivity:** No dangerous reaction known under conditions of normal use.

**Chemical stability:** Stable; however, may decompose if heated.

Possibility of hazardous

reactions:

Hazardous polymerization does not occur.

Conditions to avoid: Heat. Light. Contact with combustibles. Contact with incompatible

materials.

Incompatible materials: Organic compounds. Reducing agents. Flammable/combustible material.



Revision date: 06-11-2014

Hazardous decomposition

products:

May decompose upon heating to produce corrosive and/or toxic fumes.

## 11. Toxicological information

Information on likely routes of exposure

**Ingestion:** May cause burns of the gastrointestinal tract if swallowed.

**Inhalation:** May cause irritation to the respiratory system.

**Skin contact:** Causes severe skin burns.

**Eye contact:** Causes serious eye damage.

### Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

**Product:** No data available.

**Dermal** 

Product: LD 50 (Rat, Male): 1,193 mg/kg

LD 50 (Rat, Female): 1,270 mg/kg

Inhalation

**Product:** No data available.

Repeated dose toxicity

**Product:** No data available.

Skin corrosion/irritation

**Product:** Causes skin burns.

Serious eye damage/eye irritation

**Product:** Causes eye burns.

Respiratory or skin sensitization

**Product:** Not a skin sensitizer.

Carcinogenicity

**Product:** Suspected of causing cancer.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:** 

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ cell mutagenicity

In vitro

**Product:** May cause genetic defects.

In vivo

**Product:** May cause genetic defects.

Reproductive toxicity



Revision date: 06-11-2014

**Product:** No components toxic to reproduction

Specific target organ toxicity - single exposure

**Product:** Lungs. Respiratory tract irritation.

Specific target organ toxicity - repeated exposure

**Product:** None known.

**Aspiration hazard** 

Product: Not classified

Other effects: None known.

# 12. Ecological information

## **Ecotoxicity:**

#### Acute hazards to the aquatic environment:

Fish

**Product:** No data available.

Specified substance(s):

HYDROGEN PEROXIDE LC 50 (Chameleon goby (Tridentiger trigonocephalus), 24 h): 155 mg/l

Mortality

LC 50 (Jack Mackerel (Trachurus japonicus), 24 h): 89 mg/l Mortality

**Aquatic invertebrates** 

**Product:** No data available.

### Chronic hazards to the aquatic environment:

**Fish** 

**Product:** No data available.

**Aquatic invertebrates** 

**Product:** No data available.

**Toxicity to Aquatic Plants** 

**Product:** No data available.

Persistence and degradability

Biodegradation

**Product:** Expected to be readily biodegradable.

**BOD/COD** ratio

**Product:** No data available.

Bioaccumulative potential

**Bioconcentration factor (BCF)** 

**Product:** No data available on bioaccumulation.

Partition coefficient n-octanol / water (log Kow)
Product:
No data available.

**Mobility in soil:** The product is water soluble and may spread in water systems.

Other adverse effects: Toxic to aquatic life.

## 13. Disposal considerations



Revision date: 06-11-2014

**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local

laws.

Contaminated packaging: Since emptied containers retain product residue, follow label warnings even

after container is emptied.

# 14. Transport information

DOT

UN number: UN 2014

UN proper shipping name: Hydrogen peroxide, aqueous solutions

Transport hazard class(es)

Class(es): 5.1, 8
Label(s): 5.1, 8
Packing group: II
Marine Pollutant: No

**IMDG** 

UN number: UN 2014

UN proper shipping name: HYDROGEN PEROXIDE, AQUEOUS SOLUTION

Transport hazard class(es)

Class(es): 5.1, 8
Label(s): 5.1, 8
EmS No.: F-H, S-Q

Packing group: II
Marine Pollutant: No

**IATA** 

UN number: UN 2014

Proper Shipping Name: Hydrogen peroxide, aqueous solution

Transport hazard class(es):

Class(es): 5.1, 8
Label(s): 5.1, 8
Marine Pollutant: No
Packing group: II

# 15. Regulatory information

#### US federal regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

### CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

# Superfund amendments and reauthorization act of 1986 (SARA)

# **Hazard categories**

Χ	Acute (Immediate)	Χ	Chronic (Delayed)	Χ	Fire	Χ	Reactive		Pressure Generating
---	-------------------	---	-------------------	---	------	---	----------	--	---------------------

### SARA 302 Extremely hazardous substance

Chemical identity	RQ	Threshold Planning Quantity
HYDROGEN PEROXIDE	1000 lbs.	1000 lbs.



Revision date: 06-11-2014

## SARA 304 Emergency release notification

Chemical identity RQ

HYDROGEN PEROXIDE

#### SARA 311/312 Hazardous chemical

Chemical identity Threshold Planning Quantity

HYDROGEN PEROXIDE 500lbs

#### SARA 313 (TRI reporting)

None present or none present in regulated quantities.

# Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

#### **US** state regulations

#### **US. California Proposition 65**

No ingredient regulated by CA Prop 65 present.

# **US. New Jersey Worker and Community Right-to-Know Act**

HYDROGEN PEROXIDE Listed

#### US. Massachusetts RTK - Substance List

HYDROGEN PEROXIDE Listed

#### US. Pennsylvania RTK - Hazardous Substances

HYDROGEN PEROXIDE Listed

### US. Rhode Island RTK

HYDROGEN PEROXIDE Listed

# **Inventory Status:**

Australia AICS: Canada DSL Inventory List:

EU EINECS List: EU ELINCS List: Japan (ENCS) List:

EU No Longer Polymers List:

China Inv. Existing Chemical Substances: Korea Existing Chemicals Inv. (KECI):

Canada NDSL Inventory: Philippines PICCS: US TSCA Inventory:

New Zealand Inventory of Chemicals: Switzerland Consolidated Inventory:


Japan ISHL Listing:

Japan Pharmacopoeia Listing:

On or in compliance with the inventory On or in compliance with the inventory On or in compliance with the inventory. Not in compliance with the inventory. On or in compliance with the inventory. On or in compliance with the inventory. On or in compliance with the inventory On or in compliance with the inventory. On or in compliance with the inventory. On or in compliance with the inventory. On or in compliance with the inventory On or in compliance with the inventory. Not in compliance with the inventory. Not in compliance with the inventory. On or in compliance with the inventory.

### 16.Other information, including date of preparation or last revision

#### NFPA Hazard ID





Revision date: 06-11-2014

Reactivity
Special hazard.

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

**OXY: Oxidizer** 

Issue date: 06-11-2014

Revision date: No data available.

Version #: 1 1

Further information: No data available.

Disclaimer: THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA

SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH

JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED

HEREIN IS PROVIDED "AS IS," AND AVANTOR PERFORMANCE MATERIALS MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL

WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR

STATUTORY, INCLUDING WITHOUT LIMITATION<(>,<)> WARRANTIES

OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-

INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN

DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, AVANTOR PERFORMANCE MATERIALS ASSUMES NO

LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. AVANTOR PERFORMANCE MATERIALS REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE

ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR

EMPLOYEES.