

Revision date: 08-29-2014

SAFETY DATA SHEET

1. Identification

Product identifier: LITHIUM CHLORIDE

Other means of identification Product No.: 4002, 2370, 5852

Recommended use and restriction on use

Recommended use: Not available. Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company Name: Avantor Performance Materials, Inc. Address: 3477 Corporate Parkway, Suite 200

Center Valley, PA 18034

Telephone:

Customer Service: 855-282-6867

Fax:

Contact Person: Environmental Health & Safety e-mail: info@avantormaterials.com

Emergency telephone number:

24 Hour Emergency: 908-859-2151

Chemtrec: 800-424-9300

2. Hazard(s) identification

Hazard classification

Health hazards

Acute toxicity (Oral)

Skin corrosion/irritation

Category 4

Category 2

Serious eye damage/eye irritation

Category 2A

Label elements

Hazard symbol:



Signal word: Warning

Hazard statement: Harmful if swallowed.

Causes skin irritation.

Causes serious eye irritation.

Precautionary statement

Prevention: Wash hands thoroughly after handling. Do not eat, drink or smoke when

using this product. Wear protective gloves/protective clothing/eye

protection/face protection.



Revision date: 08-29-2014

Response: IF SWALLOWED: Call a POISON CENTER/doctor/ if you feel unwell. Rinse

mouth. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention. If eye irritation persists: Get medical advice/attention.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

None.

3. Composition/information on ingredients

Substances

Chemical identity	Common name and synonyms	CAS number	Content in percent (%)*
LITHIUM CHLORIDE		7447-41-8	100%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information: Get medical advice/attention if you feel unwell. Show this safety data sheet

to the doctor in attendance.

Ingestion: Rinse mouth. Get medical attention if symptoms occur.

Inhalation: Move to fresh air. Get medical attention if symptoms persist.

Skin contact: Wash skin thoroughly with soap and water. Get medical attention if irritation

persists after washing.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Get medical attention if symptoms persist.

Most important symptoms/effects, acute and delayed

Symptoms: Harmful if swallowed. Irritating to eyes, respiratory system and skin.

Indication of immediate medical attention and special treatment needed

Treatment: Treat symptomatically. Symptoms may be delayed.

5. Fire-fighting measures

General fire hazards: In case of fire and/or explosion do not breathe fumes.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

None known.



Revision date: 08-29-2014

Specific hazards arising from

the chemical:

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool. Cool containers exposed to

flames with water until well after the fire is out.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Keep unauthorized personnel away. Keep upwind. Ventilate closed spaces before entering them. Avoid inhalation of dust. Do not touch damaged containers or spilled material unless wearing appropriate protective

clothing.

Methods and material for containment and cleaning

up:

Sweep up and place in a clearly labeled container for chemical waste.

Clean surface thoroughly to remove residual contamination.

Notification Procedures: Inform authorities if large amounts are involved. Prevent entry into

waterways, sewer, basements or confined areas.

Environmental precautions: Prevent further leakage or spillage if safe to do so. Avoid discharge into

drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling: Avoid inhalation of dust. Do not taste or swallow. Do not eat, drink or smoke

when using the product. Use only with adequate ventilation. Wash thoroughly after handling. See Section 8 of the MSDS for Personal Protective Equipment. Avoid contact with eyes. Avoid contact with skin.

Conditions for safe storage,

including any incompatibilities:

Keep container tightly closed. Store in a well-ventilated place. Store locked

up.

8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

None of the components have assigned exposure limits.

Appropriate engineering

controls

No data available.

Individual protection measures, such as personal protective equipment

General information: Good general ventilation (typically 10 air changes per hour) should be used.

Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an

acceptable level. An eye wash and safety shower must be available in the immediate work area.

Eye/face protection: Use tight fitting goggles if dust is generated.



Revision date: 08-29-2014

Skin protection

Hand protection: Use suitable protective gloves if risk of skin contact.

Other: Wear suitable protective clothing.

Respiratory protection: If engineering controls do not maintain airborne concentrations below

recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Air-purifying respirator with a high

efficiency particulate filter.

Hygiene measures: Provide eyewash station and safety shower. Always observe good personal

hygiene measures, such as washing after handling the material and before

eating, drinking, and/or smoking. Routinely wash work clothing and

protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state: Solid

Form: Crystals or powder.

Color: White Odor: Odorless

Odor threshold: No data available. pH: No data available.

Melting point/freezing point: 613 °C Initial boiling point and boiling range: 1,360 °C

Flash Point:

Evaporation rate:

No data available.

No data available.

No data available.

No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

Explosive limit - lower (%):

No data available.

No data available.

No data available.

No data available.

Vapor pressure:

Vapor density:

No data available.

Solubility(ies)

Solubility in water: 842.5 g/l (25 °C)

1,234 g/l (100 °C)

Solubility (other): acetone: 0.0411 g/ml (25 °C)

methanol: 0.4236 g/ml (25 °C)

Partition coefficient (n-octanol/water):

Auto-ignition temperature:

No data available.

No data available.

No data available.

Viscosity:

No data available.

Other information

Molecular weight: 42.39 g/mol (CILi)

10. Stability and reactivity

Reactivity: No dangerous reaction known under conditions of normal use.



Revision date: 08-29-2014

Chemical stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

Hazardous polymerization does not occur.

Conditions to avoid: Moisture. Contact with incompatible materials.

Incompatible materials: Strong oxidizing agents.

Hazardous decomposition

products:

By heating and fire, toxic vapors/gases may be formed.

11. Toxicological information

Information on likely routes of exposure

Ingestion: Harmful if swallowed.

Inhalation: Harmful if inhaled.

Skin contact: Causes skin irritation.

Eye contact: Causes serious eye damage.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: LD 50 (Rat): 757 mg/kg

LD 50 (Mouse): 1,165 mg/kg LD 50 (Rabbit): 850 mg/kg

Dermal

Product: No data available.

Inhalation

Product: No data available.

Repeated dose toxicity

Product: No data available.

Skin corrosion/irritation

Product: Causes skin irritation.

Serious eye damage/eye irritation

Product: Causes serious eye damage.

Respiratory or skin sensitization

Product: Not a skin sensitizer.

Carcinogenicity

Product: This substance has no evidence of carcinogenic properties.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified



Revision date: 08-29-2014

Germ cell mutagenicity

In vitro

Product: No mutagenic components identified

In vivo

Product: No mutagenic components identified

Reproductive toxicity

Product: Suspected of damaging fertility or the unborn child.

Specific target organ toxicity - single exposure

Product: Respiratory tract irritation.

Specific target organ toxicity - repeated exposure

Product: Liver, Blood, Kidney

Aspiration hazard

Product: Not classified

Other effects: None known.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

LITHIUM CHLORIDE LC 50 (Colorado squawfish (Ptychocheilus lucius), 96 h): 13 - 22 mg/l

Mortality

LC 50 (Bonytail (Gila elegans), 96 h): 18 - 28 mg/l Mortality

LC 50 (Razorback sucker (Xyrauchen texanus), 96 h): 20 - 31 mg/l Mortality

Aquatic invertebrates

Product: No data available.

Specified substance(s):

LITHIUM CHLORIDE EC 50 (Water flea (Daphnia magna), 64 h): 1.2 mg/l Intoxication

LC 50 (Zebra mussel (Dreissena polymorpha), 24 h): 123 - 280 mg/l

Mortality

LC 50 (Zebra mussel (Dreissena polymorpha), 24 h): 172 - 313 mg/l

Mortality

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and degradability

Biodegradation

Product: There are no data on the degradability of this product.



Revision date: 08-29-2014

BOD/COD ratio Product:	No data available.		
Bioaccumulative potential Bioconcentration factor (BCI Product:	F) No data available on bioaccumulation.		
Partition coefficient n-octano Product:	No data available.		
Mobility in soil:	No data available.		
Other adverse effects:	The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
13. Disposal considerations			
Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or local laws.		
Contaminated packaging:	Since emptied containers retain product residue, follow label warnings even after container is emptied.		
14. Transport information			
DOT Not regulated.			
IMDG Not regulated.			
IATA			
Not regulated.			
15. Regulatory information			
US federal regulations			
TSCA Section 12(b) Export Notif US. OSHA Specifically Regulat None present or none present	ted Substances (29 CFR 1910.1001-1050)		
CERCLA Hazardous Substance None present or none present			
Superfund amendments and re	eauthorization act of 1986 (SARA)		
Hazard categories			
X Acute (Immediate) Ch	ronic (Delayed) Fire Reactive Pressure Generating		
SARA 302 Extremely hazar None present or non	rdous substance ne present in regulated quantities.		
SARA 304 Emergency rele	ase notification		

None present or none present in regulated quantities.



Revision date: 08-29-2014

SARA 311/312 Hazardous chemical

Threshold Planning Quantity Chemical identity

LITHIUM CHLORIDE

500 lbs

SARA 313 (TRI reporting)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US state regulations

US. California Proposition 65

No ingredient regulated by CA Prop 65 present.

US. New Jersey Worker and Community Right-to-Know Act

No ingredient regulated by NJ Right-to-Know Law present.

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

No ingredient regulated by PA Right-to-Know Law present.

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.


Inventory Status:

Australia AICS: On or in compliance with the inventory Canada DSL Inventory List: On or in compliance with the inventory EINECS, ELINCS or NLP: On or in compliance with the inventory Japan (ENCS) List: On or in compliance with the inventory China Inv. Existing Chemical Substances: Not in compliance with the inventory. Korea Existing Chemicals Inv. (KECI): On or in compliance with the inventory Canada NDSL Inventory: Not in compliance with the inventory. Philippines PICCS: On or in compliance with the inventory **US TSCA Inventory:** On or in compliance with the inventory New Zealand Inventory of Chemicals: On or in compliance with the inventory On or in compliance with the inventory Japan ISHL Listing: Not in compliance with the inventory.

Japan Pharmacopoeia Listing:

16.Other information, including date of preparation or last revision

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Issue date: 08-29-2014 SDS US - SDS000001234



Revision date: 08-29-2014

Revision date: No data available.

Version #: 1.0

Further information: No data available.

Disclaimer: THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA

SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH

JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED

HEREIN IS PROVIDED "AS IS," AND AVANTOR PERFORMANCE MATERIALS MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT

TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR

STATUTORY, INCLUDING WITHOUT LIMITATION<(>,<)> WARRANTIES

OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF

THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES.

ACCORDINGLY, AVANTOR PERFORMANCE MATERIALS ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. AVANTOR PERFORMANCE MATERIALS REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE

ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR

EMPLOYEES.