

Revision Date: 04-14-2015

SAFETY DATA SHEET

1. Identification

Product identifier: Sodium Hydroxide, Pellets

Other means of identification

Product No.: 3115, 3718, 3722, 3723, 3728, 5045, 5565, 7001, 7680, 7708, 7772

Recommended use and restriction on use

Recommended use: Not available. Restrictions on use: Not known.

Details of the supplier of the safety data sheet

Manufacturer

Company Name: Avantor Performance Materials, Inc. Address:

3477 Corporate Parkway, Suite 200

Center Valley, PA 18034

Customer Service: 855-282-6867 Telephone:

610-573-2610 Fax:

Contact Person: **Environmental Health & Safety** E-mail: info@avantormaterials.com

Emergency telephone number:

24 Hour Emergency: 908-859-2151

Chemtrec: 800-424-9300

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Corrosive to metals Category 1

Health Hazards

Skin Corrosion/Irritation Category 1 Serious Eye Damage/Eye Irritation Category 1

Unknown toxicity - Health

Acute toxicity, inhalation, dust or mist 100 %

Unknown toxicity - Environment

Chronic hazards to the aquatic	100 %
environment	

Label Elements

Hazard Symbol:



Revision Date: 04-14-2015



Signal Word: Danger

Hazard Statement: May be corrosive to metals.

Causes severe skin burns and eye damage.

Precautionary Statement

Prevention: Do not breathe dust/fume/gas/mist/vapors/spray. Wear protective

gloves/protective clothing/eye protection/face protection. Keep only in

original container. Wash hands thoroughly after handling.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Absorb spillage to prevent material damage.

Storage: Store locked up. Store in corrosive resistant container with a resistant inner

liner. Store in a well-ventilated place. Keep container tightly closed.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

None.

3. Composition/information on ingredients

Substances

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
SODIUM HYDROXIDE		1310-73-2	90 - 100%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information: Get medical advice/attention if you feel unwell. Show this safety data sheet

to the doctor in attendance.

Ingestion: Call a physician or poison control center immediately. Do not induce

vomiting without advice from poison control center. If vomiting occurs, keep

head low so that stomach content doesn't get into the lungs.

Inhalation: Move to fresh air. Call a physician or poison control center immediately.

Apply artificial respiration if victim is not breathing If breathing is difficult,

give oxygen.



Revision Date: 04-14-2015

Skin Contact: Immediately flush with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes. Call a physician or poison control center immediately. Wash contaminated clothing before reuse.

Destroy or thoroughly clean contaminated shoes.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Call a physician or poison control center

immediately.

Most important symptoms/effects, acute and delayed

Symptoms: Corrosive to skin and eyes.

Indication of immediate medical attention and special treatment needed

Treat symptomatically. Symptoms may be delayed.

5. Fire-fighting measures

General Fire Hazards: Move containers from fire area if you can do so without risk. Use water

spray to keep fire-exposed containers cool. Cool containers exposed to

flames with water until well after the fire is out.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

The product reacts with water and will generate heat.

Specific hazards arising from

the chemical:

Fire may produce irritating, corrosive and/or toxic gases.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No unusual fire or explosion hazards noted.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Keep unauthorized personnel away. Ventilate closed spaces before entering them. Use personal protective equipment. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers

or spilled material unless wearing appropriate protective clothing.

Methods and material for containment and cleaning

up:

Sweep up and place in a clearly labeled container for chemical waste. Clean surface thoroughly to remove residual contamination. Neutralize spill area and washings with dilute acetic acid.

Notification Procedures: Prevent entry into waterways, sewer, basements or confined areas. Stop

the flow of material, if this is without risk. Inform authorities if large amounts

are involved.

Environmental Precautions: Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so. Avoid discharge into drains, water courses or onto

the ground.



Revision Date: 04-14-2015

7. Handling and storage

Precautions for safe handling: Do not get in eyes, on skin, on clothing. Do not eat, drink or smoke when

using the product. Do not taste or swallow. Avoid breathing dust or vapor. Use personal protective equipment as required. Wash hands thoroughly

after handling.

Conditions for safe storage,

including any incompatibilities:

Do not store in metal containers. Keep container tightly closed. Store in a

well-ventilated place. Store in a dry place.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	type	Exposure Limit Values	Source
SODIUM HYDROXIDE	Ceiling	2 mg/m3	US. ACGIH Threshold Limit Values (2011)
	Ceil_Time	2 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	2 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	Ceiling	2 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

General information: Good general ventilation (typically 10 air changes per hour) should be used.

Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the

immediate work area.

Eye/face protection: Wear safety glasses with side shields (or goggles) and a face shield.

Skin Protection

Hand Protection: Chemical resistant gloves

Other: Wear suitable protective clothing.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Air-purifying

respirator with a high efficiency particulate filter.

Hygiene measures: Provide eyewash station and safety shower. Always observe good personal

hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

9. Physical and chemical properties

Appearance

Physical state: solid
Form: Pellets
Color: White
Odor: Odorless



Revision Date: 04-14-2015

Odor threshold: No data available.

pH: 13 (0.5% aqueous solution)

Melting point/freezing point:

Initial boiling point and boiling range:

Flash Point:

Evaporation rate:

No data available.

No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

Explosive limit - lower (%):

No data available.

Vapor density:

No data available.

2.13 (25 °C)

Solubility(ies)

Solubility in water: 1,110 g/l

Solubility (other):

Partition coefficient (n-octanol/water):

Auto-ignition temperature:

No data available.

Other information

Molecular weight: 40 g/mol (HNaO)

10. Stability and reactivity

Reactivity: Reacts violently with strong acids.

Chemical Stability: Material is stable under normal conditions.

Possibility of Hazardous

Reactions:

Hazardous polymerization does not occur. The substance is hygroscopic

and will absorb water by contact with the moisture in the air.

Conditions to Avoid: Avoid dust formation. Heat. Moisture.

Incompatible Materials: Oxidizing agents. Acids. Flammable liquid. Contact with metals may evolve

flammable hydrogen gas.

Hazardous Decomposition

Products:

Sodium oxides

11. Toxicological information

Information on likely routes of exposure

Ingestion: May cause burns of the gastrointestinal tract if swallowed.

Inhalation: May cause damage to mucous membranes in nose, throat, lungs and

bronchial system.

Skin Contact: Causes severe skin burns.

Eye contact: Causes serious eye damage.



Revision Date: 04-14-2015

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: LD 50 (Rat): 130 - 340 mg/kg

Dermal

Product: LD 50 (Rabbit): 1,350 mg/kg

Inhalation

Product: No data available.

Repeated dose toxicity

Product: No data available.

Skin Corrosion/Irritation

Product: Causes severe skin burns.

Serious Eye Damage/Eye Irritation

Product: Causes serious eye damage.

Respiratory or Skin Sensitization

Product: Not a skin sensitizer.

Carcinogenicity

Product: This substance has no evidence of carcinogenic properties.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No mutagenic components identified

In vivo

Product: No data available.

Reproductive toxicity

Product: No components toxic to reproduction

Specific Target Organ Toxicity - Single Exposure

Product: None known.

Specific Target Organ Toxicity - Repeated Exposure

Product: None known.

Aspiration Hazard

Product: Not classified

Other effects: None known.



Revision Date: 04-14-2015

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

SODIUM HYDROXIDE LC 50 (Western mosquitofish (Gambusia affinis), 96 h): 125 mg/l Mortality

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

SODIUM HYDROXIDE EC 50 (Water flea (Ceriodaphnia dubia), 48 h): 34.59 - 47.13 mg/l

Intoxication

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: Expected to be readily biodegradable.

BOD/COD Ratio

Product: No data available.

Bioaccumulative Potential

Bioconcentration Factor (BCF)

Product: No data available on bioaccumulation.

Partition Coefficient n-octanol / water (log Kow)
Product:
No data available.

Mobility in Soil: The product is water soluble and may spread in water systems.

Other Adverse Effects: Harmful to aquatic organisms. The product may affect the acidity (pH-factor)

in water with risk of harmful effects to aquatic organisms.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local

laws.

Contaminated Packaging: Since emptied containers retain product residue, follow label warnings even

after container is emptied.



Revision Date: 04-14-2015

14. Transport information

DOT

UN Number: UN 1823

UN Proper Shipping Name: Sodium hydroxide, solid

Transport Hazard Class(es)

Class(es): 8
Label(s): 8
Packing Group: II

Marine Pollutant: Not a Marine Pollutant

Special precautions for user: -

IMDG

UN Number: UN 1823

UN Proper Shipping Name: SODIUM HYDROXIDE, SOLID

Transport Hazard Class(es)

 Class(es):
 8

 Label(s):
 8

 EmS No.:
 F-A, S-B

Packing Group:

Marine Pollutant: Not a Marine Pollutant

Special precautions for user: -

IATA

UN Number: UN 1823

Proper Shipping Name: Sodium hydroxide, solid

Transport Hazard Class(es):

Class(es): 8 Label(s): 8

Marine Pollutant: Not a Marine Pollutant

Packing Group: II Special precautions for user: –

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u> <u>Reportable quantity</u>

SODIUM HYDROXIDE 1000 lbs.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Acute (Immediate)

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

<u>Chemical Identity</u> <u>Reportable quantity</u>

SODIUM HYDROXIDE 1000 lbs.



Revision Date: 04-14-2015

SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u> <u>Threshold Planning Quantity</u>

SODIUM HYDROXIDE 10000 lbs

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

Chemical Identity Reportable quantity

SODIUM HYDROXIDE Reportable quantity: 1000 lbs.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

No ingredient regulated by CA Prop 65 present.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

SODIUM HYDROXIDE

US. Massachusetts RTK - Substance List

Chemical Identity

SODIUM HYDROXIDE

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

SODIUM HYDROXIDE

US. Rhode Island RTK

Chemical Identity


SODIUM HYDROXIDE

Inventory Status:

Australia AICS: On or in compliance with the inventory Canada DSL Inventory List: On or in compliance with the inventory EINECS, ELINCS or NLP: On or in compliance with the inventory Japan (ENCS) List: On or in compliance with the inventory China Inv. Existing Chemical Substances: Not in compliance with the inventory. Korea Existing Chemicals Inv. (KECI): On or in compliance with the inventory Not in compliance with the inventory. Canada NDSL Inventory: Philippines PICCS: On or in compliance with the inventory US TSCA Inventory: On or in compliance with the inventory New Zealand Inventory of Chemicals: On or in compliance with the inventory Japan ISHL Listing: On or in compliance with the inventory Japan Pharmacopoeia Listing: Not in compliance with the inventory.

16. Other information, including date of preparation or last revision

NFPA Hazard ID





Revision Date: 04-14-2015

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

Issue Date: 04-14-2015

Revision Date: No data available.

Version #: 2.1

Further Information: No data available.

Disclaimer: THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA

SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH

JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED

HEREIN IS PROVIDED "AS IS," AND AVANTOR PERFORMANCE MATERIALS MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT

TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR

STATUTORY, INCLUDING WITHOUT LIMITATION, WARRANTIES OF

ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-

INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES.

ACCORDINGLY, AVANTOR PERFORMANCE MATERIALS ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. AVANTOR PERFORMANCE MATERIALS REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR

EMPLOYEES.