

SAFETY DATA SHEET

1. Identification

Product identifier: SODIUM NITRATE

Other means of identification Product No.: 7808, 3770

Recommended use and restriction on use

Recommended use: Not available. Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor Information

Manufacturer

Avantor Performance Materials, Inc.
3477 Corporate Parkway, Suite 200
Center Valley, PA 18034
-
Customer Service: 855-282-6867
Environmental Health & Safety info@avantormaterials.com

Emergency telephone number:

24 Hour Emergency: 908-859-2151

Chemtrec: 800-424-9300

2. Hazard(s) identification

Hazard Classification

Physical Hazards	
Oxidizing solids	Category 3
Health Hazards	
Serious Eye Damage/Eye Irritation	Category 2A
Acute toxicity (Oral)	Category 4

Label Elements

Hazard Symbol:



Signal Word:

Warning

Hazard Statement:

May intensify fire; oxidizer. Harmful if swallowed. Causes serious eye irritation.

Precautionary Statement

Prevention: SDS_US - SDS00000943 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

A /
- VANTOR
PERFORMANCE MATERIALS

	Keep/Store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/eye protection/face protection.
Response:	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Other hazards which do not result in GHS classification:	None.

3. Composition/information on ingredients

Т

Substances

	Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
	SODIUM NITRATE		7631-99-4	99 - 100%
	* All concentrations are perce	ent by weight unless ingredier	nt is a gas. Gas con	centrations are in percent by volume.
4.	First-aid measures			
G	eneral information:	Get medical advite to the doctor in a		ou feel unwell. Show this safety data sheet
In	gestion:	Rinse mouth. Ge	et medical attent	ion if symptoms occur.
In	halation:	Move to fresh air	. Get medical at	tention if symptoms occur.
S	kin Contact:	Wash skin thorou persists after wa	• • •	and water. Get medical attention if irritation
E	ye contact:			water for at least 15 minutes. If easy to do, ical attention if symptoms persist.
М	ost important symptoms/e	ffects, acute and dela	yed	
	Symptoms:		asthma symptor	em and skin. Harmful if swallowed. May ns or breathing difficulties if inhaled. May
Inc	lication of immediate medi	cal attention and spec	cial treatment n	eeded
	Treatment:	Treat symptomation	tically.	
5.	Fire-fighting measures			
G	eneral Fire Hazards:	May ignite other not breathe fume		terials. In case of fire and/or explosion do

т

Т

٦



Suitable (and unsuitable) extinguishing media

Suitable extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media:	None known.
Specific hazards arising from the chemical:	May intensify fire; oxidizer. Contact with combustible material may cause fire. During fire, gases hazardous to health may be formed.
Special protective equipment and	d precautions for firefighters
Special fire fighting procedures:	Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool. Cool containers exposed to flames with water until well after the fire is out.
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
6. Accidental release measures	3
Personal precautions, protective equipment and emergency procedures:	Keep unauthorized personnel away. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Use personal protective equipment. See Section 8 of the SDS for Personal Protective Equipment. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
Methods and material for containment and cleaning up:	Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if possible without any risk. Sweep up and place in a clearly labeled container for chemical waste. Collect in a non-combustible container for prompt disposal. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.
Notification Procedures:	Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Inform authorities if large amounts are involved.
Environmental Precautions:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling:	Keep away from combustible material. Do not get in eyes, on skin, on clothing. Wash hands thoroughly after handling. Do not eat, drink or smoke when using the product. Do not taste or swallow. Avoid breathing dust or vapor. Use caution when adding this material to water. Add material slowly when mixing with water. Do not add water to the material; instead, add the material to the water.
Conditions for safe storage, including any incompatibilities:	Do not store in metal containers. Store away from heat and light. Keep away from combustible material. Keep containers closed when not in use. Store in a cool, dry place. Keep container in a well-ventilated place.



8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

Appropriate Engineering No data available. Controls

Individual protection measures, such as personal protective equipment

General information:	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area.
Eye/face protection:	Use tight fitting goggles if dust is generated.
Skin Protection Hand Protection:	Use suitable protective gloves if risk of skin contact.
Other:	Wear suitable protective clothing.
Respiratory Protection:	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Air-purifying respirator with a high efficiency particulate filter.
Hygiene measures:	Provide eyewash station and safety shower. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance		
Physical state:	Solid	
Form:	Crystals	
Color:	White	
Odor:	Odorless	
Odor threshold:	No data available.	
pH:	Aqueous solution is neutral	
Melting point/freezing point:	308 °C	
Initial boiling point and boiling range:	380 °C	
Flash Point:	No data available.	
Evaporation rate:	No data available.	
Flammability (solid, gas):	No data available.	
Upper/lower limit on flammability or explosive limits		
Flammability limit - upper (%):	No data available.	
Flammability limit - lower (%):	No data available.	
Explosive limit - upper (%):	No data available.	
Explosive limit - lower (%):	No data available.	
Vapor pressure:	No data available.	



Vapor density:	No data available.	
Relative density:	2.26 (20 °C)	
Solubility(ies)		
Solubility in water:	815 g/l (15 °C)	
Solubility (other):	No data available.	
Partition coefficient (n-octanol/w	ater): No data available.	
Auto-ignition temperature:	No data available.	
Decomposition temperature:	No data available.	
Viscosity:	No data available.	
Other information		
• • • • • • • • • • • • • • • • • • • •		
Molecular weight:	85.01 g/mol (HNO3.Na)	
10. Stability and reactivity		
Reactivity:	Contact with combustible material may cause fire.	
Chemical Stability:	Unstable	
Possibility of Hazardous Reactions:	Hazardous polymerization does not occur.	
Conditions to Avoid:	Heat. Shocks and physical damage. Contact with incompatible materials.	
Incompatible Materials:	Organic compounds. Powdered metal. Phosphorus. Halogens and halogenated compounds. Alkalies. Acids.	
Hazardous Decomposition Products:	By heating and fire, toxic vapors/gases may be formed.	
11. Toxicological information		

Information on likely routes of exposure

Ingestion:	May cause irritation of the gastrointestinal tract.
Inhalation:	May cause irritation to the respiratory system.
Skin Contact:	May cause irritation.
Eye contact:	Causes serious eye irritation.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product:	LD 50 (Rat): 1,267 mg/kg LD 50 (Mouse): 2,480 mg/kg LD 50 (Rabbit): 1,600 mg/kg LD 50 (Rabbit): 1,955 mg/kg LD 50 (Rabbit): 2,680 mg/kg
Dermal Product:	No data available.
Inhalation Product:	No data available.
Repeated Dose Toxicity Product:	No data available.



Skin Corrosion/Irritation Product:	May cause skin irritation.		
Serious Eye Damage/Eye Irritat Product:	ion Causes serious eye irritation.		
Respiratory or Skin Sensitization Product:	on Not a skin sensitizer.		
Carcinogenicity Product:	This substance has no evidence of carcinogenic properties.		
IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified			
	US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified		
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified			
Germ Cell Mutagenicity			
In vitro Product:	No mutagenic components identified		
In vivo Product:	No mutagenic components identified		
Reproductive Toxicity Product:	No components toxic to reproduction		
Specific Target Organ Toxicity - Single Exposure Product: None known.			
Specific Target Organ Toxicity Product:	- Repeated Exposure None known.		
Aspiration Hazard Product:			
i i oudoti	Not classified		

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish Product:	No data available.
Specified substance(s): SODIUM NITRATE	LC 50 (Rainbow trout,donaldson trout (Oncorhynchus mykiss), 7 d): 1,001 - 1,125 mg/l Mortality LC 50 (Chinook salmon (Oncorhynchus tshawytscha), 7 d): 1,023 - 1,149 mg/l Mortality LC 50 (Rainbow trout,donaldson trout (Oncorhynchus mykiss), 7 d): 778.9 - 1,048 mg/l Mortality LC 50 (Chinook salmon (Oncorhynchus tshawytscha), 7 d): 860.7 - 939.7
	mg/l Mortality LC 50 (Western mosquitofish (Gambusia affinis), 24 h): 11,800 mg/l Mortality



Aquatic Invertebrates Product:	No data available.
Specified substance(s): SODIUM NITRATE	EC 50 (American or virginia oyster (Crassostrea virginica), 96 h): 2,600 mg/l Intoxication EC 50 (American or virginia oyster (Crassostrea virginica), 96 h): 3,800 mg/l Intoxication EC 50 (American or virginia oyster (Crassostrea virginica), 96 h): 4,280 mg/l Intoxication EC 50 (American or virginia oyster (Crassostrea virginica), 96 h): 6,230 mg/l Intoxication EC 50 (Northern quahog or hard clam (Mercenaria mercenaria), 96 h): > 4,500 mg/l Intoxication
Chronic hazards to the aquation	c environment:
Fish Product:	No data available.
Aquatic Invertebrates Product:	No data available.
Toxicity to Aquatic Plants Product:	No data available.
Persistence and Degradability	
Biodegradation Product:	There are no data on the degradability of this product.
BOD/COD Ratio Product:	No data available.
Bioaccumulative Potential Bioconcentration Factor (BC Product:	F) No data available on bioaccumulation.
Partition Coefficient n-octanol / water (log Kow) Product: No data available.	
Mobility in Soil:	No data available.
Other Adverse Effects:	The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
13. Disposal considerations	
Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or local laws.
Contaminated Packaging:	Since emptied containers retain product residue, follow label warnings even after container is emptied.



DOT	
UN Number:	UN 1498
UN Proper Shipping Name:	Sodium nitrate
Transport Hazard Class(es)	
Class(es):	5.1
Label(s):	5.1
Packing Group:	
Marine Pollutant:	No
IMDG	
UN Number:	UN 1498
UN Proper Shipping Name:	SODIUM NITRATE
Transport Hazard Class(es)	
Class(es):	5.1
Label(s):	5.1
EmS No.:	F-A, S-Q
Packing Group:	
Marine Pollutant:	No
IATA UN Number:	UN 1498
	Sodium nitrate
Proper Shipping Name: Transport Hazard Class(es):	Soulum millale
Class(es):	5.1
Label(s):	5.1
Marine Pollutant:	No
Packing Group:	
r doking Oroup.	

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)


None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories



SARA 304 Emergency Release Notification

None present or none present in regulated quantities.



SARA 311/312 Hazardous	s Chemical
------------------------	------------

Chemical Identity	Threshold Planning Quantity
SODIUM NITRATE	500 lbs

SARA 313 (TRI Reporting)

Chemical Identity	Reporting threshold for other users	Reporting threshold for manufacturing and processing
SODIUM NITRATE	10000 lbs	25000 lbs.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65 No ingredient regulated by CA Prop 65 present.

- US. New Jersey Worker and Community Right-to-Know Act SODIUM NITRATE Listed
- US. Massachusetts RTK Substance List SODIUM NITRATE Listed
- US. Pennsylvania RTK Hazardous Substances SODIUM NITRATE Listed


US. Rhode Island RTK	
SODIUM NITRATE	Listed

Inventory Status:

Australia AICS: Canada DSL Inventory List: EINECS, ELINCS or NLP: Japan (ENCS) List: China Inv. Existing Chemical Substances: Korea Existing Chemicals Inv. (KECI): Canada NDSL Inventory: Philippines PICCS: US TSCA Inventory: New Zealand Inventory of Chemicals: Japan ISHL Listing: Japan Pharmacopoeia Listing: On or in compliance with the inventory Not in compliance with the inventory. On or in compliance with the inventory Not in compliance with the inventory On or in compliance with the inventory Not or in compliance with the inventory Not in compliance with the inventory.

16.Other information, including date of preparation or last revision

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe OX: Oxidizing agent SDS US - SDS00000943



Issue Date:	02-10-2015
Revision Date:	No data available.
Version #:	2.0
Further Information:	No data available.
Disclaimer:	THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND AVANTOR PERFORMANCE MATERIALS MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION<(>,->) WARRANTIES OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON- INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, AVANTOR PERFORMANCE MATERIALS ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. AVANTOR PERFORMANCE MATERIALS REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES.