

Revision Date: 12-12-2014

SAFETY DATA SHEET

1. Identification

Product identifier: LEAD, 1,000 ug/mL or 10,000 u

Other means of identification Product No.: 6455, 5765, 5732

Recommended use and restriction on use

Recommended use: Not available. Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor Information

Manufacturer

Company Name: Avantor Performance Materials, Inc. Address: 3477 Corporate Parkway, Suite 200

Center Valley, PA 18034

Telephone:

Customer Service: 855-282-6867

Fax:

Contact Person: Environmental Health & Safety e-mail: info@avantormaterials.com

Emergency telephone number:

24 Hour Emergency: 908-859-2151

Chemtrec: 800-424-9300

2. Hazard(s) identification

Hazard Classification

Health Hazards

Skin Corrosion/Irritation Category 2
Serious Eye Damage/Eye Irritation Category 1
Carcinogenicity Category 2
Toxic to reproduction Category 1A
Specific Target Organ Toxicity - Category 2

Repeated Exposure

Environmental Hazards

Acute hazards to the aquatic Category 2

environment

Chronic hazards to the aquatic Category 3

environment

Label Elements

Hazard Symbol:



Signal Word: Danger



Revision Date: 12-12-2014

Hazard Statement: Causes skin irritation.

Causes serious eye damage. Suspected of causing cancer.

May damage fertility or the unborn child.

May cause damage to organs through prolonged or repeated exposure.

Toxic to aquatic life.

Harmful to aquatic life with long lasting effects.

Precautionary Statement

Prevention: Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Do not breathe

dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

Avoid release to the environment.

Response: IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical

advice/attention. Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call

a POISON CENTER/doctor. IF exposed or concerned: Get medical

advice/attention.

Storage: Store locked up.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
NITRIC ACID		7697-37-2	4%
LEAD		7439-92-1	1%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information: Get medical advice/attention if you feel unwell. Show this safety data sheet

to the doctor in attendance.

Ingestion: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel

unwell.

Inhalation: Move to fresh air. Call a POISON CENTER or doctor/physician if you feel

unwell.

Skin Contact: Wash the skin immediately with soap and water. If skin irritation or an

allergic skin reaction develops, get medical attention. Wash contaminated

clothing before reuse.



Revision Date: 12-12-2014

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Call a physician or poison control center

immediately. In case of irritation from airborne exposure, move to fresh air.

Most important symptoms/effects, acute and delayed

Symptoms: Harmful if swallowed. Causes serious eye damage. Irritating to eyes,

respiratory system and skin.

Indication of immediate medical attention and special treatment needed

Treatment: Treat symptomatically. Symptoms may be delayed.

5. Fire-fighting measures

General Fire Hazards: In case of fire and/or explosion do not breathe fumes.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

None known.

Specific hazards arising from

the chemical:

May burn, but does not ignite readily.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No unusual fire or explosion hazards noted.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Keep unauthorized personnel away. Keep upwind. Use personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. See Section 8 of the MSDS for Personal Protective

Equipment.

Methods and material for containment and cleaning

up:

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Dike far ahead of larger spill for later recovery and disposal. Clean surface thoroughly to remove residual contamination.

Notification Procedures: Prevent entry into waterways, sewer, basements or confined areas. Inform

authorities if large amounts are involved.

Environmental Precautions: Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so. Avoid discharge into drains, water courses or onto

the ground.



Revision Date: 12-12-2014

7. Handling and storage

Precautions for safe handling: Use personal protective equipment as required. Do not taste or swallow. Do

not eat, drink or smoke when using the product. Do not get in eyes and avoid contact with skin and clothing. Avoid breathing mist. Wash hands thoroughly after handling. See Section 8 of the MSDS for Personal

Protective Equipment. Obtain special instructions before use. Do not handle

until all safety precautions have been read and understood.

Conditions for safe storage,

including any incompatibilities:

Keep away from food, drink and animal feeding stuffs. Keep container

tightly closed. Store in a cool and well-ventilated place.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limit Values		Source
NITRIC ACID	STEL	4 ppm		US. ACGIH Threshold Limit Values (2011)
	TWA	2 ppm		US. ACGIH Threshold Limit Values (2011)
	STEL	4 ppm	10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	REL	2 ppm	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	2 ppm	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	STEL	4 ppm	10 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	2 ppm	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
LEAD - as Pb	TWA		0.05 mg/m3	US. ACGIH Threshold Limit Values (2011)
	REL		0.050 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
LEAD	TWA		0.05 mg/m3	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) (02 2006)
	OSHA_AC T		0.03 mg/m3	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) (02 2006)
LEAD - as Pb	TWA		0.05 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)

Biological Limit Values

•	Biological Ellint Values				
	Chemical Identity	Exposure Limit Values	Source		
	LEAD (Lead: Sampling time:	300 μg/l (Blood)	ACGIH BEL (03 2013)		

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

General information: Good general ventilation (typically 10 air changes per hour) should be used.

Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the

immediate work area.

Eye/face protection: Wear safety glasses with side shields (or goggles) and a face shield.

Skin Protection

Hand Protection: Wear protective gloves.



Revision Date: 12-12-2014

Other: Wear suitable protective clothing.

Respiratory Protection: If engineering controls do not maintain airborne concentrations below

recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter,

cartridge or canister. Contact health and safety professional or

manufacturer for specific information.

Hygiene measures: Provide eyewash station and safety shower. Always observe good personal

hygiene measures, such as washing after handling the material and before

eating, drinking, and/or smoking. Routinely wash work clothing and

protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state: Liquid

Form: No data available.

Color: Colorless
Odor: Odorless

Odor threshold:

pH:

No data available.

No data available.

Melting point/freezing point: 0 °C Initial boiling point and boiling range: 100 °C

Flash Point:No data available.Evaporation rate:No data available.Flammability (solid, gas):No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

Explosive limit - lower (%):

No data available.

No data available.

No data available.

Vapor pressure:

Vapor density:

Relative density:

No data available.

No data available.

Solubility(ies)

Solubility in water:
Solubility (other):
No data available.
Partition coefficient (n-octanol/water):
No data available.
No data available.
No data available.
Viscosity:
No data available.
No data available.

10. Stability and reactivity

Reactivity: No dangerous reaction known under conditions of normal use.

Chemical Stability: Material is stable under normal conditions.

Possibility of Hazardous

Reactions:

Hazardous polymerization does not occur.

Conditions to Avoid: Contact with incompatible materials.



Revision Date: 12-12-2014

Incompatible Materials: Strong bases. Organic compounds. Powdered metal.

Hazardous Decomposition

Products:

By heating and fire, toxic vapors/gases may be formed.

11. Toxicological information

Information on likely routes of exposure

Ingestion: May cause irritation of the gastrointestinal tract.

Inhalation: May cause irritation to the respiratory system.

Skin Contact: Causes skin irritation.

Eye contact: Causes serious eye damage.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: No data available.

Dermal

Product: No data available.

Inhalation

Product: No data available.

Specified substance(s):

NITRIC ACID LC 50 (Rat, 1 h): 7 mg/l

LC 50 (Rat, 4 h): 65 ppm LC 50 (Mouse, 4 h): 67 ppm

Repeated Dose Toxicity

Product: No data available.

Skin Corrosion/Irritation

Product: Causes skin irritation.

Serious Eye Damage/Eye Irritation

Product: Causes serious eye damage.

Respiratory or Skin Sensitization

Product: Not a skin sensitizer.

Carcinogenicity

Product: Suspected of causing cancer.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

LEAD Overall evaluation: 2B. Possibly carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens:

LEAD Reasonably Anticipated to be a Human Carcinogen.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified



Revision Date: 12-12-2014

Germ Cell Mutagenicity

In vitro

Product: No mutagenic components identified

In vivo

Product: No mutagenic components identified

Reproductive Toxicity

Product: May damage fertility or the unborn child.

Specific Target Organ Toxicity - Single Exposure
Product:
None known.

Specific Target Organ Toxicity - Repeated Exposure

Product: Blood, Lungs, Nervous System, Kidney - May cause damage to organs

through prolonged or repeated exposure.

Aspiration Hazard

Product: Not classified

Other Effects: None known.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

NITRIC ACID LC 50 (Starfish (Asterias rubens), 48 h): 100 - 330 mg/l Mortality

LEAD LC 50 (Rainbow trout, donaldson trout (Oncorhynchus mykiss), 96 h): 1.17

mg/I Mortality

LC 50 (Smallmouth bass (Micropterus dolomieui), 96 h): 2.2 mg/l Mortality

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

NITRIC ACID LC 50 (Cockle (Cerastoderma edule), 48 h): 330 - 1,000 mg/l Mortality

LC 50 (Green or European shore crab (Carcinus maenas), 48 h): 180 mg/l

Mortality

LEAD EC 50 (Fleshy prawn (Penaeus chinensis), 30 h): 1.88 mg/l Mortality

LC 50 (Water flea (Daphnia magna), 48 h): 3.6 - 5.3 mg/l Mortality LC 50 (Fleshy prawn (Penaeus chinensis), 96 h): 0.105 - 0.298 mg/l

Mortality

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.



Revision Date: 12-12-2014

Persistence and Degradability

Biodegradation

Product: No data available.

BOD/COD Ratio

Product: No data available.

Bioaccumulative Potential

Bioconcentration Factor (BCF)

Product: No data available.

Specified substance(s):

LEAD Midge (Chironomus thummi), Bioconcentration Factor (BCF): 3,670

(Renewal)

Coho salmon, silver salmon (Oncorhynchus kisutch), Bioconcentration Factor

(BCF): 7.3 (Renewal)

Giant gourami (Colisa fasciata), Bioconcentration Factor (BCF): 7.2 (Static)

Bioconcentration factor calculated using dry weight tissue conc

Ricefield waternymph (Najas graminea), Bioconcentration Factor (BCF): 6,610 (Static) Bioconcentration factor calculated using dry weight tissue conc

Partition Coefficient n-octanol / water (log Kow)
Product:
No data available.

Mobility in Soil: No data available.

Other Adverse Effects: Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local

laws.

Contaminated Packaging: Since emptied containers retain product residue, follow label warnings even

after container is emptied.

14. Transport information

DOT

UN Number: UN 3264

UN Proper Shipping Name: Corrosive liquid, acidic, inorganic, n.o.s.(NITRIC ACID)

Transport Hazard Class(es)

Class(es): 8
Label(s): 8
Packing Group: III
Marine Pollutant: No



Revision Date: 12-12-2014

IMDG

UN Number: UN 3264

UN Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.(NITRIC

ACID)

Transport Hazard Class(es)

 Class(es):
 8

 Label(s):
 8

 EmS No.:
 F-A, S-B

Packing Group: III
Marine Pollutant: No

IATA

UN Number: UN 3264

Proper Shipping Name: Corrosive liquid, acidic, inorganic, n.o.s.(NITRIC ACID)

Transport Hazard Class(es):

Class(es): 8
Label(s): 8
Marine Pollutant: No
Packing Group: III

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

NITRIC ACID Reportable quantity: 1000 lbs. LEAD Reportable quantity: 10 lbs.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

X Acute (Immediate) X Chronic (Delayed) Fire Re	Reactive Pressure Generating
---	------------------------------

SARA 302 Extremely Hazardous Substance

Chemical Identity	RQ	Threshold Planning Quantity
NITRIC ACID	1000 lbs.	1000 lbs.

SARA 304 Emergency Release Notification

Chemical Identity	RQ
NITRIC ACID	1000 lbs.
LEAD	10 lbs.

SARA 311/312 Hazardous Chemical

Chemical Identity	Threshold Planning Quantity
NITRIC ACID	500lbs
LEAD	500 lbs

SARA 313 (TRI Reporting)

Chemical Identity	Reporting threshold for other users	Reporting threshold for manufacturing and processing
NITRIC ACID	10000 lbs	25000 lbs.
LEAD	100 lbs	



Revision Date: 12-12-2014

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

NITRIC ACID Reportable quantity: 1000 lbs.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

NITRIC ACID Threshold quantity: 15000 lbs

US State Regulations

US. California Proposition 65

LEAD Carcinogenic.

LEAD Developmental toxin.

LEAD Male reproductive toxin.

LEAD Female reproductive toxin.

US. New Jersey Worker and Community Right-to-Know Act

NITRIC ACID Listed

US. Massachusetts RTK - Substance List

NITRIC ACID Listed

US. Pennsylvania RTK - Hazardous Substances

NITRIC ACID Listed

US. Rhode Island RTK


NITRIC ACID Listed

Inventory Status:

Australia AICS: On or in compliance with the inventory On or in compliance with the inventory Canada DSL Inventory List: EINECS, ELINCS or NLP: On or in compliance with the inventory On or in compliance with the inventory Japan (ENCS) List: China Inv. Existing Chemical Substances: On or in compliance with the inventory Korea Existing Chemicals Inv. (KECI): On or in compliance with the inventory Canada NDSL Inventory: Not in compliance with the inventory. Philippines PICCS: On or in compliance with the inventory US TSCA Inventory: On or in compliance with the inventory New Zealand Inventory of Chemicals: On or in compliance with the inventory Japan ISHL Listing: Not in compliance with the inventory. Not in compliance with the inventory. Japan Pharmacopoeia Listing:

16.Other information, including date of preparation or last revision

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Issue Date: 12-12-2014

Revision Date: No data available.



Revision Date: 12-12-2014

Version #: 1.0

Further Information: No data available.

Disclaimer: THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA

SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH

JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED

HEREIN IS PROVIDED "AS IS," AND AVANTOR PERFORMANCE MATERIALS MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT

TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR

STATUTORY, INCLUDING WITHOUT LIMITATION<(>,<)> WARRANTIES

OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-

INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES.

ACCORDINGLY, AVANTOR PERFORMANCE MATERIALS ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. AVANTOR PERFORMANCE

MATERIALS REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR

EMPLOYEES.