

# SAFETY DATA SHEET

# 1. Identification

Product identifier: COLLODION, FLEXIBLE, U. S. P.

## Other means of identification

Product No.: 4580, 9204

# Recommended use and restriction on use

Recommended use: Not available. Restrictions on use: Not known.

### Details of the supplier of the safety data sheet

### Manufacturer

Company Name: Address:	Avantor Performance Materials, Inc. 3477 Corporate Parkway, Suite 200 Center Valley, PA 18034
Telephone:	Customer Service: 855-282-6867
Fax: Contact Person: E-mail:	610-573-2610 Environmental Health & Safety info@avantormaterials.com

# **Emergency telephone number:**

24 Hour Emergency: 908-859-2151 Chemtrec: 800-424-9300

# 2. Hazard(s) identification

# Hazard Classification

Physical Hazards	
------------------	--

Flammable liquids

Health Hazards

Carcinogenicity

Category 1A

Category 2

# Label Elements

Hazard Symbol:



Signal Word:

Danger

Hazard Statement:

Highly flammable liquid and vapor. May cause cancer.

Precautionary Statement

SDS\_US - SDSMIX000660



Prevention:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.
Response:	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If exposed or concerned: Get medical advice/attention.
Storage:	Store in well-ventilated place. Keep cool. Store locked up.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Other hazards which do not result in GHS classification:	None.

# 3. Composition/information on ingredients

# **Mixtures**

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
DIETHYL ETHER		60-29-7	60 - 100%
ETHANOL		64-17-5	30 - 60%
CAMPHOR		76-22-2	0.1 - 1%
NITROCELLULOSE		9004-70-0	4 - 6%

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

# 4. First-aid measures

General information:	Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.
Ingestion:	Rinse mouth. Call a physician or poison control center immediately. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Inhalation:	Move to fresh air.
Skin Contact:	Take off immediately all contaminated clothing. Wash skin thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention.
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.
Most important symptoms/effect	ts, acute and delayed
Symptoms:	Harmful if inhaled. May cause skin and eye irritation.
Hazards:	Skin irritation. Irritating to eyes. May be harmful if inhaled.
Indication of immediate medical attention and special treatment needed	
Treatment:	Treat symptomatically. Symptoms may be delayed.



# 5. Fire-fighting measures

Highly flammable liquid and vapor.
uishing media
Extinguish with alcohol-resistant foam, carbon dioxide or dry powder.
Avoid water in straight hose stream; will scatter and spread fire.
Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive concentrations.
nd precautions for firefighters
Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a protected location. Move containers from fire area if you can do so without risk.
Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
es
Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.
Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Dike far ahead of larger spill for later recovery and disposal. Eliminate all ignition sources if safe to do so.
Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk.
Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid release to the environment.
Do not taste or swallow. Wash hands thoroughly after handling. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Avoid contact with eyes. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Take precautionary measures against static discharges.
Keep in a cool, well-ventilated place. Keep material from heat, light, sparks and flame. Keep containers tightly closed.
r

# 8. Exposure controls/personal protection



# **Occupational Exposure Limits**

Chemical Identity	type	Exposure Limit Values	Source
DIETHYL ETHER	TWA	400 ppm	US. ACGIH Threshold Limit Values (2011)
	STEL	500 ppm	US. ACGIH Threshold Limit Values (2011)
	PEL	400 ppm 1,200 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	400 ppm 1,200 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	500 ppm 1,500 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
ETHANOL	STEL	1,000 ppm	US. ACGIH Threshold Limit Values (2011)
	REL	1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	1,900 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
CAMPHOR	STEL	3 ppm	US. ACGIH Threshold Limit Values (2011)
	TWA	2 ppm	US. ACGIH Threshold Limit Values (2011)
	REL	2 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	2 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	2 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)

# **Appropriate Engineering**

Use explosion-proof ventilation equipment to stay below exposure limits.

```
Controls
```

# Individual protection measures, such as personal protective equipment

General information:	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area. Use explosion-proof ventilation equipment.
Eye/face protection:	Wear safety glasses with side shields (or goggles).
Skin Protection Hand Protection:	Chemical resistant gloves
Other:	Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator.
Hygiene measures:	Do not eat, drink or smoke when using the product. Wash hands after handling. Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. Avoid contact with eyes. When using do not smoke. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use

# 9. Physical and chemical properties

Appearance	
Physical state:	liquid
Form:	liquid
Color:	Colorless to slightly yellow
Odor:	Ether odor



Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	-123 °C
Initial boiling point and boiling range:	36.1 °C
Flash Point:	< -32 °C
Evaporation rate:	37.5 n-butyl acetate=1
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explos	ive limits
Flammability limit - upper (%):	36.0 %(V)
Flammability limit - lower (%):	1.9 %(V)
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	57.2 kPa
Vapor density:	2.6 AIR=1
Relative density:	0.78 (20 °C)
Solubility(ies)	
Solubility in water:	Slightly Soluble
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	180 - 190 °C
Decomposition temperature:	No data available.
Viscosity:	No data available.

# 10. Stability and reactivity

Reactivity:	No dangerous reaction known under conditions of normal use.
Chemical Stability:	Material is stable under normal conditions.
Possibility of Hazardous Reactions:	Hazardous polymerization does not occur.
Conditions to Avoid:	Heat, sparks, flames. Shocks and physical damage. Contact with air. Sunlight.
Incompatible Materials:	Chlorine. Strong reducing agents. Strong acids. Strong bases. Amines.
Hazardous Decomposition Products:	Thermal decomposition may produce oxides of carbon and nitrogen. Cyanides.

# 11. Toxicological information

# Information on likely routes of exposure<br/>Ingestion:Ingestion:Harmful if swallowed.Inhalation:Harmful if inhaled.Skin Contact:Causes mild skin irritation.Eye contact:Causes serious eye irritation.

# Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

No data available.

# Oral

Product:

SDS\_US - SDSMIX000660



Specified substance(s): DIETHYL ETHER	LD 50 (Rat): 3,230 - 3,920 mg/kg
Specified substance(s): ETHANOL	LD 50 (Rat): 6,200 mg/kg LD 50 (Guinea Pig): 5,600 mg/kg LD 50 (Rabbit): 6,300 mg/kg
Specified substance(s): CAMPHOR	LD 50 (Nouse): 1,310 mg/kg
Dermal Product:	No data available.
Specified substance(s): ETHANOL	LDLo (Rabbit): 20,000 mg/kg
Inhalation Product:	No data available.
Specified substance(s): DIETHYL ETHER	LC 50 (Rat, 4 h): 32000 ppm
Specified substance(s): ETHANOL	LC 50 (Rat, 10 h): 20000 ppm LC L0 (Guinea Pig, ): 21900 ppm LC 50 (Mouse, 4 h): 0.039 mg/l
Repeated dose toxicity Product:	No data available.
Skin Corrosion/Irritation Product:	May cause skin irritation.
Serious Eye Damage/Eye Irritation Product:	on May irritate eyes.
	May irritate eyes.
Product: Respiratory or Skin Sensitization	May irritate eyes.
Product: Respiratory or Skin Sensitization Product: Carcinogenicity Product:	May irritate eyes. Not a skin sensitizer.
Product: Respiratory or Skin Sensitization Product: Carcinogenicity Product:	May irritate eyes. Not a skin sensitizer. May cause cancer.
Product: Respiratory or Skin Sensitization Product: Carcinogenicity Product: IARC Monographs on the E ETHANOL	May irritate eyes. Not a skin sensitizer. May cause cancer. Evaluation of Carcinogenic Risks to Humans:
Product: Respiratory or Skin Sensitization Product: Carcinogenicity Product: IARC Monographs on the E ETHANOL US. National Toxicology Pr ETHANOL	May irritate eyes. Not a skin sensitizer. May cause cancer. Evaluation of Carcinogenic Risks to Humans: Overall evaluation: 1. Carcinogenic to humans. Overall evaluation: 1. Carcinogenic to humans. May cause cancer. Statution of Carcinogenic Risks to Humans: Overall evaluation: 1. Carcinogenic to humans. United Substances (29 CFR 1910.1001-1050):
Product: Respiratory or Skin Sensitization Product: Carcinogenicity Product: IARC Monographs on the E ETHANOL US. National Toxicology Pr ETHANOL US. OSHA Specifically Reg	May irritate eyes. Not a skin sensitizer. May cause cancer. Evaluation of Carcinogenic Risks to Humans: Overall evaluation: 1. Carcinogenic to humans. Overall evaluation: 1. Carcinogenic to humans. May cause cancer. Statution of Carcinogenic Risks to Humans: Overall evaluation: 1. Carcinogenic to humans. United Substances (29 CFR 1910.1001-1050):
Product: Respiratory or Skin Sensitization Product: Carcinogenicity Product: IARC Monographs on the E ETHANOL US. National Toxicology Pr ETHANOL US. OSHA Specifically Reg No carcinogenic components	May irritate eyes. Not a skin sensitizer. May cause cancer. Evaluation of Carcinogenic Risks to Humans: Overall evaluation: 1. Carcinogenic to humans. Overall evaluation: 1. Carcinogenic to humans. May cause cancer. Statution of Carcinogenic Risks to Humans: Overall evaluation: 1. Carcinogenic to humans. United Substances (29 CFR 1910.1001-1050):
Product: Respiratory or Skin Sensitization Product: Carcinogenicity Product: IARC Monographs on the E ETHANOL US. National Toxicology Pr ETHANOL US. OSHA Specifically Reg No carcinogenic components Germ Cell Mutagenicity In vitro	May irritate eyes. Not a skin sensitizer. May cause cancer. Evaluation of Carcinogenic Risks to Humans: Overall evaluation: 1. Carcinogenic to humans. Overall evaluation: 1. Carcinogenic to humans. May cause cancer. Second Carcinogenic Risks to Humans: Overall evaluation: 1. Carcinogenic to humans. Under the second content of th



Specific Target Organ To Product:	kicity - Single Exposure None known.
Specific Target Organ To Product:	kicity - Repeated Exposure None known.
Aspiration Hazard Product:	Not classified
Other effects:	None known.

# 12. Ecological information

# Ecotoxicity:

# Acute hazards to the aquatic environment:

Fish Product:	No data available.	
Specified substance(s): DIETHYL ETHER	LC 50 (Fathead minnow (Pimephales promelas), 96 h): 2,560 mg/l Mo LC 50 (Bluegill (Lepomis macrochirus), 96 h): > 10,000 mg/l Mortality LC 50 (Carp (Leuciscus idus melanotus), 48 h): 2,840 mg/l Mortality	rtality
ETHANOL	LC 50 (Rainbow trout,donaldson trout (Oncorhynchus mykiss), 96 h): - 16,000 mg/l Mortality LC 50 (Fathead minnow (Pimephales promelas), 96 h): 13,480 mg/l M LC 50 (Carp (Leuciscus idus melanotus), 48 h): 8,140 mg/l Mortality	
Aquatic Invertebrates Product:	No data available.	
Specified substance(s): ETHANOL	LC 50 (Brine shrimp (Artemia franchiscana), 48 h): 25.5 mg/l Mortality LC 50 (Water flea (Daphnia magna), 48 h): 7,560 - 12,600 mg/l Mortal LC 50 (Water flea (Daphnia magna), 96 h): > 100 mg/l Mortality EC 50 (Water flea (Daphnia magna), 48 h): > 10,000 mg/l Intoxication	ity
Chronic hazards to the aquation	c environment:	
Fish Product:	No data available.	
Aquatic Invertebrates Product:	No data available.	
Toxicity to Aquatic Plants Product:	No data available.	
Persistence and Degradability		
Biodegradation Product:	There are no data on the degradability of this product.	
BOD/COD Ratio Product:	No data available.	
Bioaccumulative Potential Bioconcentration Factor (BC Product: SDS_US - SDSMIX000660	<b>CF)</b> No data available on bioaccumulation.	7/11



Partition Coefficient n-octar Product:	nol / water (log Kow) No data available.
Specified substance(s): DIETHYL ETHER	Log Kow: 0.89
ETHANOL	Log Kow: -0.31
Mobility in Soil:	No data available.
Other Adverse Effects:	Harmful to aquatic organisms.
13. Disposal considerations	
Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or local laws.
Contaminated Packaging:	Since emptied containers retain product residue, follow label warnings even after container is emptied.
14. Transport information	
DOT UN Number: UN Proper Shipping Name: Transport Hazard Class(es) Class(es): Label(s): Packing Group: Marine Pollutant: Special precautions for user: IMDG UN Number: UN Proper Shipping Name: Transport Hazard Class(es) Class(es): Label(s): EmS No.: Packing Group: Marine Pollutant: Special precautions for user:	UN 1993 Flammable liquids, n.o.s.(DIETHYL ETHER, ETHYL ALCOHOL) 3 3 1 Not a Marine Pollutant - UN 1993 FLAMMABLE LIQUID, N.O.S.(DIETHYL ETHER, ETHYL ALCOHOL) 3 3 F-E, S-E I Not a Marine Pollutant
IATA UN Number: Proper Shipping Name: Transport Hazard Class(es): Class(es): Label(s): Marine Pollutant: Packing Group: Special precautions for user: 15. Regulatory information	UN 1993 Flammable liquid, n.o.s.(DIETHYL ETHER, ETHYL ALCOHOL) 3 3 Not a Marine Pollutant II –

# **US Federal Regulations**

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)



# US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

## CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity	<b>Reportable quantity</b>
DIETHYL ETHER	100 lbs.
ETHANOL	100 lbs.
NITROCELLULOSE	100 lbs.

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

# Hazard categories

Acute (Immediate) Chronic (Delayed) Fire

### SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

### SARA 304 Emergency Release Notification

Chemical Identity	<b>Reportable quantity</b>
DIETHYL ETHER	100 lbs.
ETHANOL	100 lbs.
NITROCELLULOSE	100 lbs.

## SARA 311/312 Hazardous Chemical

Chemical Identity	Threshold Planning Quantity
DIETHYL ETHER	10000 lbs
ETHANOL	10000 lbs
CAMPHOR	10000 lbs

## SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

### Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

Chemical Identity	Reportable quantity
DIETHYL ETHER	10000 lbs

### **US State Regulations**

### US. California Proposition 65

No ingredient regulated by CA Prop 65 present. **ETHANOL** Carcinogenic. **ETHANOL** Developmental toxin.

### US. New Jersey Worker and Community Right-to-Know Act

### **Chemical Identity** DIETHYL ETHER **ETHANOL** NITROCELLULOSE

# US. Massachusetts RTK - Substance List

**Chemical Identity** DIETHYL ETHER **ETHANOL** NITROCELLULOSE



# US. Pennsylvania RTK - Hazardous Substances

<u>Chemical Identity</u> DIETHYL ETHER ETHANOL NITROCELLULOSE

# US. Rhode Island RTK

# **Chemical Identity**


DIETHYL ETHER ETHANOL NITROCELLULOSE

# **Inventory Status:**

Australia AICS:	On or in compliance with the inventory
Canada DSL Inventory List:	On or in compliance with the inventory
EINECS, ELINCS or NLP:	On or in compliance with the inventory
Japan (ENCS) List:	Not in compliance with the inventory.
China Inv. Existing Chemical Substances:	On or in compliance with the inventory
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory
Canada NDSL Inventory:	Not in compliance with the inventory.
Philippines PICCS:	On or in compliance with the inventory
US TSCA Inventory:	On or in compliance with the inventory
New Zealand Inventory of Chemicals:	On or in compliance with the inventory
Japan ISHL Listing:	Not in compliance with the inventory.
Japan Pharmacopoeia Listing:	Not in compliance with the inventory.

# 16.Other information, including date of preparation or last revision

# **NFPA Hazard ID**



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

Issue Date:	06-30-2015
Revision Date:	No data available.
Version #:	2.1
Further Information:	No data available.



**Disclaimer:** 

THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND AVANTOR PERFORMANCE MATERIALS MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION, WARRANTIES OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING. COURSE OF PERFORMANCE. OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, AVANTOR PERFORMANCE MATERIALS ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. AVANTOR PERFORMANCE MATERIALS REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES.