

Revision date: 05-07-2014

SAFETY DATA SHEET

1. Identification

Product identifier: Acetonitrile

Other means of identification

Product No.: 9152, 9150, 9035, 9018, 9017, 9011, 9019, 9012, 2855, H454, H076, 2856, 9853, 9829, 9411,

H338, 9255, 0043, 10114

Recommended use and restriction on use

Recommended use: Not available. Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company Name: Avantor Performance Materials, Inc. Address: 3477 Corporate Parkway, Suite 200

Center Valley, PA 18034

Telephone:

Customer Service: 855-282-6867

Fax:

Contact Person: Environmental Health & Safety e-mail: info@avantormaterials.com

Emergency telephone number:

24 Hour Emergency: 908-859-2151

Chemtrec: 800-424-9300

2. Hazard(s) identification

Hazard classification

Physical hazards

Flammable liquids Category 2

Health hazards

Acute toxicity (Oral)

Acute toxicity (Inhalation - gas)

Category 4

Category 4

Serious eye damage/eye irritation

Category 2A

Label elements

Hazard symbol:



Signal word: Danger

Hazard statement: Highly flammable liquid and vapor.

Harmful if swallowed. Harmful if inhaled.

Causes serious eye irritation.



Revision date: 05-07-2014

Precautionary statement

Prevention: Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep

container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area. Wash thoroughly after handling. Do not

eat, drink or smoke when using this product. Avoid breathing

dust/fume/gas/mist/vapors/spray.

Response: In case of fire: Use water spray, foam, dry powder or carbon dioxide for

extinction. IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF SWALLOWED: Call a POISON CENTER or

doctor/physician if you feel unwell. Rinse mouth.

Storage: Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and

vapor. May cause flash fire or explosion.

3. Composition/information on ingredients

Substances

Chemical identity	Common name and synonyms	CAS number	Content in percent (%)*
ACETONITRILE		75-05-8	99 - 100%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information: Get medical advice/attention if you feel unwell. If medical advice is needed,

have product container or label at hand. Show this safety data sheet to the

doctor in attendance.

Ingestion: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel

unwell.

Inhalation: Move to fresh air. Get medical attention if symptoms persist.

Skin contact: Wash skin thoroughly with soap and water. Get medical attention if irritation

persists after washing. Wash contaminated clothing before reuse. Destroy

or thoroughly clean contaminated shoes.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Get medical attention.



Revision date: 05-07-2014

Most important symptoms/effects, acute and delayed

Symptoms: Irritating to eyes, respiratory system and skin.

Indication of immediate medical attention and special treatment needed

Treatment: The exposure should be treated as a cyanide poisoning. Symptoms may be

delayed.

5. Fire-fighting measures

General fire hazards: Highly flammable liquid and vapour.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Water spray, fog, CO2, dry chemical, or alcohol resistant foam.

Unsuitable extinguishing

media:

Avoid water in straight hose stream; will scatter and spread fire.

Specific hazards arising from

the chemical:

Can be ignited easily and burns vigorously. Vapor from the solvent may accumulate in container headspace resulting in flammability hazard. Vapors are flammable and heavier than air. Vapors may travel across the ground and reach remote ignition sources causing a flashback fire danger.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool. Cool containers exposed to

flames with water until well after the fire is out.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. See Section 8 of the MSDS for Personal Protective Equipment. Keep unauthorized personnel away. Keep upwind. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Contact local authorities in case of spillage to drain/aquatic environment.

Methods and material for containment and cleaning

up:

Eliminate all ignition sources if safe to do so. Dike far ahead of larger spill for later recovery and disposal. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination.

Notification Procedures: Dike for later disposal. Prevent

Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Inform

authorities if large amounts are involved.

Environmental precautions: Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so. Avoid discharge into drains, water courses or onto

the ground.



Revision date: 05-07-2014

7. Handling and storage

Precautions for safe handling: Wash hands thoroughly after handling. Do not handle until all safety

precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Avoid heat, sparks, open flames and other ignition sources. Take precautionary measures against static discharges. Avoid contact with eyes, skin, and clothing. Avoid breathing mist or vapor. Use only with adequate ventilation.

Conditions for safe storage, including any incompatibilities:

Keep container tightly closed. Store in a well-ventilated place. Keep far from flame and heat source, prevent contact with direct sunlight Keep away from food, drink and animal feeding stuffs. Follow rules for flammable liquids. Ground container and transfer equipment to eliminate static electric sparks.

8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Chemical identity	Туре	Exposure Limit values		Source
ACETONITRILE	TWA	20 ppm		US. ACGIH Threshold Limit Values (2011)
	REL	20 ppm	34 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	40 ppm	70 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	40 ppm	70 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	60 ppm	105 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)

Appropriate engineering controls

No data available.

Individual protection measures, such as personal protective equipment

General information: Good general ventilation (typically 10 air changes per hour) should be used.

Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the

immediate work area.

Eye/face protection: Wear safety glasses with side shields (or goggles). Wear face shield if there

is risk of splashes.

Skin protection

Hand protection: Chemical resistant gloves

Other: Wear suitable protective clothing.

Respiratory protection: In case of inadequate ventilation use suitable respirator. Chemical

respirator with organic vapor cartridge and full facepiece.

Hygiene measures: Provide eyewash station and safety shower. Always observe good personal

hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

9. Physical and chemical properties



Revision date: 05-07-2014

Appearance

Physical state:
Form:
Color:
Color:
Colorless
Odor:
Cdor threshold:
PH:
Liquid
Liquid
Colorless
Colorless
No data available.
No data available.

Melting point/freezing point: -46 °C Initial boiling point and boiling range: 81 °C

Flash Point: 2 °C (Pensky-Martens Closed Cup)

Evaporation rate: 5.79 n-butyl acetate=1 **Flammability (solid, gas):** No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): 16 %(V)
Flammability limit - lower (%): 4.4 %(V)

Explosive limit - upper (%):

Explosive limit - lower (%):

Vapor pressure:

No data available.

No data available.

9.73 kPa (20 °C)

Vapor density: 1.42

Relative density: 0.79 (20 °C)

Solubility(ies)

Solubility in water: Miscible with water.
Solubility (other): No data available.
Partition coefficient (n-octanol/water): No data available.

Auto-ignition temperature: 524 °C

Decomposition temperature:No data available. **Viscosity:**No data available.

Other information

Molecular weight: 41.05 g/mol

10. Stability and reactivity

Reactivity: No dangerous reaction known under conditions of normal use.

Chemical stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

Hazardous polymerization does not occur.

Conditions to avoid: Heat, sparks, flames.

Incompatible materials: Strong oxidizing agents. Strong acids. Nitrates.

Hazardous decomposition

products:

Carbon dioxide Carbon monoxide Nitrogen Oxides Cyanides.

11. Toxicological information

General information: Cyanosis may result from overexposure to vapor or skin exposure.

Information on likely routes of exposure

Ingestion: Harmful if swallowed. Irritating. May cause nausea, stomach pain and

vomiting.



Revision date: 05-07-2014

Inhalation: Harmful if inhaled. Spray mists irritate the respiratory system, and cause

coughing and difficulties in breathing.

Skin contact: Prolonged or repeated skin contact may cause drying, cracking, or irritation.

May be harmful in contact with skin. Causes mild skin irritation.

Eye contact: Causes serious eye irritation.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: LD 50 (Rat): 1,320 mg/kg

Dermal

Product: LD 50 (Rabbit): > 2,000 mg/kg

Inhalation

Product: LC 50 (Rabbit, 4 h): 2828 ppm

LC 50 (Rat, 8 h): 7500 ppm

Repeated dose toxicity

Product: No data available.

Skin corrosion/irritation

Product: Causes mild skin irritation.

Serious eye damage/eye irritation

Product: Causes serious eye irritation.

Respiratory or skin sensitization

Product: Not a skin nor a respiratory sensitizer.

Carcinogenicity

Product: This substance has no evidence of carcinogenic properties.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ cell mutagenicity

In vitro

Product: No mutagenic components identified

In vivo

Product: No mutagenic components identified

Reproductive toxicity

Product: No components toxic to reproduction

Specific target organ toxicity - single exposure

Product: Not known.

Specific target organ toxicity - repeated exposure

Product: None known.



Revision date: 05-07-2014

Aspiration hazard

Product: Not classified

Other effects: None known.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: LC 50 (Fathead minnow (Pimephales promelas), 96 h): 1,000 mg/l Mortality

LC 50 (Bluegill (Lepomis macrochirus), 96 h): 1,850 mg/l Mortality LC 50 (Carp (Leuciscus idus melanotus), 48 h): 5,850 mg/l Mortality

Aquatic invertebrates

Product: LC 50 (Brine shrimp (Artemia salina), 24 h): 328 - 486 mg/l Mortality

LC 50 (Water flea (Daphnia magna), 48 h): 3,600 mg/l Mortality

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and degradability

Biodegradation

Product: There are no data on the degradability of this product.

BOD/COD ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration factor (BCF)

Product: No data available on bioaccumulation.

Partition coefficient n-octanol / water (log Kow)
Product:
No data available.

Specified substance(s):

ACETONITRILE Log Kow: -0.34

Mobility in soil: The product is partly soluble in water. May spread in the aquatic

environment.

Other adverse effects: The product components are not classified as environmentally hazardous.

However, this does not exclude the possibility that large or frequent spills

can have a harmful or damaging effect on the environment.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local

laws.

Contaminated packaging: Since emptied containers retain product residue, follow label warnings even

SDS US - SDSMIX000978 7/10



Revision date: 05-07-2014

after container is emptied. Residual vapors may explode on ignition; do not cut, drill, grind, or weld on or near this container.

14. Transport information			
DOT			
UN number:	UN 1648		
	Acetonitrile		
UN proper shipping name:	Acetonitiile		
Transport hazard class(es)	2		
Class(es):	3		
Label(s):	3		
Packing group:	 No		
Marine Pollutant:	No		
IMDG			
UN number:	UN 1648		
UN proper shipping name:	ACETONITRILE		
Transport hazard class(es)	ACETONITRILE		
Class(es):	2		
Label(s):	3 3		
EmS No.:	3 F-E, S-D		
Packing group:	II		
Marine Pollutant:	No		
IATA			
UN number:	UN 1648		
Proper Shipping Name:	Acetonitrile		
Transport hazard class(es):			
Ċlass(es):	3		
Label(s):	3		
Marine Pollutant:	No		
Packing group:			
r acking group.	II		
15. Regulatory information			
US federal regulations			
TSCA Section 12(b) Export Notifica	ation (40 CFR 707, Subpt. D)		
	d Substances (29 CFR 1910.1001-1050)		
None present or none present in			
CERCLA Hazardous Substance I	List (40 CFR 302.4):		
	Reportable quantity: 5000 lbs.		
	Reportable quantity: 100 lbs.		
Superfund amendments and read	uthorization act of 1986 (SARA)		
Hazard categories			
X Acute (Immediate) X Chro	nic (Delayed) X Fire Reactive Pressure Generating		
SARA 302 Extremely hazardo	ous substance		
Chemical identity	RQ Threshold Planning Quantity		

100 lbs.

10000 lbs.

ACRYLONITRILE



Revision date: 05-07-2014

SARA 304 Emergency release notification

Chemical identityRQACETONITRILE5000 lbs.ACRYLONITRILE100 lbs.

SARA 311/312 Hazardous chemical

Chemical identityThreshold Planning QuantityACRYLONITRILE500lbsACETONITRILE500 lbs

SARA 313 (TRI reporting)

Reporting Reporting threshold for threshold for manufacturing and Chemical identity other users processing

ACETONITRILE 10000 lbs 25000 lbs.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

ACRYLONITRILE Threshold quantity: 20000 lbs

US state regulations

US. California Proposition 65

ACRYLONITRILE Carcinogenic.

US. New Jersey Worker and Community Right-to-Know Act

ACETONITRILE Listed

US. Massachusetts RTK - Substance List

ACETONITRILE Listed ACRYLONITRILE Listed

US. Pennsylvania RTK - Hazardous Substances

ACETONITRILE Listed

US. Rhode Island RTK

ACETONITRILE Listed

Inventory Status:


Australia AICS: On or in compliance with the inventory Canada DSL Inventory List: On or in compliance with the inventory **EU EINECS List:** On or in compliance with the inventory EU ELINCS List: Not in compliance with the inventory. Japan (ENCS) List: On or in compliance with the inventory EU No Longer Polymers List: Not in compliance with the inventory. China Inv. Existing Chemical Substances: On or in compliance with the inventory Korea Existing Chemicals Inv. (KECI): On or in compliance with the inventory Canada NDSL Inventory: Not in compliance with the inventory. Philippines PICCS: On or in compliance with the inventory On or in compliance with the inventory US TSCA Inventory: New Zealand Inventory of Chemicals: On or in compliance with the inventory Switzerland Consolidated Inventory: Not in compliance with the inventory. Not in compliance with the inventory. Japan ISHL Listing: Japan Pharmacopoeia Listing: Not in compliance with the inventory.

16.Other information, including date of preparation or last revision



Revision date: 05-07-2014

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Issue date: 05-07-2014

Revision date: No data available.

Version #: 1.0

Further information: No data available.

Disclaimer: THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA

SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH

JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED

HEREIN IS PROVIDED "AS IS," AND AVANTOR PERFORMANCE MATERIALS MAKES AND GIVES NO REPRESENTATIONS OR

WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT

TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR

STATUTORY, INCLUDING WITHOUT LIMITATION, WARRANTIES OF

ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-

INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST

ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES.

ACCORDINGLY, AVANTOR PERFORMANCE MATERIALS ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. AVANTOR PERFORMANCE

MATERIALS REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR

EMPLOYEES.