

Revision date: 06-22-2014

SAFETY DATA SHEET

1. Identification

Product identifier: TETRACHLOROETHYLENE

Other means of identification

Product No.: 9469, 1933, 9465, 9453, 9360

Recommended use and restriction on use

Recommended use: Not available. Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company Name: Avantor Performance Materials, Inc. Address: 3477 Corporate Parkway, Suite 200

Center Valley, PA 18034

Telephone:

Customer Service: 855-282-6867

Fax:

Contact Person: Environmental Health & Safety e-mail: info@avantormaterials.com

Emergency telephone number:

24 Hour Emergency: 908-859-2151

Chemtrec: 800-424-9300

2. Hazard(s) identification

Hazard classification

Health hazards

Carcinogenicity Category 2

Environmental hazards

Acute hazards to the aquatic Category 2

environment

Chronic hazards to the aquatic Category 2

environment

Label elements

Hazard symbol:



Signal word: Warning

Hazard statement: Suspected of causing cancer.

Toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention: Obtain special instructions before use. Do not handle until all safety



Revision date: 06-22-2014

precautions have been read and understood. Wear protective

gloves/protective clothing/eye protection/face protection. Avoid release to

the environment.

Response: If exposed or concerned: Get medical advice/attention. Collect spillage.

Storage: Store locked up.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

None.

3. Composition/information on ingredients

Substances

Chemical identity	Common name and synonyms	CAS number	Content in percent (%)*
TETRACHLOROETHYLEN E		127-18-4	99 - 100%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information: Get medical advice/attention if you feel unwell. Show this safety data sheet

to the doctor in attendance.

Ingestion: Rinse mouth thoroughly. Call a physician or poison control center

immediately.

Inhalation: Move to fresh air. Get medical attention if symptoms occur.

Skin contact: Wash skin thoroughly with soap and water. Get medical attention if irritation

persists after washing. Wash contaminated clothing before reuse.

Eye contact: Flush thoroughly with water. If irritation occurs, get medical assistance.

Most important symptoms/effects, acute and delayed

Symptoms: Irritating to eyes, respiratory system and skin.

Indication of immediate medical attention and special treatment needed

Treat symptomatically. Symptoms may be delayed.

5. Fire-fighting measures

General fire hazards: Vapors are heavier than air and may spread near ground to sources of

ignition.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.



Revision date: 06-22-2014

Unsuitable extinguishing media:

None known.

Specific hazards arising from

the chemical:

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool. Cool containers exposed to

flames with water until well after the fire is out.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Keep unauthorized personnel away. Ventilate closed spaces before entering them. Use personal protective equipment. See Section 8 of the MSDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Methods and material for containment and cleaning

up:

Absorb spill with vermiculite or other inert material, then place in a container

for chemical waste. Clean surface thoroughly to remove residual contamination.

Notification Procedures: Prevent entry into waterways, sewer, basements or confined areas. Stop

the flow of material, if this is without risk. Inform authorities if large amounts

are involved.

Environmental precautions: Prevent further leakage or spillage if safe to do so. Avoid release to the

environment.

7. Handling and storage

Precautions for safe handling: Use personal protective equipment as required. Do not handle until all

safety precautions have been read and understood. Obtain special instructions before use. Do not get in eyes, on skin, on clothing. Do not eat, drink or smoke when using the product. Wash hands thoroughly after

handling.

Conditions for safe storage, including any

incompatibilities:

Keep container tightly closed. Store in a cool, dry place with adequate ventilation. Keep away from incompatible materials, open flames, and high temperatures. Should be stored separately from oxidizers, bases, and food

chemical substances



Revision date: 06-22-2014

8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

voodpational exposure minto						
Chemical identity	Туре	Exposure Limit values		Source		
TETRACHLOROETHYLENE	TWA	25 ppm		US. ACGIH Threshold Limit Values (2011)		
	STEL	100 ppm		US. ACGIH Threshold Limit Values (2011)		
	TWA	25 ppm	170 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)		
	TWA	100 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006)		
	Ceiling	200 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006)		
	MAX. CONC	300 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006)		

Biological limit values

Chemical identity	Exposure Limit values	Source
TETRACHLOROETHYLENE (tetrachloroethylene: Sampling time: Prior to shift.)	0.5 mg/l (Blood)	ACGIH BEL (2011)
	(End-exhaled air)	ACGIH BEL (2011)

Appropriate engineering controls

No data available.

Individual protection measures, such as personal protective equipment

General information: Good general ventilation (typically 10 air changes per hour) should be used.

Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the

immediate work area.

Eye/face protection: Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection: Chemical resistant gloves

Other: Wear suitable protective clothing.

Respiratory protection: In case of inadequate ventilation use suitable respirator.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned. Provide eyewash station and safety

shower. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use.

9. Physical and chemical properties

Appearance

Physical state:

Form:
Color:
Color:
Colorless

Odor:
Ether-like odor
No data available.

SDS_US - SDS000000890



Revision date: 06-22-2014

pH: Not applicable

Melting point/freezing point: -19 °C Initial boiling point and boiling range: 121 °C

Flash Point:

Evaporation rate:

Flammability (solid, gas):

Not applicable

No data available.

No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

Explosive limit - lower (%):

No data available.

No data available.

No data available.

Vapor pressure:

2.4 kPa (25 °C)

Vapor density:

5.7 AIR=1

Relative density:

1.62 (20 °C)

Solubility(ies)

Solubility in water: 0.15 g/l

Solubility (other):No data available.

Partition coefficient (n-octanol/water): 3.40

Auto-ignition temperature:No data available.Decomposition temperature:No data available.Viscosity:No data available.

Other information

Molecular weight: 165.83 g/mol (C2Cl4)

10. Stability and reactivity

Reactivity: No dangerous reaction known under conditions of normal use.

Chemical stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

Hazardous polymerization does not occur.

Conditions to avoid: Heat. Light. Moisture. Contact with incompatible materials.

Incompatible materials: Strong oxidizing agents. Strong acids. Strong alkalis. Finely divided metals,

especially zinc, barium, lithium.

Hazardous decomposition

products:

Thermal decomposition may release oxides of carbon. Hydrogen Chloride.

Phosgene.

11. Toxicological information

Information on likely routes of exposure

Ingestion: May be harmful if swallowed.

Inhalation: May cause irritation to the respiratory system.

Skin contact: May cause irritation.

Eye contact: Causes serious eye irritation.



Revision date: 06-22-2014

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: LD 50 (Rat): 2,400 mg/kg

Dermal

Product:

No data available.

Inhalation

Product: LC 50 (Rat, 6 h): 4,100 mg/l

Repeated dose toxicity

Product: No data available.

Skin corrosion/irritation

Product: May cause skin irritation.

Serious eye damage/eye irritation

Product: May irritate eyes.

Respiratory or skin sensitization

Product: Not a skin sensitizer.

Carcinogenicity

Product: May cause cancer.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

TETRACHLOROE

Overall evaluation: 2A. Probably carcinogenic to humans.

THYLENE

US. National Toxicology Program (NTP) Report on Carcinogens:

TETRACHLOROE Reasonably Anticipated to be a Human Carcinogen.

THYLENE

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ cell mutagenicity

In vitro

Product: No mutagenic components identified

In vivo

Product: No mutagenic components identified

Reproductive toxicity

Product: No data available.

Specific target organ toxicity - single exposure

Product: None known.

Specific target organ toxicity - repeated exposure

Product: None known.

Aspiration hazard

Product: Not classified

Other effects: None known.



Revision date: 06-22-2014

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

TETRACHLOROETHYLE LC 50 (Bluegill (Lepomis macrochirus), 96 h): 11 - 15 mg/l Mortality

NE LC 50 (Inland silverside (Menidia beryllina), 96 h): 27.3 - 28.9 mg/l Mortality

LC 50 (Flagfish (Jordanella floridae), 96 h): 4 mg/l Mortality

EC 50 (Rainbow trout, donaldson trout (Oncorhynchus mykiss), 96 h): 4.68

mg/l Mortality

Aquatic invertebrates

Product: No data available.

Specified substance(s):

TETRACHLOROETHYLE EC 50 (Water flea (Daphnia magna), 48 h): 6.1 - 9 mg/l Intoxication

LC 50 (Water flea (Daphnia magna), 48 h): 7.7 - 11 mg/l Mortality

LC 50 (Daggerblade grass shrimp (Palaemonetes pugio), 96 h): 1.1 - 1.5

mg/l Mortality

LC 50 (Polychaete worm (Nereis arenaceodentata), 96 h): 1.1 - 1.5 mg/l

Mortality

LC 50 (Opossum shrimp (Americamysis bahia), 96 h): 10.2 mg/l Mortality

Chronic hazards to the aquatic environment:

Fish

ΝE

Product: No data available.

Aquatic invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and degradability

Biodegradation

Product: Not readily degradable.

BOD/COD ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration factor (BCF)

Product: The product is not bioaccumulating.

Partition coefficient n-octanol / water (log Kow)
Product: Log Kow: 3.40

Other adverse effects: Toxic to aquatic life with long lasting effects.

No data available.

13. Disposal considerations

Mobility in soil:

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local

laws.

SDS_US - SDS000000890 7/10



Revision date: 06-22-2014

Since emptied containers retain product residue, follow label warnings even Contaminated packaging:

after container is emptied.

14. Transport information

DOT

UN number: UN 1897

UN proper shipping name: Tetrachloroethylene

Transport hazard class(es)

Class(es): 6.1 Label(s): 6.1 Packing group: Ш Marine Pollutant: No

IMDG

UN number: UN 1897

UN proper shipping name: **TETRACHLOROETHYLENE**

Transport hazard class(es)

Class(es): 6.1 Label(s): 6.1 EmS No.: F-A, S-A Packing group: Ш Marine Pollutant: Yes

IATA

UN number: UN 1897

Proper Shipping Name: Tetrachloroethylene

Transport hazard class(es):

6.1 Class(es): Label(s): 6.1 Marine Pollutant: No Ш Packing group:

15. Regulatory information

US federal regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

TETRACHLOROETHYLENE Reportable quantity: 100 lbs.

Superfund amendments and reauthorization act of 1986 (SARA)

Hazard categories

X Acute (Immediate) X Chronic (Delayed) Fire Reactive Pressure Ge	enerating
---	-----------

SARA 302 Extremely hazardous substance

None present or none present in regulated quantities.

SARA 304 Emergency release notification

Chemical identity 100 lbs.

TETRACHLOROETHYLENE



Revision date: 06-22-2014

SARA 311/312 Hazardous chemical

Chemical identity Threshold Planning Quantity

TETRACHLOROETHYLE 500 lbs

NE

SARA 313 (TRI reporting)

Reporting Reporting threshold for manufacturing and

Chemical identity other users processing

TETRACHLOROETHYLENE 10000 lbs 25000 lbs.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US state regulations

US. California Proposition 65

TETRACHLOROETHYLENE Carcinogenic.

US. New Jersey Worker and Community Right-to-Know Act

TETRACHLOROETHYLENE Listed

US. Massachusetts RTK - Substance List

TETRACHLOROETHYLENE Listed

US. Pennsylvania RTK - Hazardous Substances

TETRACHLOROETHYLENE Listed

US. Rhode Island RTK

TETRACHLOROETHYLENE Listed

Inventory Status:

Australia AICS:

Canada DSL Inventory List:

EINECS, ELINCS or NLP:

Japan (ENCS) List:

On or in compliance with the inventory

China Inv. Existing Chemical Substances:

Korea Existing Chemicals Inv. (KECI):

Not in compliance with the inventory.

On or in compliance with the inventory

Canada NDSL Inventory:

Philippines PICCS:

US TSCA Inventory:

Not in compliance with the inventory.

On or in compliance with the inventory.

New Zealand Inventory of Chemicals:

On or in compliance with the inventory


On or in compliance with the inventory

Japan Pharmacopoeia Listing:

Not in compliance with the inventory.

16.Other information, including date of preparation or last revision

NFPA Hazard ID





Revision date: 06-22-2014

Issue date: 06-22-2014

Revision date: No data available.

Version #: 1.0

Further information: No data available.

Disclaimer: THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA

SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH

JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED

HEREIN IS PROVIDED "AS IS," AND AVANTOR PERFORMANCE MATERIALS MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT

TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR

STATUTORY, INCLUDING WITHOUT LIMITATION<(>,<)> WARRANTIES

OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-

INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES.

ACCORDINGLY, AVANTOR PERFORMANCE MATERIALS ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. AVANTOR PERFORMANCE

MATERIALS REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR

EMPLOYEES.