

# **SAFETY DATA SHEET**

### 1. Identification

### Product identifier: PERCHLORIC ACID

#### Other means of identification Product No.: 9359, 2764, 4806, 3999, 8828, 2766, 9656, 9653, 9652

### Recommended use and restriction on use

Recommended use: Not available. Restrictions on use: Not known.

### Manufacturer/Importer/Supplier/Distributor Information

### Manufacturer

Company Name: Address:	Avantor Performance Materials, Inc. 3477 Corporate Parkway, Suite 200
	Center Valley, PA 18034
Telephone:	Customer Service: 855-282-6867
Fax:	
Contact Person: e-mail:	Environmental Health & Safety info@avantormaterials.com

### Emergency telephone number:

24 Hour Emergency: 908-859-2151

Chemtrec: 800-424-9300

### 2. Hazard(s) identification

### **Hazard Classification**

Physical Hazards	
Oxidizing liquids	Category 1
Corrosive to metals	Category 1
Health Hazards	
Acute toxicity (Oral)	Category 4
Skin Corrosion/Irritation	Category 1
Serious Eye Damage/Eye Irritation	Category 1
Specific Target Organ Toxicity - Single Exposure	Category 3
Skin Corrosion/Irritation	Category 1A
Serious Eye Damage/Eye Irritation	Category 1
Unknown toxicity	
Acute toxicity, oral	60 %
Acute toxicity, dermal Unknown toxicity	60 %
Acute hazards to the aquatic environment	60 %
Chronic hazards to the aquatic environment	60 %
bel Elements	
Hazard Symbol:	

### Hazard Symbol:

SDS\_US - SDSMIX000343

Label





Signal Word:	Danger
Hazard Statement:	May cause fire or explosion; strong oxidizer. May be corrosive to metals. Causes severe skin burns and eye damage. Harmful if swallowed. May cause respiratory irritation.
Precautionary Statement	
Prevention:	Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. Wear fire/flame resistant/retardant clothing. Keep wetted with water. Keep only in original container. Keep/Store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles. Use only outdoors or in a well-ventilated area. Wash hands thoroughly after handling. Keep away from heat/sparks/open flames/hot surfaces. No smoking.
Response:	In case of fire: Use water spray, foam, dry powder or carbon dioxide for extinction. Absorb spillage to prevent material damage. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Storage:	Store locked up. Store in corrosive resistant container with a resistant inner liner. Store in a well-ventilated place. Keep container tightly closed.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Other hazards which do not result in GHS classification:	None.

## 3. Composition/information on ingredients

### Mixtures

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
PERCHLORIC ACID		7601-90-3	60 - 72%

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.



General information:	Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.	
Ingestion:	Call a physician or poison control center immediately. Do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.	
Inhalation:	Move to fresh air. Call a physician or poison control center immediately. If breathing stops, provide artificial respiration. If breathing is difficult, give oxygen.	
Skin Contact:	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician or poison control center immediately. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.	
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Call a physician or poison control center immediately. In case of irritation from airborne exposure, move to fresh air. Get medical attention immediately.	
Most important symptoms/effects	s, acute and delayed	
Symptoms:	Corrosive to skin and eyes. Causes digestive tract burns. Spray mists may cause respiratory tract irritation.	
Indication of immediate medical attention and special treatment needed		
Treatment:	Treat symptomatically. Symptoms may be delayed.	
5. Fire-fighting measures		
5. Fire-fighting measures General Fire Hazards:	Strong oxidizer - contact with other material may cause fire.	
	Strong oxidizer - contact with other material may cause fire.	
General Fire Hazards:	Strong oxidizer - contact with other material may cause fire.	
General Fire Hazards: Suitable (and unsuitable) extingu Suitable extinguishing	Strong oxidizer - contact with other material may cause fire.	
General Fire Hazards: Suitable (and unsuitable) extingu Suitable extinguishing media: Unsuitable extinguishing	Strong oxidizer - contact with other material may cause fire. <b>ishing media</b> Foam, carbon dioxide or dry powder.	
General Fire Hazards: Suitable (and unsuitable) extingu Suitable extinguishing media: Unsuitable extinguishing media: Specific hazards arising from	Strong oxidizer - contact with other material may cause fire. <b>ishing media</b> Foam, carbon dioxide or dry powder. Water may be ineffective in fighting the fire. Strong oxidizer - contact with other material may cause fire. Runoff may create fire or explosion hazard. Contact with combustible material may cause fire. These substances will accelerate burning when involved in a fire. Fire may produce irritating, corrosive and/or toxic gases.	
General Fire Hazards: Suitable (and unsuitable) extingu Suitable extinguishing media: Unsuitable extinguishing media: Specific hazards arising from the chemical:	Strong oxidizer - contact with other material may cause fire. <b>ishing media</b> Foam, carbon dioxide or dry powder. Water may be ineffective in fighting the fire. Strong oxidizer - contact with other material may cause fire. Runoff may create fire or explosion hazard. Contact with combustible material may cause fire. These substances will accelerate burning when involved in a fire. Fire may produce irritating, corrosive and/or toxic gases.	

### 6. Accidental release measures



Personal precautions, protective equipment and emergency procedures:	Keep unauthorized personnel away. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Use personal protective equipment. See Section 8 of the SDS for Personal Protective Equipment. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
Methods and material for containment and cleaning up:	Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if possible without any risk. Do not absorb in sawdust or other combustible materials. Absorb spill with vermiculite or other inert material. Collect in a non-combustible container for prompt disposal. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.
Notification Procedures:	Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Inform authorities if large amounts are involved.
Environmental Precautions:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling:	Keep away from combustible material. Do not get in eyes, on skin, on clothing. Wash hands thoroughly after handling. Do not eat, drink or smoke when using the product. Do not taste or swallow. Never add water to acid! Never pour water into acid/base. Dilute by slowly pouring the product into water while stirring.
Conditions for safe storage, including any incompatibilities:	Do not store in metal containers. Store away from heat and light. Keep away from combustible material. Keep containers closed when not in use. Store in a cool, dry place. Keep container in a well-ventilated place.
8. Exposure controls/personal	protection
Control Parameters	
Occupational Exposure Limit	S
	None of the components have assigned exposure limits.
Appropriate Engineering Controls	No data available.
Individual protection measures, s	such as personal protective equipment
General information:	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area.
Eye/face protection:	Wear safety glasses with side shields (or goggles) and a face shield.
Skin Protection Hand Protection:	Chemical resistant gloves
Other:	Wear suitable protective clothing.



Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Chemical respirator with acid gas cartridge.
Hygiene measures:	Provide eyewash station and safety shower. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

### 9. Physical and chemical properties

### Appearance

Physical state:	No data available.
Form:	Liquid
Color:	Colorless to yellow
Odor:	Odorless
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	No data available.
Initial boiling point and boiling range:	No data available.
Flash Point:	No data available.
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explo	osive limits
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	0.91 kPa
Vapor density:	No data available.
Relative density:	1.6 (20 °C)
Solubility(ies)	
Solubility in water:	Soluble
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.

### 10. Stability and reactivity

Reactivity:	Reacts violently with strong alkaline substances.
Chemical Stability:	Material is stable under normal conditions.
Possibility of Hazardous Reactions:	Hazardous polymerization does not occur. Decomposes on heating.
Conditions to Avoid:	Reacts violently with strong alkaline substances. Avoid contact with strong reducing agents. Excessive heat. Contact with incompatible materials. Light.
Incompatible Materials:	Alcohols. Reducing agents. Metals. Alkalies. Flammable/combustible material. Organic compounds. Bases.



Hazardous Decomposition Products:	By heating and fire, corrosive vapors/gases may be formed. Oxides of Carbon. Hydrogen Chloride.	
11. Toxicological information		
Information on likely routes of e Ingestion:	<b>xposure</b> May cause burns of the gastrointestinal tract if swallowed.	
Inhalation:	May cause damage to mucous membranes in nose, throat, lungs and bronchial system.	
Skin Contact:	Causes severe skin burns.	
Eye contact:	Causes serious eye damage.	
Information on toxicological effe	ects	
Acute toxicity (list all possible	e routes of exposure)	
Oral Product:	No data available.	
Dermal Product:	No data available.	
Inhalation Product:	No data available.	
Repeated Dose Toxicity Product:	No data available.	
Skin Corrosion/Irritation Product:	Causes severe skin burns.	
Serious Eye Damage/Eye Irritat Product:	ion Causes serious eye damage.	
Respiratory or Skin Sensitizatio Product:	n Not a skin nor a respiratory sensitizer.	
Carcinogenicity Product:	This substance has no evidence of carcinogenic properties.	
IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified		
US. National Toxicology F No carcinogenic componen	Program (NTP) Report on Carcinogens: ts identified	
US. OSHA Specifically Re No carcinogenic componen	gulated Substances (29 CFR 1910.1001-1050): ts identified	
Germ Cell Mutagenicity		
In vitro Product:	No mutagenic components identified	
In vivo Product:	No mutagenic components identified	
Reproductive Toxicity Product:	No components toxic to reproduction	

# Specific Target Organ Toxicity - Single Exposure



Deschart		
Product:	Respiratory tract irritation.	
Specific Target Organ Toxicit Product:	t <b>y - Repeated Exposure</b> None known.	
Aspiration Hazard Product:	Not classified	
Other Effects:	None known.	
12. Ecological information		
Ecotoxicity:		
Acute hazards to the aquat	ic environment:	
Fish Product:	No data available.	
Aquatic Invertebrates Product:	No data available.	
Chronic hazards to the aqu	atic environment:	
Fish Product:	No data available.	
Aquatic Invertebrates Product:	No data available.	
Toxicity to Aquatic Plants Product:	No data available.	
Persistence and Degradability	,	
Biodegradation Product:	There are no data on the degradability of this product.	
BOD/COD Ratio Product:	No data available.	
Bioaccumulative Potential Bioconcentration Factor ( Product:	(BCF) No data available on bioaccumulation.	
Partition Coefficient n-oc Product:	tanol / water (log Kow) No data available.	
Mobility in Soil:	The product is water soluble and may spread in water systems.	
Other Adverse Effects:	The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic organisms.	
13. Disposal considerations		
Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or local laws.	
Contaminated Packaging:	Since emptied containers retain product residue, follow label warnings even	



### after container is emptied.

### 14. Transport information

DOT UN Number: UN Proper Shipping Name: Transport Hazard Class(es) Class(es): Label(s): Packing Group: Marine Pollutant:	UN 1873 Perchloric acid 5.1, 8 5.1, 8 I No
IMDG UN Number: UN Proper Shipping Name: Transport Hazard Class(es) Class(es): Label(s): EmS No.: Packing Group: Marine Pollutant:	UN 1873 PERCHLORIC ACID 5.1, 8 5.1, 8 F-A, S-Q I No
IATA UN Number: Proper Shipping Name: Transport Hazard Class(es): Class(es): Label(s): Marine Pollutant: Packing Group:	UN 1873 Perchloric acid 5.1, 8 5.1, 8 No I

### 15. Regulatory information

#### **US Federal Regulations**

# TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) None present or none present in regulated quantities.

### CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### Hazard categories

Х	Acute (Immediate)	Х	Chronic (Delayed)	Х	Fire	Reactive	Pressure Generating
			-			-	

### SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

### SARA 304 Emergency Release Notification

None present or none present in regulated quantities.




SARA 311/312 Hazardous Ch Chemical Identity	emical Threshold Plannir	ng Quantity				
PERCHLORIC ACID		500 lbs				
SARA 313 (TRI Reporting) None present or none p	present in regulated	d quantities.				
Clean Water Act Section 311 Haz None present or none present i						
Clean Air Act (CAA) Section 112( None present or none present i						
US State Regulations						
<b>US. California Proposition 65</b> No ingredient regulated by CA Prop 65 present.						
US. New Jersey Worker and O PERCHLORIC ACID	Community Right- Listed	to-Know Act				
US. Massachusetts RTK - Sul PERCHLORIC ACID	<b>bstance List</b> Listed					
US. Pennsylvania RTK - Haza PERCHLORIC ACID	ardous Substance Listed	S				
US. Rhode Island RTK PERCHLORIC ACID	Listed					
Inventory Status: Australia AICS: Canada DSL Inventory List: EINECS, ELINCS or NLP: Japan (ENCS) List: China Inv. Existing Chemical Substa Korea Existing Chemicals Inv. (KEC		On or in compliance with the inventory On or in compliance with the inventory On or in compliance with the inventory On or in compliance with the inventory Not in compliance with the inventory. On or in compliance with the inventory				

k Canada NDSL Inventory: Philippines PICCS: US TSCA Inventory: New Zealand Inventory of Chemicals: Japan ISHL Listing: Japan Pharmacopoeia Listing:

Not in compliance with the inventory. On or in compliance with the inventory On or in compliance with the inventory On or in compliance with the inventory Not in compliance with the inventory. Not in compliance with the inventory.

### 16.Other information, including date of preparation or last revision

### **NFPA Hazard ID**



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe **OXY: Oxidizer** 



Issue Date:	02-03-2015					
Revision Date:	No data available.					
Version #:	3.0					
Further Information:	No data available.					
Disclaimer:	THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND AVANTOR PERFORMANCE MATERIALS MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION<(>,-,>) WARRANTIES OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON- INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, AVANTOR PERFORMANCE MATERIALS ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. AVANTOR PERFORMANCE MATERIALS REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES.					