

SAFETY DATA SHEET

1. Identification

Product identifier: BIS(2-ETHYLHEXYL) HYDROGEN PHOSPHATE

Other means of identification Product No.: C533

Recommended use and restriction on use

Recommended use: Not available. Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor Information

Manufacturer

Company Name:	Avantor Performance Materials, Inc.
Address:	3477 Corporate Parkway, Suite 200
- · ·	Center Valley, PA 18034
Telephone:	
Form	Customer Service: 855-282-6867
Fax:	
Contact Person: e-mail:	Environmental Health & Safety info@avantormaterials.com

Emergency telephone number:

24 Hour Emergency: 908-859-2151

Chemtrec: 800-424-9300

2. Hazard(s) identification

Hazard Classification


Health Hazards

Acute toxicity (Dermal)	Category 4
Skin Corrosion/Irritation	Category 1C
Serious Eye Damage/Eye Irritation	Category 1

Environmental Hazards

Acute hazards to the aquatic environment

Category 3



Hazard Symbol:



Signal word:	Danger
Hazard Statement:	Harmful in contact with skin. Causes severe skin burns and eye damage. Harmful to aquatic life.

Precautionary



Statement	
Prevention:	Do not breathe dust/fume/gas/mist/vapors/spray. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Avoid release to the environment.
Response:	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. Call a POISON CENTER or doctor/physician if you feel unwell. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
Storage:	Store locked up.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Other hazards which do not result in GHS classification:	None.

3. Composition/information on ingredients

Substances

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
DI-(2- ETHYLHEXYL)PHOSPHO RIC ACID		298-07-7	60 - 100%

4. First-aid measures

General information:	Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.
Ingestion:	Call a physician or poison control center immediately. Rinse mouth. Do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Inhalation:	Move to fresh air. If breathing is difficult, give oxygen. Apply artificial respiration if victim is not breathing Call a physician or poison control center immediately.
Skin Contact:	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician or poison control center immediately. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Call a physician or poison control center immediately. In case of irritation from airborne exposure, move to fresh air.

Most important symptoms/effects, acute and delayed



Symptoms:	Causes severe skin and eye burns. Causes digestive tract burns. Mist or vapor extremely irritating to eyes and respiratory tract.
Indication of immediate medical a	ttention and special treatment needed
Treatment:	Treat symptomatically. Symptoms may be delayed.
5. Fire-fighting measures	
General Fire Hazards:	In case of fire and/or explosion do not breathe fumes.
Suitable (and unsuitable) extingu	ishing media
Suitable extinguishing media:	Water spray, fog, CO2, dry chemical, or alcohol resistant foam.
Unsuitable extinguishing media:	None known.
Specific hazards arising from the chemical:	During fire, gases hazardous to health may be formed. Contact with metals may evolve flammable hydrogen gas. Product is highly caustic. Product is acidic. Wear appropriate protective gear if spilled during fire fighting.
Special protective equipment an	d precautions for firefighters
Special fire fighting procedures:	Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool. Cool containers exposed to flames with water until well after the fire is out.
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
6. Accidental release measures	S
Personal precautions, protective equipment and emergency procedures:	Keep unauthorized personnel away. Keep upwind. Use personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. See Section 8 of the MSDS for Personal Protective Equipment.
Methods and material for containment and cleaning up:	Neutralize with lime or soda ash. Neutralize spill area and washings with dilute acetic acid. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Dike far ahead of larger spill for later recovery and disposal.
Notification Procedures:	Prevent entry into waterways, sewer, basements or confined areas. Inform authorities if large amounts are involved.
Environmental Precautions:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling:	Wear protective gloves/protective clothing/eye protection/face protection. Do not get in eyes, on skin, on clothing. Do not taste or swallow. Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Use caution when adding this material to water. See Section 8 of the MSDS for Personal Protective Equipment.



Conditions for safe storage, including any incompatibilities:	Keep away from food, drink and animal feeding stuffs. Keep container tightly closed. Store in a cool and well-ventilated place. Store in corrosive resistant container with a resistant inner liner. Do not store in metal containers.
8. Exposure controls/personal	protection
Control Parameters Occupational Exposure Limi	ts
	None of the components have assigned exposure limits.
Appropriate Engineering Controls	No data available.
Individual protection measures,	such as personal protective equipment
General information:	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area.
Eye/face protection:	Wear safety glasses with side shields (or goggles) and a face shield. Wear a full-face respirator, if needed.
Skin Protection Hand Protection:	Chemical resistant gloves
Other:	Wear suitable protective clothing.
Respiratory Protection:	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information.
Hygiene measures:	Provide eyewash station and safety shower. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Do not get this material in contact with skin. Do not get in eyes.

9. Physical and chemical properties

Appearance

Physical state:	Liquid
Form:	No data available.
Color:	Pale yellow
Odor:	Odorless
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	-50 °C
Initial boiling point and boiling range:	155 °C (0.002 kPa)
Flash Point:	196 °C (Open Cup)
Evaporation rate:	No data available.

SDS_US - SDS00001542



Flammability (solid, gas):	No data available.		
Upper/lower limit on flammability or explosive limits			
Flammability limit - upper (%): No data available.			
Flammability limit - lower (%):	No data available.		
Explosive limit - upper (%):	No data available.		
Explosive limit - lower (%):	No data available.		
Vapor pressure:	No data available.		
Vapor density:	No data available.		
Relative density:	0.973 (25 °C)		
Solubility(ies)			
Solubility in water:	0.182 g/l (25 °C) Slightly Soluble		
Solubility (other):	benzene: Soluble		
Partition coefficient (n-octanol/water):	6.07		
Auto-ignition temperature:	No data available.		
Decomposition temperature:	No data available.		
Viscosity:	No data available.		
Other information			
Bulk density:	982.58 kg/m3		
Molecular weight:	322.48 g/mol (C16H35O4P)		

10. Stability and reactivity

Reactivity:	No dangerous reaction known under conditions of normal use.
Chemical Stability:	Material is stable under normal conditions.
Possibility of Hazardous Reactions:	Hazardous polymerization does not occur.
Conditions to Avoid:	Heat, sparks, flames. Contact with incompatible materials.
Incompatible Materials:	Metals.
Hazardous Decomposition Products:	By heating and fire, toxic vapors/gases may be formed.

11. Toxicological information

Information on likely routes of exposure Ingestion: May be harmful if swallowed. May cause burns of the gastrointestinal tract if swallowed.		
Inhalation:	Irritating to respiratory tract.	
Skin Contact:	Causes severe skin burns. Harmful in contact with skin.	
Eye contact:	Causes serious eye damage.	
Information on toxicological effects		

Acute toxicity (list all possible routes of exposure)

Oral	
Product:	LD 50 (Rat): 4,940 mg/kg

Dermal Product:

LD 50 (Rabbit): 1,200 mg/kg



Inhalation Product:	No data available.	
Repeated Dose Toxicity Product:	No data available.	
Skin Corrosion/Irritation Product:	Causes severe skin burns.	
Serious Eye Damage/Eye Irritation Product: Causes serious eye damage.		
Respiratory or Skin Sensitization Product:	n Not a skin sensitizer.	
Carcinogenicity Product:	This substance has no evidence of carcinogenic properties.	
IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified		
US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified		
US. OSHA Specifically Reg No carcinogenic components	julated Substances (29 CFR 1910.1001-1050): s identified	
Germ Cell Mutagenicity		
In vitro Product:	No mutagenic components identified	
In vivo Product:	No mutagenic components identified	
Reproductive Toxicity Product:	No components toxic to reproduction	
Specific Target Organ Toxicity - Single Exposure Product: No data available.		
Specific Target Organ Toxicity - Repeated Exposure Product: No data available.		
Aspiration Hazard Product:	Not classified	
Other Effects:	None known.	

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product:

No data available.

Specified substance(s):	
DI-(2- ETHYLHEXYL)PHOSPH	LC 50 (Rainbow trout,donaldson trout (Oncorhynchus mykiss), 96 h): 30 mg/l Mortality
	LC 50 (Zebra danio (Danio rerio), 96 h): > 56 mg/l Mortality



Aquatic Invertebrates Product:	No data available.
Specified substance(s): DI-(2- ETHYLHEXYL)PHOSPH ORIC ACID	EC 50 (Water flea (Daphnia magna), 48 h): 46.7 - 78.8 mg/l Intoxication LC 50 (Water flea (Daphnia magna), 48 h): > 42 mg/l Mortality
Chronic hazards to the aquation	c environment:
Fish Product:	No data available.
Aquatic Invertebrates Product:	No data available.
Toxicity to Aquatic Plants Product:	No data available.
Persistence and Degradability	
Biodegradation Product:	There are no data on the degradability of this product.
BOD/COD Ratio Product:	No data available.
Bioaccumulative Potential Bioconcentration Factor (BC Product:	F) No data available on bioaccumulation.
Partition Coefficient n-octan Product:	ol / water (log Kow) Log Kow: 6.07
Mobility in Soil:	No data available.
Other Adverse Effects:	Harmful to aquatic organisms.
13. Disposal considerations	
Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or local laws.
Contaminated Packaging:	Since emptied containers retain product residue, follow label warnings even after container is emptied.
14. Transport information	
DOT UN Number: UN Proper Shipping Name: Transport Hazard Class(es) Class(es): Label(s): Packing Group: Marine Pollutant:	UN 3265 Corrosive liquid, acidic, organic, n.o.s.(BIS(2-ETHYLHEXYL) PHOSPHATE) 8 8 II No
manno i onatanti	



IMDG	
UN Number:	UN 3265
UN Proper Shipping Name:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.(BIS(2- ETHYLHEXYL) PHOSPHATE)
Transport Hazard Class(es)	
Class(es):	8
Label(s):	8
EmS No.:	F-A, S-B
Packing Group:	11
Marine Pollutant:	No
	LIN 2265
UN Number:	UN 3265
Proper Shipping Name:	Corrosive liquid, acidic, organic, n.o.s.(BIS(2-ETHYLHEXYL) PHOSPHATE)
Transport Hazard Class(es):	
Class(es):	8
Label(s):	8
Marine Pollutant:	No
Packing Group:	ll

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

X Acute (Immediate) Chronic (De	elayed) Fire	Reactive Pressure Gene	rating
---------------------------------	--------------	------------------------	--------

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 311/312 Hazardous Chemical

Chemical Identity	Threshold Planning Quantity
DI-(2-	500 lbs
ETHYLHEXYL)PHOSPHO	
RIC ACID	

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3) None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): None present or none present in regulated quantities.



US State Regulations

US. California Proposition 65

No ingredient regulated by CA Prop 65 present.

US. New Jersey Worker and Community Right-to-Know Act

DI-(2- Listed ETHYLHEXYL)PHOSPHORIC ACID

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

No ingredient regulated by PA Right-to-Know Law present.

US. Rhode Island RTK


No ingredient regulated by RI Right-to-Know Law present.

Inventory Status:

Australia AICS: Canada DSL Inventory List: EINECS, ELINCS or NLP: Japan (ENCS) List: China Inv. Existing Chemical Substances: Korea Existing Chemicals Inv. (KECI): Canada NDSL Inventory: Philippines PICCS: US TSCA Inventory: New Zealand Inventory of Chemicals: Japan ISHL Listing: Japan Pharmacopoeia Listing: On or in compliance with the inventory Not in compliance with the inventory. On or in compliance with the inventory Not in compliance with the inventory.

16.Other information, including date of preparation or last revision

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Issue Date:	12-15-2014
Revision Date:	No data available.
Version #:	1.0
Further Information:	No data available.



Disclaimer:

THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND AVANTOR PERFORMANCE MATERIALS MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION<(>,<)> WARRANTIES OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING. COURSE OF PERFORMANCE. OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, AVANTOR PERFORMANCE MATERIALS ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. AVANTOR PERFORMANCE MATERIALS REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES.