

**Product identifier** 

1.1.

## Ammonium Hydroxide, 16.7% v/v (1+5)

Safety Data Sheet

SECTION 1: Identification of the substance/mixture and of the company/undertaking

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 02/19/2014 Version: 1.0

Product form : Mixture Product name : Ammonium Hydroxide, 16.7% v/v (1+5) Product code LC11170 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture : For laboratory and manufacturing use only. 1.3. Details of the supplier of the safety data sheet LabChem Inc Jackson's Pointe Commerce Park Building 1000, 1010 Jackson's Pointe Court Zelienople, PA 16063 - USA T 412-826-5230 - F 724-473-0647 info@labchem.com - www.labchem.com 1.4. **Emergency telephone number** Emergency number : CHEMTREC: 1-800-424-9300 or 011-703-527-3887 SECTION 2: Hazards identification 2.1. **Classification of the substance or mixture GHS-US classification** Skin Irrit. 2 H315 Eve Irrit. 2A H319 Aquatic Acute 2 H401 2.2. Label elements **GHS-US** labelling Hazard pictograms (GHS-US) GHS07 Signal word (GHS-US) : Warning Hazard statements (GHS-US) H315 - Causes skin irritation H319 - Causes serious eye irritation H401 - Toxic to aquatic life : P264 - Wash exposed skin thoroughly after handling Precautionary statements (GHS-US) P273 - Avoid release to the environment P280 - Wear protective gloves, eye protection P302+P352 - IF ON SKIN: Wash with plenty of soap and water P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362 - Take off contaminated clothing and wash before reuse P501 - Dispose of contents/container to comply with local, state and federal regulations **Other hazards** 2.3. Other hazards not contributing to the : None under normal conditions classification 2.4. Unknown acute toxicity (GHS-US) No data available **SECTION 3: Composition/information on ingredients** 3.1. Substance Not applicable Full text of H-phrases: see section 16 02/19/2014 EN (English) Page 1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.2.	Mixture			
Name		Product identifier	%	GHS-US classification
Water		(CAS No) 7732-18-5	95.8	Not classified
Ammor	iium Hydroxide, 28-30% w/w	(CAS No) 1336-21-6	4.2	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Aquatic Acute 1, H400
SECT	ON 4: First aid measures			
4.1.	Description of first aid measures			
First-aid	measures general	: Never give anything by mouth to an us (show the label where possible).	nconscious person.	If you feel unwell, seek medical advic
First-aid	measures after inhalation	: Assure fresh air breathing. Allow the v	victim to rest.	
⁻irst-aid	measures after skin contact	: Wash with plenty of soap and water. V occurs: Get medical advice/attention.	Nash contaminated	clothing before reuse. If skin irritation
First-aid	measures after eye contact	: Rinse cautiously with water for severa do. Continue rinsing. If eye irritation p		
First-aid	measures after ingestion	: Rinse mouth. Do NOT induce vomiting	g. Obtain emergency	y medical attention.
4.2.	Most important symptoms and effects	s, both acute and delayed		
Symptor	ms/injuries after skin contact	: Causes skin irritation.		
Symptor	ms/injuries after eye contact	: Causes serious eye irritation.		
4.3.	Indication of any immediate medical	attention and special treatment neede	d	
	nedical assistance.			
SECT	ON 5: Firefighting measures			
5.1.	Extinguishing media			
	• •	: Foam. Dry powder. Carbon dioxide. W	Vater spray Sand	
		: Do not use a heavy water stream.	valer spray. Gand.	
5.2.	Special hazards arising from the sub			
	tional information available			
5.3. Eirofight	Advice for firefighters	: Use water spray or fog for cooling exp	and containers. Ex	version coution when fighting any
•		chemical fire. Prevent fire-fighting wat	er from entering env	rironment.
		: Do not enter fire area without proper p	brotective equipment	i, including respiratory protection.
	ON 6: Accidental release meas			
6.1.	Personal precautions, protective equ	ipment and emergency procedures		
6.1.1.	For non-emergency personnel			
Protectiv	ve equipment	: Safety glasses. Gloves.		
Emerge	ncy procedures	: Evacuate unnecessary personnel.		
6.1.2.	For emergency responders			
Protectiv	ve equipment	: Equip cleanup crew with proper protection	ction.	
Emerge	ncy procedures	: Ventilate area.		
6.2.	Environmental precautions			
	entry to sewers and public waters. Notify	authorities if liquid enters sewers or publ	ic waters. Avoid rele	ase to the environment.
6.3.	Methods and material for containmen	· · ·		
		<ul> <li>Soak up spills with inert solids, such a spillage. Store away from other mater</li> </ul>		ous earth as soon as possible. Collec
6.4.	Reference to other sections			
	ading 8. Exposure controls and personal p	rotection.		
	ON 7: Handling and storage			
7.1.	Precautions for safe handling			
	ons for safe handling	: Wash hands and other exposed areas smoking and when leaving work. Prov vapour.		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hygiene measures		: Wash exposed skin thoroughly after handling.
7.2.	Conditions for safe storage, includ	ng any incompatibilities
Storage	e conditions	: Keep cool. Keep container closed when not in use.
Incomp	atible products	: Strong acids.
Incomp	atible materials	: Sources of ignition. Direct sunlight.
7.3.	Specific end use(s)	

No additional information available

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. **Control parameters**

Ammonium Hydroxide, 28-30% w/w (1336-21-6)		
USA ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	17 mg/m³
USA ACGIH	ACGIH TWA (ppm)	25 ppm
USA ACGIH	ACGIH STEL (mg/m <sup>3</sup> )	24 mg/m <sup>3</sup>
USA ACGIH	ACGIH STEL (ppm)	25 ppm
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	35 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	50 ppm

8.2. Exposure controls	
Appropriate engineering controls	: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation.
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Wear appropriate mask.
Other information	: Do not eat, drink or smoke during use.

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and	l che	mical properties
Physical state	:	Liquid
Colour	:	Colourless.
Odour	:	Ammonia odour.
Odour threshold	:	No data available
рН	:	No data available
Relative evaporation rate (butylacetate=1)	:	No data available
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	No data available
Self ignition temperature	:	No data available
Decomposition temperature	:	No data available
Flammability (solid, gas)	:	No data available
Vapour pressure	:	No data available
Relative vapour density at 20 °C	:	No data available
Relative density	:	No data available
Density	:	0.98 g/ml
Solubility	:	No data available
Log Pow	:	No data available
Log Kow	:	No data available
Viscosity, kinematic	:	1.08 cSt
Viscosity, dynamic	:	No data available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Explosive	properties	: No data available
Oxidising	properties	: No data available
Explosive	limits	: No data available
9.2.	Other information	
No additio	onal information available	
SECTIO	ON 10: Stability and reactivity	
10.1.	Reactivity	
No additio	onal information available	
10.2.	Chemical stability	
Stable un	der normal conditions.	
10.3.	Possibility of hazardous reactions	
Not estab	lished.	
10.4.	Conditions to avoid	
Direct sur	nlight. Extremely high or low temperature	es.
10.5.	Incompatible materials	
Strong ac	ids.	
10.6.	Hazardous decomposition products	
Gaseous	ammonia.	
SECTIC	ON 11: Toxicological informati	ion
11.1.	Information on toxicological effects	

Acute toxicity

: Not classified

Ammonium Hydroxide, 28-30% w/w (1336-21-6)		
LD50 oral rat	350 mg/kg	
Water (7732-18-5)		
LD50 oral rat	≥ 90000 mg/kg	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: Not classified	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.	
Symptoms/injuries after skin contact	: Causes skin irritation.	
Symptoms/injuries after eye contact	: Causes serious eye irritation.	
Likely routes of exposure	: Inhalation;Skin and eye contact	

12.1. Toxicity		
Ecology - water	: Harmful to aquatic life.	
Ammonium Hydroxide, 28-30% w/w (1336-21-6)		
LC50 fishes 1	0.16 - 1.1 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Solution >=50%)	
LC50 other aquatic organisms 1	1 - 10 mg/l (96 h; Solution >=50%)	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ammonium Hydroxide, 28-30% w/w (1336-2	
LC50 fish 2	0.75 - 3.4 mg/l (96 h; Pimephales promelas; Solution >=50%)
TLM fish 1	47 ppm (48 h; Salmo gairdneri (Oncorhynchus mykiss); Cool water)
TLM fish 2	34 ppm (48 h; Salmo gairdneri (Oncorhynchus mykiss); Warm water)
Threshold limit other aquatic organisms 1	1 - 10,96 h; Solution >=50%
2.2. Persistence and degradability	
Ammonium Hydroxide, 16.7% v/v (1+5)	
Persistence and degradability	Not established.
Ammonium Hydroxide, 28-30% w/w (1336-2	1-6)
Persistence and degradability	Readily biodegradable in water. Ozonation in water. Biodegradable in the soil. No (test)data
	on mobility of the components of the mixture available. Ozonation in the air.
Water (7732-18-5)	
Persistence and degradability	Not established.
2.3. Bioaccumulative potential	· · · · · · · · · · · · · · · · · · ·
Ammonium Hydroxide, 16.7% v/v (1+5)	
Bioaccumulative potential	Not established.
•	
Ammonium Hydroxide, 28-30% w/w (1336-2	-1.3
Log Pow Bioaccumulative potential	Bioaccumulation: not applicable.
Water (7732-18-5)	
Bioaccumulative potential	Not established.
2.4. Mobility in soil	
No additional information available	
2.5. Other adverse effects	
Other information	: Avoid release to the environment.
SECTION 13: Disposal consideration	ns
3.1. Waste treatment methods	
Vaste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to comply with local, state and federal regulations.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
n accordance with DOT	
No dangerous good in sense of transport regula	tions
Additional information	
Other information	: No supplementary information available.
ADR	
Fransport document description	:
Fransport by sea	
No additional information available	
Air transport	
No additional information available	
SECTION 15: Regulatory information	n
15.1. US Federal regulations	
5.1. US Federal regulations	1-6)

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ammonium Hydroxide, 28-30% w/w (1336-21-6)	
RQ (Reportable quantity, section 304 of EPA's List of Lists) :	1000 lb
Water (7732-18-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

### 15.2. International regulations

#### CANADA

Ammonium Hydroxide, 16.7% v/v (1+5)
WI IMIC Classification

WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects
----------------------	---

Ammonium Hydroxide, 28-30% w/w (1336-21-6)		
WHMIS Classification	Class E - Corrosive Material	
Water (7732-18-5)		
Listed on the Canadian DSL (Domestic Sustances List) inventory.		
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria	

#### **EU-Regulations**

No additional information available

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

### Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

15.2.2. National regulations

#### Water (7732-18-5)

Not listed on the Canadian Ingredient Disclosure List

### 15.3. US State regulations

No additional information available


SECTION 16: Other information	
Other information	: None.

### Full text of H-phrases: see section 16:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — AcuteHazard, Category 1
Aquatic Acute 2	Hazardous to the aquatic environment — AcuteHazard, Category 2
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



**Personal Protection** 

SDS US (GHS HazCom 2012)

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and LabChem Inc assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his application.