

Hydrochloric Acid, 1.0N (1.0M)

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 07/03/2013 Version: 1.0

SECTION 1: Identification of the sub	stance/mixture and of the com	oanv/undertaki	na
1.1. Product identifier			
Product form	: Mixture		
Product name.	: Hydrochloric Acid, 1.0N (1.0M)		
Product code	: LC15300		
1.2. Relevant identified uses of the subs	stance or mixture and uses advised aga	inst	
Use of the substance/mixture	: For laboratory and manufacturing use	only.	
1.3. Details of the supplier of the safety	data sheet		
LabChem Inc Jackson's Pointe Commerce Park Building 1000 16063 Zelienople, PA - USA T 412-826-5230 - F 724-473-0647 info@labchem.com - www.labchem.com	, 1010 Jackson's Pointe Court		
1.4. Emergency telephone number			
Emergency number	: CHEMTREC: 1-800-424-9300 or 011-	-703-527-3887	
SECTION 2: Hazards identification			
2.1. Classification of the substance or n	nixture		
GHS-US classification Skin Corr. 1B H314 Eye Dam. 1 H318			
2.2. Label elements			
GHS-US labelling			
Hazard pictograms (GHS-US)	GHS05		
Signal word (GHS-US)	: Danger		
Hazard statements (GHS-US)	: H314 - Causes severe skin burns and	, ,	
Precautionary statements (GHS-US)	 P260 - Do not breathe mist, vapours, P264 - Wash exposed skin thoroughly P280 - Wear protective gloves, eye pr P301+P330+P331 - IF SWALLOWED P303+P361+P353 - IF ON SKIN (or h clothing. Rinse skin with water/showe P304+P340 - IF INHALED: Remove p P305+P351+P338 - If in eyes: Rinse o lenses, if present and easy to do. Cor P310 - Immediately call a POISON CI P363 - Wash contaminated clothing b P405 - Store locked up P501 - Dispose of contents/container 	v after handling rotection, protective P: Rinse mouth. Do N air): Remove/Take or reerson to fresh air ar cautiously with water tinue rinsing ENTER/doctor/ efore reuse	IOT induce vomiting off immediately all contaminated nd keep comfortable for breathing r for several minutes. Remove contact
2.3. Other hazards			
Other hazards not contributing to the classification	: None.		
2.4. Unknown acute toxicity (GHS US)			
No data available			
SECTION 3: Composition/informatic	on on ingredients		
3.1. Substances			
Not applicable			
Full text of H-phrases: see section 16			
3.2. Mixture			
Name	Product identifier	%	GHS-US classification
Water	(CAS No) 7732-18-5	96.41	Not classified

Hydrochloric Acid, 1.0N (1.0M)

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
Hydrochloric Acid, 37% w/w	(CAS №) 7647-01-0	3.59	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	 Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advic (show the label where possible).
First-aid measures after inhalation	 Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
First-aid measures after skin contact	 Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.
First-aid measures after eye contact	 Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.
4.2. Most important symptoms and e	fects, both acute and delayed
Symptoms/injuries	: Causes severe skin burns and eye damage.
Symptoms/injuries after inhalation	: Possible inflammation of the respiratory tract.
Symptoms/injuries after skin contact	: Caustic burns/corrosion of the skin.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: Nausea. Vomiting.
	5
Chronic symptoms	: Affection/discolouration of the teeth.
4.3. Indication of any immediate med	ical attention and special treatment needed
Obtain medical assistance.	
SECTION 5: Firefighting measure	3
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the	
Fire hazard	: Not flammable.
Explosion hazard	: Not applicable.
Reactivity	: Thermal decomposition generates : Corrosive vapours.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: Not applicable.
SECTION 6: Accidental release m	22511765
	equipment and emergency procedures
General measures	: Try to stop release. Dike and contain spill.
General measures	. Try to stop release. Dike and contain spill.
6.1.1. For non-emergency personnel	
Protective equipment	: Gloves. Safety glasses. Protective clothing. Face-shield.
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. N	otify authorities if liquid enters sewers or public waters.
6.3. Methods and material for contain	ment and cleaning up
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collec spillage. Store aways from other materials.
6.4. Reference to other sections	
See Heading & Exposure controls and perso	

See Heading 8. Exposure controls and personal protection.

	ionady, March 20, 2012 / Naico and Negulationo	
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not breathe mist, vapours, spray.	
Hygiene measures	: Wash exposed skin thoroughly after handling. Wash contaminated clothing before reuse.	
7.2. Conditions for safe storage, in	ncluding any incompatibilities	
Technical measures	: Comply with applicable regulations.	
Storage conditions	 Keep only in the original container in a cool, well ventilated place away from : incompatible materials. Keep container closed when not in use. 	
Incompatible products	: metals. cyanides. Strong bases.	
Incompatible materials	: Direct sunlight.	
Packaging materials	: Do not store in corrodable metal.	
7.3. Specific end use(s)		
No additional information available		
SECTION 8: Exposure controls	personal protection	
8.1. Control parameters		
8.2. Exposure controls		
Appropriate engineering controls	: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.	
Personal protective equipment	: Avoid all unnecessary exposure.	
Hand protection	: Wear protective gloves.	
Eye protection	: Chemical goggles or face shield.	
Skin and body protection	: Wear suitable protective clothing.	
Respiratory protection	: Wear appropriate mask.	
Other information	: Do not eat, drink or smoke during use.	
SECTION 9: Physical and chemical properties		
9.1. Information on basic physical	9.1. Information on basic physical and chemical properties	

9.1. Information on basic physical and	d chemical properties
Physical state	: Liquid
Molecular mass	: 36.46 g/mol
Colour	: Colourless.
Odour	: Odourless.
Odour threshold	: No data available
рН	: 0
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Self ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1-1.1
Solubility	: Soluble in water. Soluble in ethanol. Soluble in methanol.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Not applicable.
Oxidising properties	: None.
Explosive limits	: No data available

9.2.	Other information
No addit	ional information available
SECTI	ON 10: Stability and reactivity
10.1.	Reactivity
Thermal	decomposition generates : Corrosive vapours.
10.2.	Chemical stability
Stable u	nder normal conditions. Not established.
10.3.	Possibility of hazardous reactions
Reacts v	iolently with (some) bases: release of heat.
10.4.	Conditions to avoid
Direct su	nlight. Extremely high or low temperatures.
10.5.	Incompatible materials
metals.	zyanides. Strong bases.
10.6.	Hazardous decomposition products
Hydroge	n chloride. Thermal decomposition generates : Corrosive vapours.

SECT	FION 11: Toxicological information	
11.1	Information on toxicological offects	

Information on toxicological effects 11.1.

Acute toxicity

: Not classified

Hydrochloric Acid, 37% w/w (7647-01-0)		
LD50 oral rat	700 mg/kg	
LD50 dermal rabbit	5010 mg/kg	
Water (7732-18-5)		
LD50 oral rat	≥ 90000 mg/kg	
Skin corrosion/irritation	Causes severe skin burns and eye damage. pH: 0	
Serious eye damage/irritation	: Causes serious eye damage. pH: 0	
Respiratory or skin sensitisation	Not classified	
Germ cell mutagenicity	Not classifiedBased on available data, the classification criteria are not met	
Carcinogenicity	Not classified	

Hydrochloric Acid, 37% w/w (7647-01-0)	
IARC group	3
Reproductive toxicity	: Not classifiedBased on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classifiedBased on available data, the classification criteria are not met
Aspiration hazard	: Not classifiedBased on available data, the classification criteria are not met
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: Possible inflammation of the respiratory tract.
Symptoms/injuries after skin contact	: Caustic burns/corrosion of the skin.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: Nausea. Vomiting.
Chronic symptoms	: Affection/discolouration of the teeth.

SECTION 12: Ecological information

12.1. Toxicity

Hydrochloric Acid, 37% w/w (7647-01-0)	
LC50 fishes 1	282 mg/l (96 h; Gambusia affinis; PURE SUBSTANCE)
EC50 Daphnia 1	< 56 mg/l (72 h; Daphnia magna; PURE SUBSTANCE)
LC50 fish 2	862 mg/l (Leuciscus idus; PURE SUBSTANCE)
TLM fish 1	282 ppm (96 h; Gambusia affinis; PURE SUBSTANCE)

12.2. Persistence and degradability	
Hydrochloric Acid, 1.0N (1.0M)	
Persistence and degradability	Not established.
Hydrochloric Acid, 37% w/w (7647-01-0)	
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the components of the mixture available.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oyxgen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
12.3. Bioaccumulative potential	
Hydrochloric Acid, 1.0N (1.0M)	
Bioaccumulative potential	Not established.
Hydrochloric Acid, 37% w/w (7647-01-0)	
Log Pow	0.25 (QSAR)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
12.4. Mobility in soil	
12.4. Mobility in Soli	
Hydrochloric Acid, 37% w/w (7647-01-0)	
Ecology - soil	May be harmful to plant growth, blooming and fruit formation.
12.5. Other adverse effects	
Other information	: Avoid release to the environment.
SECTION 13: Disposal consideratio	ns
13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
In accordance with ADR / RID / ADNR / IMDG /	
14.1. UN number	
UN-No.(DOT)	: 1789
DOT NA no.	UN1789
14.2. UN proper shipping name	
DOT Proper Shipping Name	: Hydrochloric acid
Department of Transportation (DOT) Hazard Classes	: 8 - Class 8 - Corrosive material 49 CFR 173.136
Hazard labels (DOT)	: 8 - Corrosive substances
	8
Packing group (DOT)	: II - Medium Danger

Packing group (DOT)

	 A3 - For combination packagings, if glass inner packagings (including ampoules) are used, they must be packed with absorbent material in tightly closed metal receptacles before packing in outer packagings. A6 - For combination packagings, if plastic inner packagings are used, they must be packed in tightly closed metal receptacles before packing in outer packagings. B3 - MC 300, MC 301, MC 302, MC 303, MC 305, and MC 306 and DOT 406 cargo tanks and DOT 57 portable tanks are not authorized. B15 - Packagings must be protected with non-metallic linings impervious to the lading or have a suitable corrosion allowance. IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. N41 - Metal construction materials are not authorized for any part of a packaging which is normally in contact with the hazardous material. T8 - 4 178.274(d)(2) Normal Prohibited TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (ff) and the maximum mean bulk temperature during transport, if and the maximum mean bulk temperation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively. TP12 - This material is considered highly corrosive to steel. 154
	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
14.3. Additional information	
	: No supplementary information available.
Overland transport No additional information available Transport by sea DOT Vessel Stowage Location Air transport DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	
SECTION 15: Regulatory information	
15.1. US Federal regulations	
Hydrochloric Acid, 1.0N (1.0M)	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
Hydrochloric Acid, 37% w/w (7647-01-0)	
Listed on the United States TSCA (Toxic Substa	
RQ (Reportable quantity, section 304 of EPA's List of Lists) :	5000 lb
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
15.2. International regulations	
CANADA	

Hydrochloric Acid, 1.0N (1.0M)		
WHMIS Classification	Class E - Corrosive Material	
Hydrochloric Acid, 37% w/w (7647-01-0)		
Listed on the Canadian DSL (Domestic Sustances List) inventory.		
WHMIS Classification	Class E - Corrosive Material	

EU-Regulations

No additional information available

Hydrochloric Acid, 1.0N (1.0M)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

15.2.2. National regulations

Hydrochloric Acid, 37% w/w (7647-01-0)

Listed on the Canadian Ingredient Disclosure List

15.3. US State regulations

Hydrochloric Acid, 37% w/w (7647-01-0)

U.S. - Pennsylvania - RTK (Right to Know) List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Massachusetts - Right To Know List

SECTION 16: Other information

Indication of changes	
Other information	

: Revision - See : *. : None.

Full text of H-phrases: see section 16:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 0 - Materials that will not burn.
NFPA reactivity	: 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.
HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	: 0 Minimal Hazard
Physical	: 1 Slight Hazard
Personal Protection	: C

SDS US (GHS HazCom 2012)

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and LabChem Inc assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his application.