

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Potassium Chromate, 0.063%

Product code : LC18840

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : For laboratory and manufacturing use only.

1.3. Details of the supplier of the safety data sheet

LabChem Inc

Jackson's Pointe Commerce Park Building 1000, 1010 Jackson's Pointe Court

Zelienople, PA 16063 - USA T 412-826-5230 - F 724-473-0647 info@labchem.com - www.labchem.com

1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300 or 011-703-527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Aquatic Acute 3 H402 Aquatic Chronic 3 H412

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labeling

Hazard statements (GHS-US) : H412 - Harmful to aquatic life with long lasting effects

Precautionary statements (GHS-US) : P273 - Avoid release to the environment

P501 - Dispose of contents/container to comply with local, state and federal regulations

2.3. Other hazards

Other hazards not contributing to the

: None under normal conditions.

classification

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

| Name | Product identifier | % | Classification (GHS-US) |
|-------------------------|--------------------|-------|--|
| Water | (CAS No) 7732-18-5 | 99.94 | Not classified |
| Potassium Chromate, ACS | (CAS No) 7789-00-6 | 0.06 | Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Muta. 1B, H340 Carc. 1B, H350 STOT SE 3, H335 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

04/22/2015 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: Allow victim to breathe fresh air. Allow the victim to rest. First-aid measures after inhalation

First-aid measures after skin contact Remove affected clothing and wash all exposed skin area with mild soap and water, followed

by warm water rinse.

First-aid measures after eye contact Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persist.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use.

Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand

Unsuitable extinguishing media : Do not use a heavy water stream.

Special hazards arising from the substance or mixture

No additional information available

Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures 6.1.

6.1.1. For non-emergency personnel

Protective equipment : Safety glasses. Gloves.

Emergency procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures Ventilate area.

Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect Methods for cleaning up

spillage. Store away from other materials.

Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

Precautions for safe handling

Precautions for safe handling Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation

of vapor.

Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use.

Incompatible products Strong oxidizers.

Incompatible materials : Sources of ignition. Direct sunlight.

Specific end use(s)

No additional information available

04/22/2015 EN (English US) 2/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Potassium Chromate, 0.063% | | |
|-------------------------------------|-------------------------------------|------------------|
| ACGIH | Not applicable | |
| OSHA | Not applicable | |
| Potassium Chromate, ACS (7789-00-6) | | |
| Potassium Chromate, ACS (| 7789-00-6) | |
| Potassium Chromate, ACS (ACGIH | 7789-00-6) ACGIH TWA (mg/m³) | 0.05 mg/m³ as Cr |

| Water (7732-18-5) | |
|-------------------|----------------|
| ACGIH | Not applicable |
| OSHA | Not applicable |

8.2. Exposure controls

Appropriate engineering controls : Emergency eye wash fountains and safety showers should be available in the immediate

vicinity of any potential exposure. Ensure adequate ventilation.

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses.

Respiratory protection : Wear appropriate mask.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Color : Yellow
Odor : None.

Odor threshold No data available No data available рΗ Melting point No data available Freezing point No data available Boiling point No data available No data available Flash point Relative evaporation rate (butyl acetate=1) No data available Flammability (solid, gas) : No data available : No data available **Explosion limits** Explosive properties No data available Oxidizing properties No data available No data available Vapor pressure Relative density No data available Relative vapor density at 20 °C No data available

Specific gravity / density : 1 g/ml

Soluble in water. Solubility Log Pow : No data available No data available Log Kow Auto-ignition temperature : No data available Decomposition temperature No data available No data available Viscosity Viscosity, kinematic : No data available Viscosity, dynamic : No data available

04/22/2015 EN (English US) 3/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong oxidizers.

10.6. Hazardous decomposition products

Contains hexavalent chromium.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Likely routes of exposure : Skin and eye contact

Acute toxicity : Not classified

| Water (7732-18-5) | |
|--|-----------------------------|
| LD50 oral rat ≥ 90000 mg/kg | |
| ATE US (oral) | 90000.000 mg/kg body weight |
| Ekin correction furtification . Net eleccified | |

 Skin corrosion/irritation
 : Not classified

 Serious eye damage/irritation
 : Not classified

 Respiratory or skin sensitization
 : Not classified

 Germ cell mutagenicity
 : Not classified

 Carcinogenicity
 : Not classified

Potassium Chromate, ACS (7789-00-6)

In OSHA Specifically Regulated Carcinogen list Yes

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

| Potassium Chromate, ACS (7789-00-6) | |
|-------------------------------------|-----------------------------------|
| LC50 fish 1 | 40 mg/l 96 h, Pimephales promelas |
| EC50 Daphnia 1 | 0.015 mg/l 48 h |

2.2. Persistence and degradability

| 12. | 2.2. I disistino and degradasinty | | |
|---|-----------------------------------|--|--|
| P | Potassium Chromate, 0.063% | | |
| Persistence and degradability May cause long-term adverse effects in the environment. | | | |

04/22/2015 EN (English US) 4/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Potassium Chromate, ACS (7789-00-6) | |
|-------------------------------------|------------------|
| Persistence and degradability | Not established. |
| Water (7732-18-5) | |
| Persistence and degradability | Not established. |

12.3. Bioaccumulative potential

| Potassium Chromate, 0.063% | |
|-------------------------------------|------------------|
| Bioaccumulative potential | Not established. |
| Potassium Chromate, ACS (7789-00-6) | |
| Bioaccumulative potential | Not established. |
| Water (7732-18-5) | |
| Bioaccumulative potential | Not established. |

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to comply with local, state and federal regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT
Not regulated for transport
Additional information

Other information : No supplementary information available.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

| Potassium Chromate, 0.063% | | |
|----------------------------|-------------------------------------|---------------------------------|
| | SARA Section 311/312 Hazard Classes | Delayed (chronic) health hazard |

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

| Folassium Chiomate, ACS | CAS No 7789-00-6 | 0.06 |
|-------------------------|------------------|------|
|-------------------------|------------------|------|

04/22/2015 EN (English US) 5/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Potassium Chromate, ACS (7789-00-6) | |
|--|---|
| Listed on United States SARA Section 313 | |
| RQ (Reportable quantity, section 304 of EPA's List of Lists) | 10 lb |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard Delayed (chronic) health hazard Reactive hazard |

15.2. International regulations

CANADA

| Potassium Chromate, ACS (7789-00-6) | | |
|---|---|--|
| Listed on the Canadian DSL (Domestic Subs | Listed on the Canadian DSL (Domestic Substances List) | |
| Water (7732-18-5) | | |
| Listed on the Canadian DSL (Domestic Substances List) | | |
| WHMIS Classification | Uncontrolled product according to WHMIS classification criteria | |

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

No additional information available

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

National regulations

Not listed on the Canadian IDL (Ingredient Disclosure List)

15.3. US State regulations

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity

SECTION 16: Other information

Other information : None.

04/22/2015 EN (English US) 6/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases: see section 16:

| Aquatic Acute 1 Aquatic Acute 3 Aquatic Acute 3 Aquatic Acute 3 Hazardous to the aquatic environment - Acute Hazard Category 3 Aquatic Chronic 1 Aquatic Chronic 3 Hazardous to the aquatic environment - Chronic Hazard Category 1 Aquatic Chronic 3 Hazardous to the aquatic environment - Chronic Hazard Category 3 Carc. 1B Carcinogenicity Category 1B Eye Irrit. 2A Serious eye damage/eye irritation Category 2A Muta. 1B Serious eye damage/eye irritation Category 2A Skin Irrit. 2 Skin corrosion/irritation Category 1 Sixin Sens. 1 Skin sens. 1 Skin sensitization Category 1 STOT RE 2 Specific target organ toxicity (repeated exposure) Category 2 STOT SE 3 Specific target organ toxicity (single exposure) Category 3 H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H335 May cause respiratory irritation H340 May cause genetic defects H330 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life H402 H410 Very toxic to aquatic life with long lasting effects H411 | to it privates according to | |
|--|-----------------------------|--|
| Aquatic Chronic 1 Aquatic Chronic 3 Hazardous to the aquatic environment - Chronic Hazard Category 1 Aquatic Chronic 3 Carc. 1B Carcinogenicity Category 1B Eye Irrit. 2A Serious eye damage/eye irritation Category 2A Muta. 1B Germ cell mutagenicity Category 1B Skin Irrit. 2 Skin corrosion/irritation Category 2 Skin Sens. 1 Skin sensitization Category 2 Skin sens. 1 Specific target organ toxicity (repeated exposure) Category 2 STOT RE 2 Specific target organ toxicity (single exposure) Category 3 H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H335 May cause respiratory irritation H340 May cause genetic defects H350 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life H402 Harmful to aquatic life with long lasting effects | Aquatic Acute 1 | Hazardous to the aquatic environment - Acute Hazard Category 1 |
| Aquatic Chronic 3 Carc. 1B Carcinogenicity Category 1B Eye Irrit. 2A Serious eye damage/eye irritation Category 2A Muta. 1B Skin Irrit. 2 Skin corrosion/irritation Category 1B Skin Sens. 1 Skin sens. 1 STOT RE 2 STOT SE 3 Specific target organ toxicity (single exposure) Category 3 H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H335 May cause respiratory irritation H340 May cause genetic defects H350 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life H402 H410 Very toxic to aquatic life with long lasting effects | Aquatic Acute 3 | , |
| Carc. 1B Eye Irrit. 2A Serious eye damage/eye irritation Category 2A Muta. 1B Germ cell mutagenicity Category 1B Skin Irrit. 2 Skin corrosion/irritation Category 2 Skin Sens. 1 Skin sensitization Category 2 Skin Sens. 1 Specific target organ toxicity (repeated exposure) Category 2 STOT RE 2 Specific target organ toxicity (repeated exposure) Category 2 STOT SE 3 Specific target organ toxicity (single exposure) Category 3 STOT SE 3 Specific target organ toxicity (single exposure) Category 3 Causes skin irritation H317 May cause an allergic skin reaction Causes serious eye irritation H335 May cause respiratory irritation H340 May cause genetic defects H350 May cause cancer H373 May cause damage to organs through prolonged or repeated exposure EH400 Very toxic to aquatic life H402 Harmful to aquatic life H410 Very toxic to aquatic life with long lasting effects | Aquatic Chronic 1 | |
| Eye Irrit. 2A Serious eye damage/eye irritation Category 2A Muta. 1B Skin Irrit. 2 Skin corrosion/irritation Category 1 Skin Sens. 1 Skin sensitization Category 1 STOT RE 2 Specific target organ toxicity (repeated exposure) Category 2 STOT SE 3 Specific target organ toxicity (single exposure) Category 3 H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H335 May cause respiratory irritation H340 May cause genetic defects H350 May cause damage to organs through prolonged or repeated exposure H373 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life H402 Harmful to aquatic life with long lasting effects | Aquatic Chronic 3 | Hazardous to the aquatic environment - Chronic Hazard Category 3 |
| Muta. 1B Skin Irrit. 2 Skin corrosion/irritation Category 2 Skin Sens. 1 STOT RE 2 Specific target organ toxicity (repeated exposure) Category 2 STOT SE 3 H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H335 May cause respiratory irritation H340 May cause genetic defects H350 May cause cancer H373 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life H402 Harmful to aquatic life with long lasting effects | Carc. 1B | Carcinogenicity Category 1B |
| Skin Irrit. 2 Skin corrosion/irritation Category 2 Skin Sens. 1 Stor RE 2 Specific target organ toxicity (repeated exposure) Category 2 Stor SE 3 Specific target organ toxicity (single exposure) Category 3 H315 Causes skin irritation H317 May cause an allergic skin reaction Causes serious eye irritation H335 May cause respiratory irritation H340 May cause genetic defects H350 May cause cancer H373 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life H402 Harmful to aquatic life H410 Very toxic to aquatic life with long lasting effects | Eye Irrit. 2A | Serious eye damage/eye irritation Category 2A |
| Skin Sens. 1 Skin sensitization Category 1 STOT RE 2 Specific target organ toxicity (repeated exposure) Category 2 STOT SE 3 Specific target organ toxicity (single exposure) Category 3 H315 Causes skin irritation H317 May cause an allergic skin reaction Causes serious eye irritation H339 Causes serious eye irritation H340 May cause respiratory irritation H340 May cause genetic defects H350 May cause cancer H373 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life H402 Harmful to aquatic life H410 Very toxic to aquatic life with long lasting effects | Muta. 1B | Germ cell mutagenicity Category 1B |
| STOT RE 2 Specific target organ toxicity (repeated exposure) Category 2 STOT SE 3 Specific target organ toxicity (single exposure) Category 3 H315 Causes skin irritation H317 May cause an allergic skin reaction Causes serious eye irritation H335 May cause respiratory irritation H340 May cause genetic defects H350 May cause cancer H373 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life H402 Harmful to aquatic life H410 Very toxic to aquatic life with long lasting effects | Skin Irrit. 2 | Skin corrosion/irritation Category 2 |
| STOT SE 3 Specific target organ toxicity (single exposure) Category 3 H315 Causes skin irritation H317 May cause an allergic skin reaction Causes serious eye irritation H339 Causes serious eye irritation H340 May cause respiratory irritation H350 May cause genetic defects H373 May cause cancer H373 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life H402 Harmful to aquatic life H410 Very toxic to aquatic life with long lasting effects | Skin Sens. 1 | Skin sensitization Category 1 |
| H315 Causes skin irritation H317 May cause an allergic skin reaction Causes serious eye irritation H319 Causes serious eye irritation H335 May cause respiratory irritation H340 May cause genetic defects H350 May cause cancer H373 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life H402 Harmful to aquatic life H410 Very toxic to aquatic life with long lasting effects | STOT RE 2 | Specific target organ toxicity (repeated exposure) Category 2 |
| H317 May cause an allergic skin reaction Causes serious eye irritation H335 May cause respiratory irritation H340 May cause genetic defects H350 May cause cancer H373 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life H402 Harmful to aquatic life H410 Very toxic to aquatic life with long lasting effects | STOT SE 3 | Specific target organ toxicity (single exposure) Category 3 |
| H319 Causes serious eye irritation H335 May cause respiratory irritation H340 May cause genetic defects H350 May cause cancer H373 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life H402 Harmful to aquatic life H410 Very toxic to aquatic life with long lasting effects | H315 | Causes skin irritation |
| H335 May cause respiratory irritation H340 May cause genetic defects H350 May cause cancer H373 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life H402 Harmful to aquatic life H410 Very toxic to aquatic life with long lasting effects | H317 | May cause an allergic skin reaction |
| H340 May cause genetic defects H350 May cause cancer H373 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life H402 Harmful to aquatic life H410 Very toxic to aquatic life with long lasting effects | H319 | Causes serious eye irritation |
| H350 May cause cancer H373 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life H402 Harmful to aquatic life H410 Very toxic to aquatic life with long lasting effects | H335 | May cause respiratory irritation |
| H373 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life H402 Harmful to aquatic life H410 Very toxic to aquatic life with long lasting effects | H340 | May cause genetic defects |
| exposure H400 Very toxic to aquatic life H402 Harmful to aquatic life H410 Very toxic to aquatic life with long lasting effects | H350 | May cause cancer |
| H400 Very toxic to aquatic life H402 Harmful to aquatic life H410 Very toxic to aquatic life with long lasting effects | H373 | May cause damage to organs through prolonged or repeated |
| H402 Harmful to aquatic life H410 Very toxic to aquatic life with long lasting effects | | exposure |
| H410 Very toxic to aquatic life with long lasting effects | H400 | , |
| ., | H402 | Harmful to aquatic life |
| H412 Harmful to aquatic life with long lasting effects | H410 | Very toxic to aquatic life with long lasting effects |
| | H412 | Harmful to aquatic life with long lasting effects |


NFPA health hazard : 1 - Exposure could cause irritation but only minor residual

injury even if no treatment is given.

NFPA fire hazard : 0 - Materials that will not burn.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



HMIS III Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

* - Chronic (long-term) health effects may result from repeated overexposure

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal Protection : 0

C - Safety glasses, Gloves, Synthetic apron

SDS US (GHS HazCom 2012)

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and LabChem Inc assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his application.

04/22/2015 EN (English US) 7/7