

Potassium lodide, 10% w/v

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 12/20/2013 Version: 1.0

SECTION 1: Identification of the subs	tance/mixture and of the com	pany/undertakir	ng
1.1. Product identifier			
Product form	: Mixture		
Product name	: Potassium Iodide, 10% w/v		
Product code	: LC19760		
1.2. Relevant identified uses of the substa	ance or mixture and uses advised ag	ainst	
Use of the substance/mixture	: For laboratory and manufacturing us	e only.	
1.3. Details of the supplier of the safety d	ata sheet		
LabChem Inc Jackson's Pointe Commerce Park Building 1000, Zelienople, PA 16063 - USA T 412-826-5230 - F 724-473-0647 info@labchem.com - www.labchem.com	1010 Jackson's Pointe Court		
1.4. Emergency telephone number			
Emergency number	: CHEMTREC: 1-800-424-9300 or 01	-703-527-3887	
SECTION 2: Hazards identification			
2.1. Classification of the substance or mit	xture		
GHS-US classification			
Eye Irrit. 2B H320			
2.2. Label elements			
GHS-US labelling			
Signal word (GHS-US)	: Warning		
Hazard statements (GHS-US)	: H320 - Causes eye irritation		
Precautionary statements (GHS-US)	 P264 - Wash exposed skin thorough P305+P351+P338 - If in eyes: Rinse lenses, if present and easy to do. Co P337+P313 - If eye irritation persists 	cautiously with water ntinue rinsing	for several minutes. Remove contact attention
2.3. Other hazards			
Other hazards not contributing to the classification	: None.		
2.4. Unknown acute toxicity (GHS-US)			
No data available			
SECTION 3: Composition/information	on ingredients		
3.1. Substance			
Not applicable			
Full text of H-phrases: see section 16			
3.2. Mixture			
Name	Product identifier	%	GHS-US classification
Water	(CAS No) 7732-18-5	90	Not classified
Potassium lodide	(CAS No) 7681-11-0	10	Eye Irrit. 2B, H320
SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general	: Never give anything by mouth to an (show the label where possible).	unconscious person. I	f you feel unwell, seek medical advice
First-aid measures after inhalation	: Assure fresh air breathing. Allow the	victim to rest.	
First-aid measures after skin contact	: Remove affected clothing and wash warm water rinse.	all exposed skin area	with mild soap and water, followed by
40/00/0040			Dave 4

Potassium Iodide, 10% w/v Safety Data Sheet

58 / Monday, March 26, 2012 / Rules and Regulations a

according to Federal Register / Vol. //	, NO. 567 MOLIDAY, MAICH 20, 20127 Rules and Regu	lations
First-aid measures after eye con	tact : IF IN EYES: Rinse cautiou and easy to do. Continue	sly with water for several minutes. Remove contact lenses, if present insing.
First-aid measures after ingestio	n : Rinse mouth. Do NOT ind	uce vomiting. Obtain emergency medical attention.
4.2. Most important symp	otoms and effects, both acute and delayed	
Symptoms/injuries after eye cont	tact : Causes eye irritation.	
4.3. Indication of any imm	nediate medical attention and special treatmediate	nent needed
No additional information availab		
SECTION 5: Firefighting	measures	
5.1. Extinguishing media		
Suitable extinguishing media		n dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water	Silean.
5.2. Special hazards arisi No additional information availab	ng from the substance or mixture	
5.3. Advice for firefighter Firefighting instructions		cooling exposed containers. Exercise caution when fighting any
) fire-fighting water to enter environment.
Protection during firefighting	: Do not enter fire area with	out proper protective equipment, including respiratory protection.
SECTION 6: Accidental	elease measures	
6.1. Personal precautions	s, protective equipment and emergency pro	cedures
6.1.1. For non-emergency	personnel	
Protective equipment	: Safety glasses.	
Emergency procedures	: Evacuate unnecessary pe	rsonnel.
6.1.2. For emergency respo	onders	
Protective equipment	: Equip cleanup crew with p	roper protection.
Emergency procedures	: Ventilate area.	
6.2. Environmental preca	utions	
Prevent entry to sewers and pub	lic waters. Notify authorities if liquid enters sev	vers or public waters.
6.3. Methods and materia	I for containment and cleaning up	
Methods for cleaning up	: Soak up spills with inert so spillage. Store away from	lids, such as clay or diatomaceous earth as soon as possible. Collect other materials.
6.4. Reference to other se	ections	
See Heading 8. Exposure contro	Is and personal protection.	
SECTION 7: Handling an	d storage	
7.1. Precautions for safe	handling	
Precautions for safe handling		posed areas with mild soap and water before eating, drinking or work. Provide good ventilation in process area to prevent formation of
7.2. Conditions for safe s	torage, including any incompatibilities	
Storage conditions	: Light sensitive. Keep conta	
Incompatible products	: Strong oxidizers. Strong b	-
Incompatible products	: Sources of ignition. Direct	suningrit.
7.3. Specific end use(s) No additional information availab		
8.1. Control parameters	ontrols/personal protection	
Potassium Iodide (7681-11-0)		0.04 years labelable for s'
USA ACGIH	ACGIH TWA (ppm)	0.01 ppm Inhalable fraction

Potassium lodide, 10% w/v

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Exposure controls	
Appropriate engineering controls	: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Provide adequate general and local exhaust ventilation.
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Respiratory protection	: Wear appropriate mask.
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	I chemical properties
Physical state	: Liquid
Colour	: Colourless.
Odour	: None.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Self ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.07 g/ml
Solubility	: Soluble in water.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: 0.88 cSt
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. **Other information**

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
No additional information available
10.2. Chemical stability
Discolours on exposure to light.
10.3. Possibility of hazardous reactions
Not established.
10.4. Conditions to avoid
Direct sunlight. Extremely high or low temperatures.
10.5. Incompatible materials
Strong oxidizers. Strong acids. Strong bases.
10.6. Hazardous decomposition products
lodine vapour.

Potassium Iodide, 10% w/v

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological information

11.1. Information on toxicological effects

: Not classified

-	
Water (7732-18-5)	
LD50 oral rat	≥ 90000 mg/kg
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries after eye contact	: Causes eye irritation.

SECTION 12: Ecological information

Toxicity 12.1.

Potassium Iodide (7681-11-0)	
LC50 fishes 1	3200 mg/l 120 h
EC50 Daphnia 1	2.7 mg/l 24 h
2.2. Persistence and degradability	
Potassium Iodide, 10% w/v	
Persistence and degradability	Not established.
Potassium Iodide (7681-11-0)	
Persistence and degradability	Not established.
Water (7732-18-5)	
Persistence and degradability	Not established.
2.3. Bioaccumulative potential	
Potassium lodide, 10% w/v	
Bioaccumulative potential	Not established.
Potassium Iodide (7681-11-0)	
Bioaccumulative potential	Not established.
Water (7732-18-5)	
Bioaccumulative potential	Not established.
2.4. Mobility in soil	
No additional information available	
2.5. Other adverse effects	

Other information

: Avoid release to the environment.

SECTION 13: Disposal consideration	IS
13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

Potassium lodide, 10% w/v

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording to Federal Register / Vol. 77, No. 58 / Monda	y, March 26, 2012 / Rules and Regulations
SECTION 14: Transport informatior	1
In accordance with DOT	
No dangerous good in sense of transport regula	ations
Additional information	
Other information	: No supplementary information available.
ADR	
Transport document description	:
Transport by sea	
No additional information available	
Air transport	
No additional information available	
SECTION 15: Regulatory informatic	on
15.1. US Federal regulations	
Potassium Iodide (7681-11-0)	
Listed on the United States TSCA (Toxic Sub	stances Control Act) inventory
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard
Water (7732-18-5)	
Listed on the United States TSCA (Toxic Sub	stances Control Act) inventory
15.2 International regulations	
15.2. International regulations	
Potassium Iodide, 10% w/v WHMIS Classification	Class D Division 2 Cubdivision D. Tavia material equation attraction official
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Potassium Iodide (7681-11-0)	
Listed on the Canadian DSL (Domestic Susta	
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Water (7732-18-5)	
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC or 1999/45/EC Not classified

15.2.2. National regulations

Potassium Iodide (7681-11-0)

Listed on the Canadian Ingredient Disclosure List

15.3. US State regulations

No additional information available

Potassium Iodide, 10% w/v

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

Other information

: None.

Full text of H-phrases: see section 16:

Eye Irrit. 2B	Serious eye damage/eye irritation, Category 2B
H320	Causes eye irritation
NFPA health hazard	: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.
NFPA fire hazard	: 0 - Materials that will not burn.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
	· 1 Clight Hazard Irritation or minor reversible injung passible

Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	: 0 Minimal Hazard
Physical	: 0 Minimal Hazard
Personal Protection	: A

SDS US (GHS HazCom 2012)

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and LabChem Inc assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his application.