

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 04/24/2015 Version: 1.0

SECTION 1: Identification of the su	bstance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: Potassium Thiocyanate, 10% w/v
Product code	: LC22140
1.2. Relevant identified uses of the sub	ostance or mixture and uses advised against
Use of the substance/mixture	: For laboratory and manufacturing use only.
1.3. Details of the supplier of the safet	y data sheet
LabChem Inc Jackson's Pointe Commerce Park Building 100 Zelienople, PA 16063 - USA T 412-826-5230 - F 724-473-0647 info@labchem.com - www.labchem.com	0, 1010 Jackson's Pointe Court
1.4. Emergency telephone number	
Emergency number	: CHEMTREC: 1-800-424-9300 or 011-703-527-3887
SECTION 2: Hazards identification	
2.1. Classification of the substance or	mixture
Classification (GHS-US)	
Skin Irrit. 2 H315	
Eye Irrit. 2A H319	
Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	GHS07
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: H315 - Causes skin irritation
	H319 - Causes serious eye irritation
Precautionary statements (GHS-US)	 P264 - Wash exposed skin thoroughly after handling P280 - Wear protective gloves, eye protection P302+P352 - IF ON SKIN: Wash with plenty of soap and water P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362 - Take off contaminated clothing and wash before reuse
2.3. Other hazards	
Other hazards not contributing to the classification	: None under normal conditions.
2.4. Unknown acute toxicity (GHS US)	
Not applicable	
SECTION 3: Composition/informati	on on ingredients
3.1. Substance	
Not applicable	
3.2. Mixture	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	Classification (GHS-US)
Water	(CAS No) 7732-18-5	90	Not classified
Potassium Thiocyanate	(CAS No) 333-20-0	10	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Acute 3, H402
Full text of H-phrases: see section 16 SECTION 4: First aid measures			
4.1. Description of first aid measure	es		
First-aid measures general	: Never give anything by mou advice (show the label whe	•	n. If you feel unwell, seek medical
First-aid measures after inhalation	: Allow victim to breathe fresh	h air. Allow the victim to rest.	
First-aid measures after skin contact	1 7 1		d clothing before reuse. If skin irritation
	occurs: Get medical advice	alleniion.	

		do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	:	Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effect	s,	both acute and delayed
Symptoms/injuries after skin contact	:	Causes skin irritation.
Symptoms/injuries after eye contact	:	Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECT	ION 5: Firefighting measures		
5.1.	Extinguishing media		
Suitable extinguishing media		: Foam. Dry powder. Carbon dioxide. Water spray. Sand.	
Unsuita	ble extinguishing media	Do not use a heavy water stream.	
5.2.	Special hazards arising from the sub	stance or mixture	
No add	tional information available		
5.3.	Advice for firefighters		
Firefigh	ting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.	
Protecti	on during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.	
SECT	ION 6: Accidental release meas	ures	
6.1.	Personal precautions, protective equ	ipment and emergency procedures	
6.1.1.	For non-emergency personnel		
Protecti	ve equipment	: Safety glasses. Gloves.	
Emerge	ncy procedures	: Evacuate unnecessary personnel.	
6.1.2.	For emergency responders		
Protecti	ve equipment	: Equip cleanup crew with proper protection.	
Emerge	ncy procedures	: Ventilate area.	
6.2.	Environmental precautions		
Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.			
6.3.	Methods and material for containmer	nt and cleaning up	
Method	s for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
6.4.	Reference to other sections		
See He	ading 8. Exposure controls and personal p	protection.	

 SECTION 7: Handling and storage

 7.1.
 Precautions for safe handling

 Precautions for safe handling
 : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hygien	e measures	: Wash exposed skin thoroughly after handling.
7.2.	Conditions for safe storage, includ	ling any incompatibilities
Storag	e conditions	: Keep container closed when not in use.
Incomp	patible products	: Strong oxidizers. Strong bases. Strong acids.
Incomp	patible materials	: Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters			
Potassium Thiocyanate, 10%	Potassium Thiocyanate, 10% w/v		
ACGIH Not applicable			
OSHA Not applicable			
Potassium Thiocyanate (333	Potassium Thiocyanate (333-20-0)		
ACGIH	Not applicable		
OSHA	Not applicable		
Water (7732-18-5)			
ACGIH	Not applicable		
OSHA	Not applicable		

8.2. Exposure controls	
Appropriate engineering controls	: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation.
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Wear appropriate mask.
Other information	: Do not eat, drink or smoke during use.

Log Pow	: No data available
Solubility	: Soluble in water.
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Vapor pressure	: No data available
Oxidizing properties	: No data available
Explosive properties	: No data available
Explosion limits	: No data available
Flammability (solid, gas)	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flash point	: No data available
Boiling point	: No data available
Freezing point	: No data available
Melting point	: No data available
pH	: No data available
Odor threshold	: No data available
Odor	: None.
Color	: Colorless
Physical state	: Liquid
9.1. Information on basic physical and	d chemical properties
SECTION 9: Physical and chemica	al properties

Potassium Thiocyanate, 10% w/v Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules

77 No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday,	March 26, 2012 / Rules and Regulations
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability Unstable on exposure to air. Light sensitive.	
10.3. Possibility of hazardous reactions	
Not established.	
10.4. Conditions to avoid	
Direct sunlight. Extremely high or low temperatur	es.
10.5. Incompatible materials	
Strong oxidizers. Strong acids. Strong bases.	
10.6. Hazardous decomposition products	
	ounds. Carbon monoxide. Carbon dioxide.
Hydrogen cyanide. Nitrogen oxides. Sulfur comp	
SECTION 11: Toxicological informat	
SECTION 11: Toxicological information on toxicological effects	ion
SECTION 11: Toxicological informat	
SECTION 11: Toxicological information on toxicological effects Likely routes of exposure Acute toxicity	: Skin and eye contact
SECTION 11: Toxicological information on toxicological effects Likely routes of exposure Acute toxicity Potassium Thiocyanate (333-20-0)	: Skin and eye contact : Not classified
SECTION 11: Toxicological information 11.1. Information on toxicological effects Likely routes of exposure Acute toxicity Potassium Thiocyanate (333-20-0) LD50 oral rat	 Skin and eye contact Not classified
SECTION 11: Toxicological information on toxicological effects 11.1. Information on toxicological effects Likely routes of exposure Acute toxicity Potassium Thiocyanate (333-20-0) LD50 oral rat ATE US (oral)	: Skin and eye contact : Not classified
SECTION 11: Toxicological information on toxicological effects Likely routes of exposure Acute toxicity Potassium Thiocyanate (333-20-0) LD50 oral rat ATE US (oral) Water (7732-18-5)	 Skin and eye contact Not classified 854 mg/kg 854.000 mg/kg body weight
SECTION 11: Toxicological information 11.1. Information on toxicological effects Likely routes of exposure Acute toxicity Potassium Thiocyanate (333-20-0) LD50 oral rat ATE US (oral) Water (7732-18-5) LD50 oral rat	ion : Skin and eye contact : Not classified 854 mg/kg 854.000 mg/kg body weight ≥ 90000 mg/kg
SECTION 11: Toxicological information on toxicological effects Likely routes of exposure Acute toxicity Potassium Thiocyanate (333-20-0) LD50 oral rat ATE US (oral) Water (7732-18-5)	ion : Skin and eye contact : Not classified 854 mg/kg 854.000 mg/kg body weight ≥ 90000 mg/kg body weight
SECTION 11: Toxicological information 11.1. Information on toxicological effects Likely routes of exposure Acute toxicity Potassium Thiocyanate (333-20-0) LD50 oral rat ATE US (oral) Water (7732-18-5) LD50 oral rat ATE US (oral) Skin corrosion/irritation	ion : Skin and eye contact : Not classified 854 mg/kg 854.000 mg/kg body weight ≥ 90000 mg/kg
SECTION 11: Toxicological information 11.1. Information on toxicological effects Likely routes of exposure Acute toxicity Potassium Thiocyanate (333-20-0) LD50 oral rat ATE US (oral) Water (7732-18-5) LD50 oral rat ATE US (oral)	ion : Skin and eye contact : Not classified 854 mg/kg 854.000 mg/kg body weight ≥ 90000 mg/kg 90000.000 mg/kg body weight : Causes skin irritation.
SECTION 11: Toxicological information 11.1. Information on toxicological effects Likely routes of exposure Acute toxicity Potassium Thiocyanate (333-20-0) LD50 oral rat ATE US (oral) Water (7732-18-5) LD50 oral rat ATE US (oral) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization	ion : Skin and eye contact : Not classified 854 mg/kg 854.000 mg/kg body weight ✓ ≥ 90000 mg/kg 90000.000 mg/kg body weight : Causes skin irritation. : Causes serious eye irritation.
SECTION 11: Toxicological information 11.1. Information on toxicological effects Likely routes of exposure Acute toxicity Potassium Thiocyanate (333-20-0) LD50 oral rat ATE US (oral) Water (7732-18-5) LD50 oral rat ATE US (oral) Skin corrosion/irritation Serious eye damage/irritation	ion : Skin and eye contact : Not classified 854 mg/kg 854.000 mg/kg body weight 2 90000 mg/kg 90000.000 mg/kg body weight : Causes skin irritation. : Causes serious eye irritation. : Not classified
SECTION 11: Toxicological information 11.1. Information on toxicological effects Likely routes of exposure Acute toxicity Potassium Thiocyanate (333-20-0) LD50 oral rat ATE US (oral) Water (7732-18-5) LD50 oral rat ATE US (oral) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity	ion : Skin and eye contact : Not classified 854 mg/kg 854.000 mg/kg body weight ≥ 90000 mg/kg body weight : Causes skin irritation. : Causes serious eye irritation. : Not classified : Not classified : Not classified : Not classified
SECTION 11: Toxicological information 11.1 Information on toxicological effects Likely routes of exposure Acute toxicity Potassium Thiocyanate (333-20-0) LD50 oral rat ATE US (oral) Water (7732-18-5) LD50 oral rat ATE US (oral) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity	ion : Skin and eye contact : Not classified 854 mg/kg 854.000 mg/kg body weight 2 90000 mg/kg 90000.000 mg/kg body weight : Causes skin irritation. : Causes serious eye irritation. : Causes serious eye irritation. : Not classified
SECTION 11: Toxicological information 11.1. Information on toxicological effects Likely routes of exposure Acute toxicity Potassium Thiocyanate (333-20-0) LD50 oral rat ATE US (oral) Water (7732-18-5) LD50 oral rat ATE US (oral) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity	ion : Skin and eye contact : Not classified 854 mg/kg 854.000 mg/kg body weight ≥ 90000 mg/kg body weight : Causes skin irritation. : Causes serious eye irritation. : Not classified : Not classified : Not classified : Not classified
SECTION 11: Toxicological information 11.1 Information on toxicological effects Likely routes of exposure Acute toxicity Potassium Thiocyanate (333-20-0) LD50 oral rat ATE US (oral) Water (7732-18-5) LD50 oral rat ATE US (oral) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity	ion : Skin and eye contact : Not classified 854 mg/kg 854.000 mg/kg body weight 2 90000 mg/kg 90000.000 mg/kg body weight : Causes skin irritation. : Causes serious eye irritation. : Causes serious eye irritation. : Not classified
SECTION 11: Toxicological information in the second	ion : Skin and eye contact : Not classified 854 mg/kg 854.000 mg/kg body weight > 90000 mg/kg 90000.000 mg/kg body weight : Causes skin irritation. : Causes serious eye irritation. : Causes serious eye irritation. : Not classified : Not classified : Not classified : Not classified : No
SECTION 11: Toxicological information on toxicological effects 11.1 Information on toxicological effects Likely routes of exposure Acute toxicity Potassium Thiocyanate (333-20-0) LD50 oral rat ATE US (oral) Water (7732-18-5) LD50 oral rat ATE US (oral) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure)	ion : Skin and eye contact : Not classified 854 mg/kg 854.000 mg/kg body weight > 90000 mg/kg body weight 2 90000 mg/kg body weight Causes skin irritation. Causes serious eye irritation. Not classified
SECTION 11: Toxicological information in the second	ion : Skin and eye contact : Not classified 854 mg/kg 854.000 mg/kg body weight 2 90000 mg/kg body weight Causes skin irritation. : Causes serious eye irritation. : Causes serious eye irritation. : Not classified : Not
SECTION 11: Toxicological information 11.1 Information on toxicological effects Likely routes of exposure Acute toxicity Potassium Thiocyanate (333-20-0) LD50 oral rat ATE US (oral) Water (7732-18-5) LD50 oral rat ATE US (oral) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure) Aspiration hazard Potential Adverse human health effects and symptoms	ion Skin and eye contact Not classified Starting Starting Starting Starting Starting Starting Not classified Starting Start

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday, N	Arch 26, 2012 / Rules and Regulations
SECTION 12: Ecological information	
12.1. Toxicity	
Potassium Thiocyanate (333-20-0)	
LC50 fish 1	> 100 mg/l
EC50 Daphnia 1	11 mg/l
12.2. Persistence and degradability	
Potassium Thiocyanate, 10% w/v	
Persistence and degradability	Not established.
Potassium Thiocyanate (333-20-0)	
Persistence and degradability	Not established.
Water (7732-18-5)	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
Potassium Thiocyanate, 10% w/v	
Bioaccumulative potential	Not established.
Potassium Thiocyanate (333-20-0)	
Bioaccumulative potential	Not established.
Water (7732-18-5)	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Effect on the global warming	: No known ecological damage caused by this product.
Other information	: Avoid release to the environment.
SECTION 13: Disposal consideration	5
13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
Department of Transportation (DOT)	
In accordance with DOT	
Not regulated for transport	
Additional information	
	: No supplementary information available.
ADR	
No additional information available	
Transport by sea	
No additional information available	
Air transport	
No additional information available	
SECTION 15: Regulatory information	
15.1. US Federal regulations	
	uded from listing, on the United States Environmental Protection Agency Toxic

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Potassium Thiocyanate (333-20-0)	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
5.2. International regulations	
ANADA	
Potassium Thiocyanate, 10% w/v	
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Potassium Thiocyanate (333-20-0)	
Listed on the Canadian DSL (Domestic Substa	inces List)
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Water (7732-18-5)	
Listed on the Canadian DSL (Domestic Substa	inces List)
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria

Classification according to Regulation (EC) No. 1272/2008 [CLP] No additional information available

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD] Not classified

National regulations

Potassium Thiocyanate (333-20-0)		
Not listed on the Canadian IDL (Ingredient Disclosure List)		
Water (7732-18-5)		
Not listed on the Canadian IDL (Ingredient Disclosure List)		

15.3. US State regulations

SECTION 16: Other information

Other information

: None.


Full text of H-phrases: see section 16:


Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
H402	Harmful to aquatic life

NFPA health hazard

: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.

NFPA fire hazard NFPA reactivity : 0 - Materials that will not burn.: 0 - Normally stable, even under fire exposure conditions,





Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating	
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal Protection	: B B - Safety glasses, Gloves

SDS US (GHS HazCom 2012)

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and LabChem Inc assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his application.