

# SAFETY DATA SHEET

## Heptanes

Valid for all catalog numbers starting with 391 including  
391000REA

---

### 1. IDENTIFICATION OF SUBSTANCE / MIXTURE AND OF SUPPLIER

**Product Identifier:** High Purity Chemicals  
**Synonyms:** Heptanes solution  
**Other means of identification:** CAS No. 142-82-5  
EINECS No. 205-563-8

**Recommended use of the chemical and restrictions on use:**

**Supplier Details:**

**Pharmco Products, Inc.**  
1101 Isaac Shelby Drive, Shelbyville,  
KY 40065, USA.  
Tel: 502.232.7600  
Fax: 502.633.6100  
CCN17213

**Pharmco Products, Inc.**  
58 Vale Road, Brookfield,  
CT 06804, USA.  
Tel: 203.740.3471  
Fax: 203.740.3481  
CCN17213

**Emergency Contact:** CHEMTREC: 1.800.424.9300 (USA) / +1.703.527.3887 (International)

---

### 2. HAZARDS IDENTIFICATION

**OSHA Hazards:**


Flammable liquid, Irritant

**Target Organs:**


Central nervous system, Heart, Lungs

Product Information: 203.740.3471 Emergency Assistance (CHEMTREC): 1.800.424.9300 (USA)  
+1.703.527.3887 (INT)

**NFPA**



**GHS label elements, including precautionary statements**



**Signal Word:**  
DANGER!

**Hazard statement(s)**

H225	Highly flammable liquid and vapor.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H410	Very toxic to aquatic life with long lasting effects.

**Precautionary statement(s)**

P273	Avoid release to the environment.
P501	Dispose of contents and container to an approved waste disposal plant.
P331	Do NOT induce vomiting.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or a doctor/physician.
P102	Keep out of reach of children.
P280	Wear protective gloves and eye and face protection.

**GHS Classification(s)**

Aspiration hazard (Category 1)  
Chronic aquatic toxicity (Category 1)  
Flammable Liquids (Category 2)  
Skin irritation (Category 2)  
Specific target organ toxicity - single exposure (Category 3)

**Product Information: 203.740.3471 Emergency Assistance (CHEMTREC): 1.800.424.9300 (USA)  
+1.703.527.3887 (INT)**

**Other hazards which do not result in classification:**

**Potential Health Effects:**

Organ	Description
Eyes	Causes eye irritation.
Ingestion	May be harmful if swallowed.
Inhalation	May be harmful if inhaled. Causes respiratory tract irritation. Vapors may cause drowsiness and dizziness.
Skin	Harmful if absorbed through skin. Causes skin irritation.

### 3. COMPOSITION AND INFORMATION ON INGREDIENTS

**Chemical identity:** Heptanes  
**Common name / Synonym:** Heptanes solution (isomer mixture)  
**CAS number:** 142-82-5  
**EINECS number:** 205-563-8

% Weight	Material	CAS
25	n-Heptane	142-82-5

### 4. FIRST AID MEASURES

#### General advice

Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.  
Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### Skin

Wash skin with soap and copious amounts of water. Seek medical attention.

#### Inhalation

Remove person to fresh air. If signs/symptoms continue, get medical attention. Give oxygen or artificial respiration as needed.

#### Eyes

Thoroughly flush the eyes with large amounts of clean low-pressure water for at least 15 minutes, occasionally lifting the upper and lower eyelids. If irritation persists, seek medical attention.

#### Ingestion

DO NOT induce vomiting. If vomiting does occur, have victim lean forward to prevent aspiration. Rinse mouth with water. Seek medical attention. Never give anything by mouth to an unconscious individual.

**Product Information: 203.740.3471 Emergency Assistance (CHEMTREC): 1.800.424.9300 (USA)  
+1.703.527.3887 (INT)**

## **5. FIRE FIGHTING MEASURES**

### **Suitable (and unsuitable) extinguishing media:**

SMALL FIRE: Use dry chemicals, CO<sub>2</sub>, water spray or alcohol-resistant foam. LARGE FIRE: Use water spray, water fog or alcohol-resistant foam. Cool all affected containers with flooding quantities of water.

### **Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products):**

Carbon oxides expected to be the primary hazardous combustion product.

### **Special protective equipment and precautions for firefighters:**

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Keep unopened containers cool by spraying with water.

#### **Flammable Properties**

##### **Flash point**

-4 °C (25 °F) - closed cup

##### **Autoignition temperature**

223 °C (433 °F)

---

## **6. ACCIDENTAL RELEASE MEASURES**

### **Personal precautions, protective equipment and emergency procedures:**

Wear respiratory protection. Do not inhale vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations.

Vapors can accumulate in low areas.

### **Environmental precautions:**

Stop leak. Contain spill if possible and safe to do so. Prevent product from entering drains.

### **Methods and materials for containment and cleaning up:**

Contain spill, then collect with an electrically protected vacuum cleaner or by wet-brushing and put the material into a convenient waste disposal container. Keep container closed.

---

## **7. HANDLING AND STORAGE**

### **Precautions for safe handling:**

Do not get on skin or in eyes. Do not inhale vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the buildup of electrostatic charge.

### **Conditions for safe storage, including any incompatibilities:**

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Product Information: 203.740.3471 Emergency Assistance (CHEMTREC): 1.800.424.9300 (USA)  
 +1.703.527.3887 (INT)

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters, e.g., occupational exposure limit values or biological limit values:

### Occupational Exposure Limits

Component	Source	Type	Value	Note
n-Heptane	US (OSHA)	TWA	500 ppm, 2,000 mg/kg	29 CFR 1910.1000 Table Z-1 Limits for Air Contaminants

### Appropriate engineering controls:

General room or local exhaust ventilation is usually required to meet exposure limit(s). Electrical equipment should be grounded and conform to applicable electrical code.

### Individual protection measures, such as personal protective equipment:

#### Respiratory protection:

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Hand protection:

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### Eye protection:

Use chemical safety goggles and/or a full face shield where splashing is possible. Use equipment approved by appropriate government standards, such as NIOSH (US) or EN166 (EU) Maintain eye wash fountain and quick-drench facilities in work area.

#### Skin and body protection:

Wear impervious, flame retardant, antistatic protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

#### Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance ( <i>physical state, color, etc.</i> )	Liquid.
Freezing point	-91 °C (-132 °F)
Initial boiling point and boiling range	98 °C (209 °F)
Flash point	-4 °C (25 °F) - closed cup
Upper / Lower flammability or explosive limits	1.05% (V) / 6.7% (V)
Vapor pressure	53.3 hPa (40.0 mmHg) at 20 °C (68 °F)

Product Information: 203.740.3471 Emergency Assistance (CHEMTREC): 1.800.424.9300 (USA)  
+1.703.527.3887 (INT)

Vapor Density	3.4
Relative Density	0.693 g/cm <sup>3</sup> at 25 °C (77 °F)
Solubility(ies)	not soluble
Auto-ignition temperature	233 °C (433 °F)

## 10. STABILITY AND REACTIVITY

Chemical Stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	Vapors may form explosive mixture with air.
Conditions to avoid (e.g., static discharge, shock or vibration)	Heat, flames, and sparks. Extreme temperatures and direct sunlight.
Incompatible materials	Strong oxidizing agents, acids, chlorine, phosphorus
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions. - Carbon oxides

## 11. TOXICOLOGICAL INFORMATION

- Heptanes 64742-49-0

### Product Summary:

No data available for the mutagenic, teratogenic, or reproductive effects of the product.

### Acute Toxicity:

LC50 (Inhalation)	Rat	103,000 mg/m <sup>3</sup>	
LD50 (Oral)	Human	15,000 mg/kg	

### Irritation:

No data available

/

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

### Other Hazards

**Product Information: 203.740.3471 Emergency Assistance (CHEMTREC): 1.800.424.9300 (USA)  
+1.703.527.3887 (INT)**

Organ	Description
Eyes	Irritating to the eyes.
Ingestion	May be harmful if ingested.
Inhalation	May be harmful if inhaled. Irritating to the respiratory tract. Vapors may cause drowsiness and dizziness.
Skin	May be harmful if absorbed through skin. Irritating to the skin.

---

## 12. ECOLOGICAL INFORMATION

- Heptanes 64742-49-0

**Ecotoxicity (aquatic and terrestrial, where available):**

**Acute Fish Toxicity (N-HEPTANE)**

LC50 / 24 hours Goldfish - 4 mg/L

**Toxicity to Daphnia (N-HEPTANE)**

EC50 / 48 hours Water flea - 1.5 mg/L

**Persistence and degradability:**

No data available

**Bioaccumulative potential:**

No data available

---

## 13. DISPOSAL CONSIDERATIONS

**Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:**

Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved incinerator or disposed in RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. Refer to applicable regional, state and federal codes.

---

## 14. TRANSPORT INFORMATION

**Description of waste residues and information on their safe handling and methods of disposal:**

UN number	UN1206
UN proper shipping name	Heptanes
Transport hazard class(es)	3
Packing group (if applicable)	II

**Product Information: 203.740.3471 Emergency Assistance (CHEMTREC): 1.800.424.9300 (USA)  
+1.703.527.3887 (INT)**

**IMDG**

UN-Number: UN1206 Class: 3 Packing Group: II

EMS-No: F-E, S-D

Proper shipping name: HEPTANES

Marine pollutant: No

**IATA**

UN-Number: UN1206 Class: 3 Packing Group: II

Proper shipping name: Heptanes

---

## 15. REGULATORY INFORMATION

**Safety, health and environmental regulations specific for the product in question:**

**OSHA Hazards**

Flammable liquid, Irritant

All ingredients are on the following inventories or are exempted from listing

Country	Notification
Australia	AICS
Canada	DSL
China	IECS
European Union	EINECS
Japan	ENCS/ISHL
Korea	ECL
New Zealand	NZIoC
Philippines	PICCS
United States of America	TSCA

**SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components**

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**SARA 311/312 Hazards**

Acute Health Hazard

Fire Hazard

**CERCLA**

No chemicals in this material with known CAS numbers are subject to the reporting requirements of CERCLA

**Pennsylvania Right To Know Components**



**Product Information: 203.740.3471 Emergency Assistance (CHEMTREC): 1.800.424.9300 (USA)  
+1.703.527.3887 (INT)**

n-Heptane CAS-No. 142-82-5 Revision Date 1993-04-24

**New Jersey Right To Know Components**

Heptane CAS-No. 142-82-5 Revision Date 1993-04-24

**California Prop 65 Components**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

---

## **16. OTHER INFORMATION: INCLUDING INFORMATION ON PREPARATION AND REVISION OF THE SDS**

**Disclaimer**

PHARMCO-AAPER believes that the information on this SDS was obtained from reliable sources. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, PHARMCO-AAPER does not assume responsibility and expressly disclaims liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this SDS information may not be applicable. Information is correct to the best of our knowledge at the date of the SDS publication.