

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: Cadmium Standard, 100 ppm Cd

Product Number: 1695
Other Identifying Product Numbers: 1695-16

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company

Address: 448 West Fork Drive

Arlington, TX 76012 USA

Telephone: 888-467-4222

1.4. Emergency Telephone Number (24 hr)

CHEMTREC (USA) 800-424-9300 CHEMTREC (International) 1+ 703-527-3887

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture (in accordance with OSHA HCS 29 CFR 1910.1200)

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

	Hazard Hazard		
Hazard Class	Category	Statement	Precautionary Statements
Acute Toxicity - Inhalation	Category 4	H332	P261, P271, P304+P340, P312

2.2. GHS Label Elements

Pictograms:



Signal Word: Warning

Product Number: 1695 Page 1 of 11

Hazard Statements:

Hazard Number	Hazard Statement
H332	Harmful if inhaled.

Precautionary Statements:

Precautionary Number	Precautionary Statement
P261	Avoid breathing dust, fumes or mist.
P271	Use only outdoors or in a well-ventilated area.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312	Call a POISON CENTER or physician if you feel unwell.

2.3. WHMIS Classification

WHMIS classification is not included based on the recommended option (Option 4) found in the Canada Gazette Part II, Vol. 149, No.3, page 458

2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Water	H_2O	18.01 g/mol	7732-18-5	99.66%
Nitric Acid	$HNO_{\scriptscriptstyle 3}$	63.01 g/mol	7697-37-2	0.34%
Cadmium	Cd	112.41 g/mol	7440-43-9	0.01%

SECTION 4: First-Aid Measures

4.1. General First Aid Information

Eye Contact: May cause irritation, redness, pain, and tearing.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact: May cause irritation, redness and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a

period of time

Ingestion: Dilute immediately with water or milk. Induce vomiting. Call a physician.

Product Number: 1695 Page 2 of 11

4.2. Most Important Symptoms and Effects, Acute and Delayed

Mildly corrosive liquid. Contains a small amount of a known carcinogen. Avoid contact with skin, eyes, and clothing. If swallowed, dilute with water, induce vomiting and call a physician. Wash areas of contact with plenty of water. EYE CONTACT: May cause irritation, redness, pain, and tearing. SKIN CONTACT: May cause irritation, redness and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time. CHRONIC EFFECTS / CARCINOGENICITY: Chronic poisoning can lead to liver and kidney damage.

4.3. Medical Attention or Special Treatment Needed

Not expected to require special treatment.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Use water or water spray.

5.2. Specific Hazards Arising from the Substance or Mixture

Not considered to be a fire or explosion hazard.

5.3. Special Protective Equipment for Firefighters

Use protective clothing and breathing equipment appropriate for the surrounding fire.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear appropriate PPE for the size and nature of the spill. As a general rule, wear safety glasses and gloves.

6.2. Cleanup and Containment Methods and Materials

Do not flush to sewer. Absorb with suitable material. Containerize for disposal with a hazardous waste disposal facility. Dispose of in accordance with local regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage.

Product Number: 1695 Page 3 of 11



SECTION 8: Exposure Controls / Personal Protection

8.1. Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Cadmium (7440-43-9)	TWA	USA	0.1 mg/m³ TWA (fume, applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect) 0.2 mg/m³ TWA (dust, applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect) 5 µg/m³ TWA	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Cadmium (7440-43-9)	TLV-TWA	USA	0.01 mg/m³ TWA 0.002 mg/m³ TWA (respirable fraction)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	TLV-TWA	USA	0.01 mg/m³ TWA (as Cd) 0.002 mg/m³ TWA (respirable fraction, as Cd)	ACGIH - Threshold Limit Values - Time
Cadmium (7440-43-9)	PEL-Ceiling	USA	0.3 mg/m³ Ceiling (applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect, fume) 0.6 mg/m³ Ceiling (applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect, dust)	U.S OSHA - Final PELs - Ceiling Limits
Cadmium (7440-43-9)	PEL	USA	5 μg/m³ TWA (Do not eat, drink or chew tobacco or gum or apply cosmetics in regulated areas. Carcinogen - dust can cause lung and kidney disease. See 29 CFR 1910.1027) 2.5 μg/m³ Action Level	U.S OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	PEL	USA	5 μg/m³ TWA (Do not eat, drink or chew tobacco or gum or apply cosmetics in regulated areas. Carcinogen - dust can cause lung and kidney disease. See 29 CFR 1910.1027, as Cd) 2.5 μg/m³ Action Level (as Cd)	U.S OSHA - Specifically Regulated Chemicals with PELs
Nitric Acid (7697-37-2)	TWA	USA	2 ppm TWA 5 mg/m³ TWA	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)

Product Number: 1695 Page 4 of 11



Nitric Acid (7697-37-2)	TLV-STEL	USA	4 ppm STEL	ACGIH - Threshold Limit Values - Short
				Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TLV-TWA	USA	2 ppm TWA	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)

8.2. Exposure Controls

Engineering Controls: Use only outdoors or in a well-ventilated area. No specific controls are needed. Normal room ventilation is adequa

Respiratory Protection: Normal room ventilation is adequate.

Skin Protection: Chemical resistant gloves. **Eye Protection:** Safety glasses or goggles.

8.3. Personal Protective Equipment

Normal room ventilation is adequate. Chemical resistant gloves. Safety glasses or goggles.

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Appearance: Colorless liquid

Physical State: Liquid

Odor: Data not available.

Odor Threshold: Data not available.

pH: Data not available.

Melting/Freezing Point: 0.0°C

Initial Boiling Point /Range: 100°C - 100°C

Flash Point: Data not available.

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 1.02

Solubility: Miscible

Partition Coefficient (n-Octanol/Water): Data not available.

Auto-Ignition Temperature: Data not available.

Decomposition Temperature: Data not available.

Viscosity: Data not available.

ExplosiveProperties: Data not available. **Oxidizing Properties:** Data not available.

Product Number: 1695 Page 5 of 11

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Strong bases, strong reducing agents, metallic powders.

10.4. Hazardous Decomposition Products

Will not occur.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Not applicable.

Acute Toxicity - Dermal Exposure:

Not applicable.

Acute Toxicity - Inhalation Exposure:

Harmful if inhaled. Avoid breathing dust, fumes or mist. Use only outdoors or in a well-ventilated area. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or physician if you feel unwell.

Acute Toxicity - Other Information:

LDLo, Oral, Human: 430 mg/kg (Nitric Acid), 2330 mg/kg (Cadmium) details of toxic effects not reported other than lethal dose value.

Skin Corrosion and Irritation:

Not applicable.

Serious Eye Damage and Irritation:

Not applicable.

Respiratory Sensitization:

Not applicable.

Skin Sensitization:

Not applicable.

Germ Cell Mutagenicity:

Not applicable.

Carcinogenicity:

Not applicable.

Product Number: 1695 Page 6 of 11

Reproductive Toxicity:

Not applicable.

Specific Target Organ Toxicity from Single Exposure:

Not applicable.

Specific Target Organ Toxicity from Repeated Exposure:

Not applicable.

Aspiration Hazard:

Not applicable.

Additional Toxicology Information:

Data not available.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Not applicable.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

Product Number: 1695 Page 7 of 11

SECTION 14: Transportation Information

14.1. Transportation by Land - Department of Transportation (DOT, United States of America)

Not regulated according to DOT Regulations.

SECTION 15: Regulatory Information

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Cadmium (CAS # 7440-43-9): 5 μ g/m3 TWA (See 29 CFR 1910.1027); 2.5 μ g/m3 Action Level Cadmium (CAS # 7440-43-9): 5 μ g/m3 TWA (See 29 CFR 1910.1027, as Cd); 2.5 μ g/m3 Action Level (as Cd)

15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Nitric Acid (CAS # 7697-37-2): 1000 lb EPCRA RQ Nitric Acid (CAS # 7697-37-2): 1000 lb TPQ

15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Cadmium (CAS # 7440-43-9): 0.1 curie final RQ; 0.0037 TBq final RQ Cadmium (CAS # 7440-43-9): 1 curie final RQ; 0.037 TBq final RQ $\,$

Cadmium (CAS # 7440-43-9): 10 curie final RQ; 0.37 TBq final RQ

Cadmium (CAS # 7440-43-9): 10 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μ m); 4.54 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μ m)

Cadmium (CAS # 7440-43-9): 10 lb final RQ; 4.54 kg final RQ Cadmium (CAS # 7440-43-9): 100 curie final RQ; 3.7 TBq final RQ Cadmium (CAS # 7440-43-9): 1000 curie final RQ; 37 TBq final RQ Nitric Acid (CAS # 7697-37-2): 1000 lb final RQ; 454 kg final RQ

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Cadmium (CAS # 7440-43-9): 0.1 % de minimis concentration

Cadmium (CAS # 7440-43-9): 0.1 % de minimis concentration (listed under Chemical Category N084)

Nitric Acid (CAS # 7697-37-2): 1.0 % de minimis concentration

15.5. Massachusetts Right-to-Know Substance List

Cadmium (CAS # 7440-43-9): Carcinogen; Extraordinarily hazardous

Nitric Acid (CAS # 7697-37-2): Extraordinarily hazardous

Product Number: 1695 Page 8 of 11

15.6. Pennsylvania Right-to-Know Hazardous Substances

Cadmium (CAS # 7440-43-9): Environmental hazard

Cadmium (CAS # 7440-43-9): Environmental hazard (dust, fume, powder); Special hazardous substance (powder)

Cadmium (CAS # 7440-43-9): Present

Cadmium (CAS # 7440-43-9): Present (dust, fume, powder)

Cadmium (CAS # 7440-43-9): Present (powder)

Nitric Acid (CAS # 7697-37-2): Environmental hazard

Nitric Acid (CAS # 7697-37-2): Present

Water (CAS # 7732-18-5): Present

15.7. New Jersey Worker and Community Right-to-Know Components

Cadmium (CAS # 7440-43-9): carcinogen

Cadmium (CAS # 7440-43-9): carcinogen; flammable - third degree; teratogen

Cadmium (CAS # 7440-43-9): sn 0305

Cadmium (CAS # 7440-43-9): SN 0305 TPQ: 500 lb

Cadmium (CAS # 7440-43-9): sn 2199

Cadmium (CAS # 7440-43-9): SN 2199 TPQ: 500 lb (Category Code N078. Includes any unique chemical substance that contains the named metal as part of that chemical structure)

Nitric Acid (CAS # 7697-37-2): corrosive; reactive - second degree

Nitric Acid (CAS # 7697-37-2): sn 1356

Nitric Acid (CAS # 7697-37-2): SN 1356 TPQ: 500 lb

Nitric Acid (CAS # 7697-37-2): sn 3722

Nitric Acid (CAS # 7697-37-2): SN 3722 TPQ: 500 lb (water dissociable, Category Code N511)

15.8. California Proposition 65

Cadmium (CAS # 7440-43-9): 0.05 µg/day NSRL (inhalation)

Cadmium (CAS # 7440-43-9): carcinogen, initial date 10/1/87

Cadmium (CAS # 7440-43-9): developmental toxicity, initial date 5/1/97

Cadmium (CAS # 7440-43-9): male reproductive toxicity, initial date 5/1/97

15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Cadmium (CAS # 7440-43-9): Present

Nitric Acid (CAS # 7697-37-2): Present

Water (CAS # 7732-18-5): Present

15.10. United States of America Toxic Substances Control Act (TSCA) List

Cadmium (CAS # 7440-43-9): Present

Nitric Acid (CAS # 7697-37-2): Present

Water (CAS # 7732-18-5): Present

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS),

European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Not listed.

Product Number: 1695 Page 9 of 11

SECTION 16: Other Information

16.1. Full Text of Hazard Statements and Precautionary Statements

Harmful if inhaled.

Avoid breathing dust, fumes or mist. Use only outdoors or in a well-ventilated area.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or physician if you feel unwell.

16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.


Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Not Applicable.

16.3. National Fire Protection Association (NFPA) Rating

Health: 1
Flammability: 0
Reactivity: 0
Special Hazard:



Product Number: 1695 Page 10 of 11

16.4. Document Revision

Last Revision Date: 5/1/2015

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.

Product Number: 1695 Page 11 of 11