

## **SECTION 1: Identification**

#### 1.1. Product Identifier

Trade Name or Designation: Decolorized Pararosaniline Solution R

EP Reagent 1062201

Product Number: R2545500

Other Identifying Product Numbers: R2545500-500C

#### 1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

## 1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company

Address: 448 West Fork Drive

Arlington, TX 76012 USA

Telephone: 888-467-4222

## 1.4. Emergency Telephone Number (24 hr)

CHEMTREC (USA) 800-424-9300 CHEMTREC (International) 1+ 703-527-3887

## **SECTION 2: Hazard(s) Identification**

### 2.1. Classification of the Substance or Mixture (in accordance with OSHA HCS 29 CFR 1910.1200)

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

	Hazard		
Hazard Class	Category	Statement	Precautionary Statements
Respiratory Sensitizer	Category 1	H334	P261, P285, P304+P341, P342+P311, P501
Skin Sensitizer	Category 1	H317	P261, P272, P280, P302+P352, P332+P313,
			P321, P363, P501
Carcinogenicity	Category 1	H350	P201, P202, P280, P308+P313, P405, P501
Hazardous to the Aquatic Environment (Acute)	Category 3	H402	P273, P501

#### 2.2. GHS Label Elements

Pictograms:



Product Number: R2545500 Page 1 of 11

Signal Word: Danger

#### **Hazard Statements:**

Hazard Number	Hazard Statement
H317	May cause an allergic skin reaction.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H350	May cause cancer.
H402	Harmful to aquatic life.

## **Precautionary Statements:**

Precautionary Number	Precautionary Statement
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing dust, fumes or mist.
P272	Contaminated work clothing must not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection.
P285	In case of inadequate ventilation wear respiratory protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P304+P341	IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.
P308+P313	IF exposed or concerned: Get medical attention.
P321	Specific treatment (Wash areas of contact with water).
P332+P313	If skin irritation occurs: Get medical attention.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER or physician.
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents in accordance with local, state, federal and international regulations.

### 2.3. WHMIS Classification

WHMIS classification is not included based on the recommended option (Option 4) found in the Canada Gazette Part II, Vol. 149, No.3, page 458

## 2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

Product Number: R2545500 Page 2 of 11

## **SECTION 3: Composition / Information on Ingredients**

## 3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Water	H₂O	18.01 g/mol	7732-18-5	98.52%
Sodium Metabisulfite	$Na_2O_5S_2$	190.10 g/mol	7681-57-4	0.75%
Hydrochloric Acid	HCI	36.46 g/mol	7647-01-0	0.43%
Charcoal, Activated	С	12.01 g/mol	7440-44-0	0.20%
Basic Fuchsin	$C_{19}H_{18}CIN_3$	323.81 g/mol	569-61-9	0.10%

# **SECTION 4: First-Aid Measures**

### 4.1. General First Aid Information

Eye Contact: May cause irritation, redness, pain, and tearing.

Inhalation: IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN: Wash with plenty of soap and water. Prolonged or repeated exposure may cause dermatitis.

Ingestion: Dilute immediately with water or milk. Induce vomiting. Call a physician.

#### 4.2. Most Important Symptoms and Effects, Acute and Delayed

May cause irritation. May be harmful if swallowed. Wash areas of contact with plenty of water. If ingested, dilute with water and induce vomiting. For eyes, get medical attention. Contains ingredients that are classified as possible carcinogens. EYE CONTACT: May cause irritation, redness, pain, and tearing. SKIN CONTACT: Prolonged or repeated exposure may cause dermatitis.

#### 4.3. Medical Attention or Special Treatment Needed

Specific treatment (Wash areas of contact with water).

## **SECTION 5: Fire-Fighting Measures**

#### 5.1. Extinguishing Media

Use any means suitable for extinguishing surrounding fire (water or water spray). Neutralize with soda ash or slaked lime.

#### 5.2. Specific Hazards Arising from the Substance or Mixture

Not considered to be a fire or explosion hazard.

### 5.3. Special Protective Equipment for Firefighters

Use protective clothing and breathing equipment appropriate for the surrounding fire.

## **SECTION 6: Accidental Release Measures**

#### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

Product Number: R2545500 Page 3 of 11

## 6.2. Cleanup and Containment Methods and Materials

Cover the spill with Sodium Carbonate or a soda ash-slaked lime mixture (50:50). Mix and add water to form slurry. Decant the liquid to the drain with excess water. Treat the solid residue as normal refuse. Wash site with soda ash solution. Always dispose of in accordance with local regulations.

## **SECTION 7: Handling and Storage**

## 7.1. Precautions for Safe Handling and Storage Conditions

Store locked up. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage. Store at controlled room temperature, 15 - 30oC.

## **SECTION 8: Exposure Controls / Personal Protection**

#### 8.1. Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Hydrochloric Acid (7647-01-0)	TLV-Ceiling	USA	2 ppm Ceiling	ACGIH - Threshold Limit Values - Ceilings (TLV-C)
Hydrochloric Acid (7647-01-0)	PEL-Ceiling	USA	5 ppm Ceiling 7 mg/m³ Ceiling	U.S OSHA - Final PELs - Ceiling Limits
Sodium Metabisulfite (7681-57-4)	TLV-TWA	USA	5 mg/m³ TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

### 8.2. Exposure Controls

**Engineering Controls:** No specific controls are needed. Normal room ventilation is adequate.

**Respiratory Protection:** In case of inadequate ventilation wear respiratory protection. Normal room ventilation is adequate.

**Skin Protection:** Wear protective gloves and eye protection. Chemical resistant gloves. **Eye Protection:** Wear protective gloves and eye protection. Safety glasses or goggles.

### 8.3. Personal Protective Equipment

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection. Normal room ventilation is adequate. Chemical resistant gloves. Safety glasses or goggles.

Product Number: R2545500 Page 4 of 11

## **SECTION 9: Physical and Chemical Properties**

## 9.1. Basic Physical and Chemical Properties

Appearance: Colorless to slightly pink liquid

Physical State: Liquid

Odor: Data not available.

Odor Threshold: Data not available.

pH: Data not available.

Melting/Freezing Point: 0.0°C

Initial Boiling Point /Range: 100°C - 100°C

Flash Point: Data not available.

**Evaporation Rate:** Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 1.01

Solubility: Miscible

Partition Coefficient (n-Octanol/Water): Data not available.

Auto-Ignition Temperature: Data not available.

**Decomposition Temperature:** Data not available.

Viscosity: Data not available.

**ExplosiveProperties:** Data not available. **Oxidizing Properties:** Data not available.

## **SECTION 10: Stability and Reactivity**

## 10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

#### 10.2. Possibility of Hazardous Reactions

Data not available.

#### 10.3. Conditions to Avoid and Incompatible Materials

Most metals, alkalis, active metals, Cyanides, Sulfides, Metal Oxides, Formaldehyde. Addition of acid may release hazardous Sulfur Dioxide gas.

#### 10.4. Hazardous Decomposition Products

Will not occur.

Product Number: R2545500 Page 5 of 11

## **SECTION 11: Toxicological Information**

## 11.1. Information on Toxicological Effects

#### **Acute Toxicity - Oral Exposure:**

Not applicable.

#### **Acute Toxicity - Dermal Exposure:**

Not applicable.

#### **Acute Toxicity - Inhalation Exposure:**

Not applicable.

#### **Acute Toxicity - Other Information:**

LD50, Oral, Rabbit: 900 mg/kg (Hydrochloric Acid); LD50, Oral, Rat: 1131 mg/kg (Sodium metabisulfite); LD50, Oral, Mouse: 5000 mg/kg (Basic Fuchsin). Details of toxic effects not reported other than lethal dose value.

#### Skin Corrosion and Irritation:

Not applicable.

#### Serious Eye Damage and Irritation:

Not applicable.

#### **Respiratory Sensitization:**

May cause allergy or asthma symptoms or breathing difficulties if inhaled. Avoid breathing dust, fumes or mist. In case of inadequate ventilation wear respiratory protection. IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or physician. Dispose of contents in accordance with local, state, federal and international regulations.

#### Skin Sensitization:

May cause an allergic skin reaction. Avoid breathing dust, fumes or mist. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves and eye protection. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical attention. Specific treatment (Wash areas of contact with water). Wash contaminated clothing before reuse. Dispose of contents in accordance with local, state, federal and international regulations.

#### **Germ Cell Mutagenicity:**

Not applicable.

#### Carcinogenicity:

May cause cancer. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye protection. IF exposed or concerned: Get medical attention. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### **Reproductive Toxicity:**

Not applicable.

#### **Specific Target Organ Toxicity from Single Exposure:**

Not applicable.

Product Number: R2545500 Page 6 of 11

### **Specific Target Organ Toxicity from Repeated Exposure:**

Not applicable.

#### **Aspiration Hazard:**

Not applicable.

#### **Additional Toxicology Information:**

Data not available.

## **SECTION 12: Ecological Information**

### 12.1. Ecotoxicity

Harmful to aquatic life. Avoid release to the environment. Dispose of contents in accordance with local, state, federal and international regulations.

## 12.2. Persistence and Degradability

Data not available.

## 12.3. Bioaccumulative Potential

Data not available.

#### 12.4. Mobility in Soil

Data not available.

### 12.5. Other Adverse Ecological Effects

Data not available.

# **SECTION 13: Disposal Considerations**

#### 13.1. Waste Treatment Methods

Data not available.

## **SECTION 14: Transportation Information**

## 14.1. Transportation by Land - Department of Transportation (DOT, United States of America)

Not regulated according to DOT Regulations.

Product Number: R2545500 Page 7 of 11

# **SECTION 15: Regulatory Information**

## 15.1. Occupational Safety and Health Administration (OSHA) Hazards

Not listed.

#### 15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Hydrochloric Acid (CAS # 7647-01-0): 500 lb TPQ (gas only) Hydrochloric Acid (CAS # 7647-01-0): 5000 lb EPCRA RQ (gas only)

## 15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Charcoal, Activated (CAS # 7440-44-0): 10 curie final RQ; 0.37 TBq final RQ Charcoal, Activated (CAS # 7440-44-0): 1000 curie final RQ; 37 TBg final RQ Hydrochloric Acid (CAS # 7647-01-0): 5000 lb final RQ; 2270 kg final RQ

## 15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Hydrochloric Acid (CAS # 7647-01-0): 1.0 % de minimis concentration (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size)

## 15.5. Massachusetts Right-to-Know Substance List

Basic Fuchsin (CAS # 569-61-9): Carcinogen; Extraordinarily hazardous Hydrochloric Acid (CAS # 7647-01-0): Extraordinarily hazardous Sodium Metabisulfite (CAS # 7681-57-4): Present

## 15.6. Pennsylvania Right-to-Know Hazardous Substances

Hydrochloric Acid (CAS # 7647-01-0): Environmental hazard Hydrochloric Acid (CAS # 7647-01-0): Present Sodium Metabisulfite (CAS # 7681-57-4): Present Water (CAS # 7732-18-5): Present

## 15.7. New Jersey Worker and Community Right-to-Know Components

Basic Fuchsin (CAS # 569-61-9): carcinogen Basic Fuchsin (CAS # 569-61-9): sn 3239 Hydrochloric Acid (CAS # 7647-01-0): corrosive Hydrochloric Acid (CAS # 7647-01-0): sn 1012

Hydrochloric Acid (CAS # 7647-01-0): SN 1012 TPQ: 500 lb (>=37% concentration); SN 2909 TPQ: 500 lb (Hydrogen chloride gas only. NJ uses UN1050 for reporting purposes)

Sodium Metabisulfite (CAS # 7681-57-4): corrosive Sodium Metabisulfite (CAS # 7681-57-4): sn 1708

## 15.8. California Proposition 65

Basic Fuchsin (CAS # 569-61-9): 3 µg/day NSRL

Basic Fuchsin (CAS # 569-61-9): carcinogen, initial date 7/1/89

Product Number: R2545500 Page 8 of 11

### 15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Basic Fuchsin (CAS # 569-61-9): Present (CEPA, subsection 81(3) applies) Charcoal, Activated (CAS # 7440-44-0): Present Hydrochloric Acid (CAS # 7647-01-0): Present

Sodium Metabisulfite (CAS # 7681-57-4): Present

Water (CAS # 7732-18-5): Present

## 15.10. United States of America Toxic Substances Control Act (TSCA) List

Basic Fuchsin (CAS # 569-61-9): Present Charcoal, Activated (CAS # 7440-44-0): Present Hydrochloric Acid (CAS # 7647-01-0): Present [T] Sodium Metabisulfite (CAS # 7681-57-4): Present Water (CAS # 7732-18-5): Present

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS),
European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Not listed.

## **SECTION 16: Other Information**

## 16.1. Full Text of Hazard Statements and Precautionary Statements

May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause cancer. Harmful to aquatic

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust, fumes or mist. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

IF ON SKIN: Wash with plenty of soap and water. IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. IF exposed or concerned: Get medical attention. Specific treatment (Wash areas of contact with water). If skin irritation occurs: Get medical attention. If experiencing respiratory symptoms: Call a POISON CENTER or physician. Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents in accordance with local, state, federal and international regulations.

#### 16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.

Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Not Applicable.

Product Number: R2545500 Page 9 of 11


16.3. National Fire Protection Association (NFPA) Rating

Health: 1

Flammability: 0

Reactivity: 0

**Special Hazard:** 



**Product Number:** R2545500 Page **10** of **11** 

#### 16.4. Document Revision

Last Revision Date: 5/1/2015

## **DISCLAIMER**

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.

Product Number: R2545500 Page 11 of 11