

# **SECTION 1: Identification**

# **1.1. Product Identifier**

Trade Name or Designation: Dibutylamine, 2 Normal in Toluene

Product Number: R2549400 Other Identifying Product Numbers: R2549400-4C

# 1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

# 1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company

Address: 448 West Fork Drive Arlington, TX 76012 USA Telephone: 888-467-4222

# 1.4. Emergency Telephone Number (24 hr)

CHEMTREC (USA) 800-424-9300 CHEMTREC (International) 1+ 703-527-3887

# **Safety Data Sheet**

# SECTION 2: Hazard(s) Identification

## 2.1. Classification of the Substance or Mixture (in accordance with OSHA HCS 29 CFR 1910.1200)

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

		Hazard	
Hazard Class	Category	Statement	Precautionary Statements
Acute Toxicity - Oral	Category 3	H301	P264, P270, P301+P310, P321, P330, P405, P501
Acute Toxicity - Dermal	Category 3	H311	P280, P302+P352, P312, P321, P361, P405, P501
Acute Toxicity - Inhalation	Category 2	H330	P260, P271, P285, P304+P340, P310, P320,
			P403+P233, P405, P501
Skin Corrosion / Irritation	Category 1	H314	P260, P264, P280, P301+P330+P331,
			P303+P361+P353, P363, P304+P340, P310,
			P321, P305+P351+P338, P405, P501
Eye Damage / Irritation	Category 1	H318	P280, P305+P351+P338, P310
Reproductive Toxicity	Category 1	H360	P201, P202, P280, P308+P313, P405, P501
Specific Target Organs/Systemic Toxicity Following Single	Category 1	H370	P260, P264, P270, P307+P311, P321, P405, P501
Exposure			
Specific Target Organs/Systemic Toxicity Following Repeated	Category 1	H372	P260, P264, P270, P314, P501
Exposure			
Aspiration Hazard	Category 1	H304	P301+P310, P331, P405, P501
Flammable Liquids	Category 2	H225	P210, P233, P240, P241, P242, P243, P280,
			P303+P361+P353, P370+P378, P403+P235, P50 <sup>-</sup>
Corrosive to Metals	Category 1	H290	P234, P390, P406
Hazardous to the Aquatic Environment (Acute)	Category 2	H401	P273, P501
Hazardous to the Aquatic Environment (Chronic)	Category 3	H402	P273, P501

# 2.2. GHS Label Elements



Signal Word: Danger

# **Safety Data Sheet**

Hazard Statements:	
Hazard Number	Hazard Statement
H225	Highly flammable liquid and vapor.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H360	May damage fertility or the unborn child.
H370	Causes damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.

# **Safety Data Sheet**

#### **Precautionary Statements: Precautionary Number Precautionary Statement** P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks and open flame. No smoking. P233 Keep container tightly closed. P234 Keep only in original container. P240 Ground container and receiving equipment. P241 Use explosion-proof equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe dust, fumes or mist. P264 Wash arms, hands and face thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P280 Wear protective gloves and eye protection. P285 In case of inadequate ventilation wear respiratory protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or physician. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to d Continue rinsing. P307+P311 IF exposed: Call a POISON CENTER or physician. P308+P313 IF exposed or concerned: Get medical attention. P310 Immediately call a POISON CENTER or physician. P312 Call a POISON CENTER or physician if you feel unwell. P314 Get medical attention if you feel unwell. P320 Specific treatment is urgent (Wash areas of contact with water). P321 Specific treatment (Wash areas of contact with water). P330 Rinse mouth. P331 Do NOT induce vomiting. P361 Take off immediately all contaminated clothing and wash it before reuse.

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store in a well-ventilated place. Keep container tightly closed.

P363

P390

P405

Store locked up.

P403+P233

# **Safety Data Sheet**

P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents in accordance with local, state, federal and international regulations.

### 2.3. WHMIS Classification

WHMIS classification is not included based on the recommended option (Option 4) found in the Canada Gazette Part II, Vol. 149, No.3, page 458

# 2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

# **SECTION 3: Composition / Information on Ingredients**

## 3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Toluene	$C_6H_5CH_3$	92.13 g/mol	108-88-3	69.31%
Dibutylamine	(C <sub>4</sub> H <sub>9</sub> ) <sub>2</sub> NH	129.24 g/mol	111-92-2	30.69%

# **SECTION 4: First-Aid Measures**

### 4.1. General First Aid Information

- **Eye Contact:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. May cause irritation with burning and stinging with possible damage to the cornea and conjunctiva.
  - Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. May cause irritation, redness and pain. May be absorbed through skin on prolonged exposure.
  - Ingestion: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Aspiration hazard. Do not induce vomiting, vomiting may occur spontaneously. If vomiting occurs, keep head below hips to prevent aspiration into lungs. Call a physician.

# 4.2. Most Important Symptoms and Effects, Acute and Delayed

DANGER! Flammable and corrosive. Keep away from heat, sparks, and open flames. Use with adequate ventilation. Harmful if swallowed, inhaled, or absorbed through skin. May cause burns to areas of contact. If ingested, do not induce vomiting. Give large quantity of water and call a physician. Wash areas of contact with plenty of water for 15 minutes. For eyes, get medical attention. EYE CONTACT: May cause irritation with burning and stinging with possible damage to the cornea and conjunctiva. SKIN CONTACT: May cause irritation, redness and pain. May be absorbed through skin on prolonged exposure. CHRONIC EFFECTS / CARCINOGENICITY: Chronic exposure may affect kidneys and liver.

# 4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water). Specific treatment (Wash areas of contact with water).

# **Safety Data Sheet**

# **SECTION 5: Fire-Fighting Measures**

## 5.1. Extinguishing Media

Carbon dioxide, dry chemical, foam Dry chemical powder, alcohol foam, polymer foam, carbon dioxide, water spray

# 5.2. Specific Hazards Arising from the Substance or Mixture

Highly flammable liquid and vapor. Combustible liquid. Flammable liquid. Vapors are heavier than air and may travel to a source of ignition and flash back. Liquid floats on water and may travel to a source of ignition and spread fire.

## 5.3. Special Protective Equipment for Firefighters

Wear full protective clothing and positive pressure self-contained breathing apparatus. Polyvinyl alcohol, Teflon, or Viton barrier recommended. Wear special protective clothing and positive pressure self-contained breathing apparatus. Nitrile rubber, polyvinyl alcohol, or Viton barrier recommended.

# **SECTION 6: Accidental Release Measures**

## 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Ground container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

### 6.2. Cleanup and Containment Methods and Materials

Eliminate all ignition sources. Stop or control the leak, if this can be done without undue risk. Use water spray to cool and disperse vapors and protect personnel. Absorb in noncombustible material for proper disposal. Control runoff and isolate discharged material for proper disposal. Use water spray to cool and disperse vapors and protect personnel. Approach release from upwind. Sand, clay, earth, or other absorbent material may be used to contain liquid.

# **SECTION 7: Handling and Storage**

### 7.1. Precautions for Safe Handling and Storage Conditions

Store in corrosive resistant container with a resistant inner liner. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage. Store in secure, flammable storage area away from all sources of ignition. Empty containers may be hazardous since they retain product residues.

# **SECTION 8: Exposure Controls / Personal Protection**

### 8.1. Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Toluene (108-88-3)	TWA	USA	200 ppm TWA	U.S OSHA - Final PELs - Time Weighted
				Averages (TWAs)
Toluene (108-88-3)	TLV-TWA	USA	20 ppm TWA	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Toluene (108-88-3)	PEL-Ceiling	USA	300 ppm Ceiling	U.S OSHA - Final PELs - Ceiling Limits



# 8.2. Exposure Controls

Engineering Controls: Use only outdoors or in a well-ventilated area. A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limit.

**Respiratory Protection:** In case of inadequate ventilation wear respiratory protection. Normal room ventilation is adequate. If the exposure limit is exceeded, a full facepiece respirator with organic vapor cartridge may be worn.

Skin Protection: Wear protective gloves and eye protection. Chemical resistant gloves.

Eye Protection: Wear protective gloves and eye protection. Safety glasses or goggles.

#### 8.3. Personal Protective Equipment

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection. Normal room ventilation is adequate. If the exposure limit is exceeded, a full facepiece respirator with organic vapor cartridge may be worn. Chemical resistant gloves. Safety glasses or goggles

# **SECTION 9: Physical and Chemical Properties**

#### 9.1. Basic Physical and Chemical Properties

Appearance:	Colorless to slightly yellow liquid		
Physical State:	Liquid		
Odor:	Data not available.		
Odor Threshold:	Data not available.		
pH:	Data not available.		
Melting/Freezing Point:	Data not available.		
Initial Boiling Point /Range:	Approximately 111°C (Toluene) - Approximately 111°C (Toluene)		
Flash Point:	4.4°C (Toluene), 47°C (Dibutylamine)		
Evaporation Rate:	Data not available.		
Flammability:	Data not available.		
Flammability/Explosive Limits:	Data not available.		
Vapor Pressure:	Data not available.		
Vapor Density:	Data not available.		
Relative Density:	0.9		
Solubility:	Data not available.		
Partition Coefficient (n-Octanol/Water):	Data not available.		
Auto-Ignition Temperature:	Data not available.		
Decomposition Temperature:	Data not available.		
Viscosity:	Data not available.		
ExplosiveProperties:	Data not available.		
Oxidizing Properties:	Data not available.		

# **Safety Data Sheet**

# **SECTION 10: Stability and Reactivity**

## 10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

## 10.2. Possibility of Hazardous Reactions

Data not available.

## 10.3. Conditions to Avoid and Incompatible Materials

Keep away from heat, sparks and open flame. No smoking. Keep container tightly closed. Keep only in original container. Strong oxidizing agents suc

## **10.4. Hazardous Decomposition Products**

Will not occur.

# **SECTION 11: Toxicological Information**

## 11.1. Information on Toxicological Effects

#### Acute Toxicity - Oral Exposure:

Toxic if swallowed. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. IF SWALLOWED: Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water). Rinse mouth. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### Acute Toxicity - Dermal Exposure:

Toxic in contact with skin. Wear protective gloves and eye protection. IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or physician if you feel unwell. Specific treatment (Wash areas of contact with water). Take off immediately all contaminated clothing and wash it before reuse. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### Acute Toxicity - Inhalation Exposure:

Fatal if inhaled. Do not breathe dust, fumes or mist. Use only outdoors or in a well-ventilated area. In case of inadequate ventilation wear respiratory protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water). Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### Acute Toxicity - Other Information:

LD50, Oral, Rat: (Dibutylamine) 189 mg/kg, (Toluene) 636 mg/kg, details of toxic effects not reported other than lethal dose value.

#### Skin Corrosion and Irritation:

Causes severe skin burns and eye damage. Do not breathe dust, fumes or mist. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

# **Safety Data Sheet**

#### Serious Eye Damage and Irritation:

Causes serious eye damage. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

#### **Respiratory Sensitization:**

Not applicable.

#### Skin Sensitization:

Not applicable.

#### Germ Cell Mutagenicity:

Not applicable.

#### Carcinogenicity:

Not applicable.

#### **Reproductive Toxicity:**

May damage fertility or the unborn child. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye protection. IF exposed or concerned: Get medical attention. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### Specific Target Organ Toxicity from Single Exposure:

Causes damage to organs. Do not breathe dust, fumes or mist. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. IF exposed: Call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water). Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### Specific Target Organ Toxicity from Repeated Exposure:

Causes damage to organs through prolonged or repeated exposure. Do not breathe dust, fumes or mist. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Get medical attention if you feel unwell. Dispose of contents in accordance with local, state, federal and international regulations.

#### **Aspiration Hazard:**

May be fatal if swallowed and enters airways. IF SWALLOWED: Immediately call a POISON CENTER or physician. Do NOT induce vomiting. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### Additional Toxicology Information:

Data not available.

# **SECTION 12: Ecological Information**

# 12.1. Ecotoxicity

Toxic to aquatic life. Avoid release to the environment. Dispose of contents in accordance with local, state, federal and international regulations. Harmful to aquatic life. Avoid release to the environment. Dispose of contents in accordance with local, state, federal and international regulations.

### 12.2. Persistence and Degradability

Data not available.

### 12.3. Bioaccumulative Potential

Data not available.



# 12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

# **SECTION 13: Disposal Considerations**

# 13.1. Waste Treatment Methods

Data not available.

# **SECTION 14: Transportation Information**

# 14.1. Transportation by Land - Department of Transportation (DOT, United States of America)

UN Number: UN2924 Proper Shipping Name: Flammable liquid, corrosive, n.o.s., (Toluene, Dibutylamine) Hazard Class: 3 (8) Packing Group: II Hazard Placard Labels:



# 14.2. Transportation by Air - International Air Transport Association (IATA)

UN Number: UN2924 Proper Shipping Name: Flammable liquid, corrosive, n.o.s., (Toluene, Dibutylamine) Hazard Class: 3 (8)

Packing Group:

Hazard Placard Labels:



# **SECTION 15: Regulatory Information**

- 15.1. Occupational Safety and Health Administration (OSHA) Hazards Not listed.
- 15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances Not listed.



- **15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals** Toluene (CAS # 108-88-3): 1 lb final RQ; 0.454 kg final RQ Toluene (CAS # 108-88-3): 1000 lb final RQ; 454 kg final RQ
- **15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)** Toluene (CAS # 108-88-3): 1.0 % de minimis concentration

## 15.5. Massachusetts Right-to-Know Substance List

Toluene (CAS # 108-88-3): Present Dibutylamine (CAS # 111-92-2): Present

## 15.6. Pennsylvania Right-to-Know Hazardous Substances

Toluene (CAS # 108-88-3): Environmental hazard Toluene (CAS # 108-88-3): Present Dibutylamine (CAS # 111-92-2): Present

## 15.7. New Jersey Worker and Community Right-to-Know Components

Toluene (CAS # 108-88-3): flammable - third degree; teratogen Toluene (CAS # 108-88-3): sn 1866 Toluene (CAS # 108-88-3): SN 1866 TPQ: 500 lb Dibutylamine (CAS # 111-92-2): corrosive Dibutylamine (CAS # 111-92-2): sn 0632

# 15.8. California Proposition 65

Toluene (CAS # 108-88-3): developmental toxicity, initial date 1/1/91 Toluene (CAS # 108-88-3): female reproductive toxicity, initial date 8/7/09

### 15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Toluene (CAS # 108-88-3): Present Dibutylamine (CAS # 111-92-2): Present

# 15.10. United States of America Toxic Substances Control Act (TSCA) List

Toluene (CAS # 108-88-3): Present Toluene (CAS # 108-88-3): Present [T] Dibutylamine (CAS # 111-92-2): Present

### 15.11. European Inventory of Existing Commercial Chemical Substances (EINECS),

European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP) Not listed.

# **Safety Data Sheet**

# **SECTION 16: Other Information**

# 16.1. Full Text of Hazard Statements and Precautionary Statements

Highly flammable liquid and vapor. May be corrosive to metals. Toxic if swallowed. Toxic in contact with skin. Causes severe skin burns and eye damage. Causes serious eye damage. Fatal if inhaled. May damage fertility or the unborn child. Causes damage to organs. Causes damage to organs through prolonged or repeated exposure. Toxic to aquatic life. Harmful to aquatic life.

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks and open flame. No smoking. Keep only in original container. Ground container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust, fumes or mist. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

IF SWALLOWED: Immediately call a POISON CENTER or physician. IF ON SKIN: Wash with plenty of soap and water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed: Call a POISON CENTER or physician. Get medical attention if you feel unwell. Specific treatment is urgent (Wash areas of contact with water). Wash contaminated clothing before reuse. In case of fire: Use dry chemical, foam or carbon dioxide to extinguish. Absorb spillage to prevent material damage.

Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.

# 16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable. Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable. Health Hazards Not Otherwise Classified (HHNOC): Not Applicable. Not Applicable.

Not Applicable.

# 16.3. National Fire Protection Association (NFPA) Rating

Health: 2 Flammability: 3 Reactivity: 0 Special Hazard:





# 16.4. Document Revision

Last Revision Date: 5/1/2015

# DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.